### FILE NOTATIONS

Intered in NI ocation Map	Pinned		CI	necked by	Chief .	7.0
Sard Indexed		• • • • • • • • • • • • • • • • • • • •	Aŗ	proval Le	tter	<u> </u>
СОМРТИ	The second of th	) IF Te			Letter	
Pace Nell To	· BL		Loc.	stion Insp Selector	ected	
CH (08,	on Bloom		<b>S</b>	ets er ik	e Land	-
Driller's Lo		• 4	EIIED			
Electric Logs	(No.)	W				
ET. BHC Sonic GR. CBLog.	·····L	at	MY_T	Sonic	· Micro	••••

CONDITIONS OF APPROVAL, IF ANT :

Form approved. Budget Bureau No. 42-R1425.

# UNITED STATES DEPARTMENT OF THE INTERIOR

5. LEASE DESIGNATION AND SERIAL NO. **GEOLOGICAL SURVEY** U-0566
6. IF INDIAN, ALLOTTEE OR TRIBE NAME APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK 1a. TYPE OF WORK 7. UNIT AGREEMENT NAME DRILL 🖾 DEEPEN PLUG BACK Red Wash Unit b. TYPE OF WELL' SINGLE ZONE MULTIPLE ZONE WELL S. FARM OR LEASE NAME WELL X OTHER 2. NAME OF OPERATOR 9. WELL NO. Chevron U. S.A. Inc. 3. ADDRESS OF OPERATOR 232 (12-26B) 10. FIELD AND POOL, OR WILDCAT Denver, Colorado P. O. Box 599 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*) Red Wash-Green River At surface 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA 603' FWL & 2105' FNL (SW4NW4) At proposed prod. sone S 26, T7S, R23E, SLBM 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE® 12. COUNTY OR PARISH | 13. STATE ±15 miles south and east from Jensen. Utah Utah Uintah 17. NO. OF ACRES ASSIGNED TO THIS WELL 15. DISTANCE FROM PROPUBED\* 16. NO. OF ACRES IN LEASE LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drig, unit line, if any) 40 ac. spacing 6031 18. DISTANCE FROM PROPOSED LOCATION®
TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT. 19. PROPOSED DEPTH 20. BOTARY OR CABLE TOULS ±1320 5700' Rotary 21. ELEVATIONS (Show whether DF, RT, GR, etc.) 22. APPROX. DATE WORK WILL START Oct. 10, 1977 GL 5533 PROPOSED CASING AND CEMENTING PROGRAM SETTING DEPTH QUANTITY OF CEMENT SIZE OF CASING WEIGHT PER FOOT SIZE OF HOLE 8-5/8" 24# 12-1/4" 300 To Surface 5-1/2" 7-7/8" 15.5# TD ±400 sxs We propose to drill this development well to an estimated TD of 5700' to test the Green River Formation. 3 - USGS-SLC Attached: Drilling Procedure Certified Plat 2 - State Chevron Class III BOP Requirements 1 - USGS-Vernal Multi-Point Surface Use Plan w/attachments 3 - Partners JCB APPROVED BY THE DIVISION OF 1 - ALF OIL, GAS, AND MINING - DBB - Sec. 723 DATE: 1 - File IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive some and proposed new productive sone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any. 24 E. T. KRYSUIK 3 Division Drlg. Supt 8-2-77 SIG NED (This space for Federal or State APPROVAL DATE PERMIT NO. APPROVED BY

### **ATTACHMENT**

BOP TESTS SUBSEQUENT TO INITIAL INSTALLATION AND TESTING TO MSP

After initial installation and testing of BOPE to MSP, subsequent tests of BOPE may be made using rig pump to the following minimum test pressures:


Pipe Rams, Series 900 - 2000 psi
Pipe Rams, Series 1500 - 3000 psi
Hydril - 750 psi
Blind Rams - \*
Choke Manifold, Kelly Cock, - same as pipe rams
DP and Safety Valve

\*Initial test of blind rams to be from below against the csg to 50% of minimum IY pressures. Subsequent tests to be from above to 1000 psi by locking a DP tool jt. below closed pipe rams.


When using rig pump, all BOP's, lines, etc., should be filled with water for the test.

### DRILLING PROCEDURE

	nit		Red Wash U	Jnit 232 ()	.2-268)	
Location SW4NW4	Sec. 26, T7S, R23E	, SLB&M, Uin	tah Co., Uta	ıh		
Drill <u>x</u> Deeper	nElevatio	n: GL 5533	KB_E	Est 5545	Total Dept	h <u>5800</u>
Non-Op Interests_G	ulf 1.18%, Caulkin	ns 0.885%, Bu	tram 0.295%	,		
	e formation: Uin					
2. Estimated tops Formation	of important geol Approxima	₹	Formatio	in	Approximate	. Top
Green River Fm	5185 (+36	50)		<del></del>		
K <sub>B</sub> 30	<u>5235 (+31</u>	.0)				
3. Estimated depth	ns of anticipated	water, oil, g	as or other	mineral b	earing format	ions:
Formation	Depth	0.11	ormation	<u>Depth</u>	·	<u>e</u>
K Series L Series	5205 (+340) 5400 (+145)					
. <u>Casing Program</u>	(0 = old, N = new)				Oil String/	0/1
lole Size	<u>Surface</u> <u>0</u> 12-1/4	/N Inte	rmediate	O/N	Liner 7-7/8	<u>0/N</u>
ipe Size		N_			5-1/2	N
rade eight	K 24#				K	
ergiit epth	<u>24#</u>			<del></del>	15.5# TD	
ement	To Surface				±400 sx	
ime WOC asing Test	6 hrs 1000	<del></del>			6 hrs 2000	
	1000 10" S-900			<del></del>	2000	
emarks						
. Mud Program: Depth Interval	Туре	Weight	<u>Vis</u>	cosity	Water L	oss
. Auxiliary Equip	ment:					,
<del></del>	N. N. S.					
. Logging Program	.:					
urface Depth ntermediate Depth			<u> </u>			
il String Depth	Michigan Annaham Canada and Canada					
otal Depth	SP-DIL: base sur	f. csg to TD;	GR-CNL-FDC	-Cal: 2500	to TD; RFT	10-15 se
. Mud Logging Uni Scales: 2" = 1	2 man, 2500' 00' to		5" = 100"		to	
. Coring & Testin						ximate
	Format	tions	Approxima	te Depth		of Core
ore DST				<del></del>		····
	tom Hole Pressure,	/Temperatures	/Hazards and	d plans fo	r mitigating:	
2. Completion & R	emarks: To be dete	ermined from	logs.			
	i					
vision Development ief Development Ge	CA.		rilling Sup			



## T7S, R23E, S.L.B. & M.



X = Section Corners Located.

### PROJECT

### CHEVRON U.S.A. INC.

Well location, RED WASH UNIT Nº 232(12-26-8), located as shown in the SW 1/4 NW 1/4 Section 26, T7S, R 23 E, S.L.B. & M., Uintah County, Utah.



THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED LAND SURVEYOR REGISTRATION Nº 2454

UINTAH ENGINEERING & LAND SURVEYING
P.O. BOX Q — 110 EAST - FIRST SOUTH
VERNAL, UTAH - 84078

WEATHER WEEM	FILE CHEVRON U.S. A. INC.
PARTY N.M. H.M. S.S. R.S.	REFERENCES GLO PLAT
SCALE   "= 1000"	DATE 7/22/77

### RED WASH UNITS 230, 231, 232, 233, 234 & 235 UINTAH COUNTY, UTAH MULTIPOINT SURFACE USE PLAN

### EXISTING ROADS.

See Exhibit. We will not change, alter, or improve upon any existing

### PLANNED ACCESS ROADS.

See Exhibits A-230, A-231, A-232, A-233, A-234, A-235.

- A. Width 20'
- B. Maximum Grade 8% if necessary.
- C. Turnouts - None.
- D. Drainage Design Roads to be placed and constructed so that minimal drainage alterations will be made.
- No major cuts and fills. One culvert will be installed at point A on
- F. Surfacing Materials Gravel if necessary.
- G. Gates Cattleguards Fence Cuts None.

### 3. LOCATION OF EXISTING WELLS.

See Exhibit B

# 4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES.

- 1-6 See Exhibit B.
- B. 1-4 Install new flowlines from subject wells to appropriate collection stations as shown on Exhibit B. Flowlines will be 2-1/2" plain end welded line pipe. Normal construction procedures will be used. When warranted, fences, flagging, etc., will be used to protect animals.
- Disturbed areas no longer needed for operations will be graded back to as near original state as possible. Drainage channels will be returned to original state and the areas will be reseeded as prescribed by appropriate BLM personnel.

# 5. LOCATION AND TYPE OF WATER SUPPLY.

Fresh water supplied to the location will be piped through temporary surface lines from the appropriate collection stations or nearest fresh water line. Lines will be removed after drilling and completion operations. See Exhibit B.

# SOURCE OF CONSTRUCTION MATERIALS.

A-D. All land is Federal land. All gravel, cement, etc., needed on the location will come commercially from the Vernal, Utah Area. Access roads needed are shown on Exhibits A-230, A-231, A-232, A-233, A-234, Multipoint Surface Use Plan Red Wash Units 230, 231, 232, 233, 234, 235 Page Two

### 7. METHODS FOR HANDLING WASTE DISPOSAL.

- A. Cuttings will be settled out in reserve pits.
- B. Drilling fluids will be retained in reserve tarks utilizing maximum recirculation during drilling operations. Following drilling the liquid waste will be evaporated and the remainier worked into the deep subsoil of the pit and the pit filled in and returned to natural grade.
- C. In the event fluids are produced, any oil will the retained until sold in tankage and any water produced will be retained until its quality is determined. The quality and quantity of water produced will then determine the necessary disposal procedure.
- D. Sewage will be disposed of in the subsurface with proper chemical treatment.
- E. Garbage and other combustible material will be incinerated in a safe incinerator and non-combustibles will be retained in a portable metal disposal container and hauled periodically to an approved disposal dump.
- F. After the rig has moved from the well site, all waste material will be either buried or removed to an approved disposal cump.

### 8. ANCILLARY FACILITIES.

Because of the accessibility to good roads and relatively close housing, we anticipate no need for ancillary facilities with the exception of two trailers to be located on the drilling location.

### 9. WELL SITE LAYOUT.

- 1-3 See Exhibits C-230 through C-235.
- 4. Pits will not be lined.

### 10. PLANS FOR RESTORATION OF SURFACE.

- A. All surface areas not required for producing operations will be graded to as near original condition as possible and contoured to maintain possible erosion to a minimum. Any rock encountered in excavation will be disposed of beneath backfill to return surface to its present appearance and provide soil for seed growth.
- B. Reseeding will be performed as directed by the ELM.
- C. Pits and any other area that would present a hazard to wildlife or livestock will be fenced off when the rig is released and removed.
- D. Any oil accumulation on the pit will be removed, burned or overhead flagged as dictated by then existing conditions.
- E. The wells may be completed during winter months. Under normal conditions, rehabitation could not be commenced until April or May and should be completed by the end of the summer of 1978.

Multipoint Surface Use Plan Red Wash Units 230, 231, 232, 233, 234, 235 Page Three

### 11. OTHER INFORMATION.

- A. The wells are located on hilly and rocky terrain. Vegetation consists of small sagebrush, natural grasses and some small trees on and around the locations. The soil is a poorly developed semi-arid thin topsoil layer over the Uintah formation.
- B. Surface use activities other than the oil well facilities consists of livestock grazing as assigned by BLM.
- C. There are no water bodies or occupied dwellings near the well sites.
  Archaeological, historical, and cultural sites may be determined by the
  BLM during the field inspection.

### 12. COMPANY REPRESENTATIVE.


R. W. Patterson P. O. Box 599 Denver, Colorado 80201 (303) 759-7000

13. I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by Chevron U.S.A. Inc. and its Contractors and Subcontractors in conformity with this plan and the terms and conditions under which it is approved.

5/2/77 Date

R. W. PATTERSON, Drilling Supervisor








Exhibit C-232

\*\* FILE NOTATIONS \*\* Operator: 1/5 R. 23 E County: 2 Location: Sec. 26 T. File Prepared Card Indexed Completion Sheet CHECKED BY: Administrative Assistant Remarks: Petroleum Engineer Remarks: Director Remarks: INCLUDE WITHIN APPROVAL LETTER: Bond Required / Survey Plat Required Order No. \_\_\_\_\_\_\_/ Surface Casing Change Rule C-3(c), Topographic exception/company owns or controls acreage within a 660' radius of proposed site / O.K. Rule C-3 Other:

SUBMIT IN TRIPLICATE®

(Other instructions reverse side)

Form approved. Budget Bureau No. 42-R1425.

# UNIT STATES DEPARTMENT OF THE INTERIOR

	GEOLG	OGICAL SURV	FY		•			DESIGNATION I	SALIZE SID
A DOLICATION	N FOR PERMIT			EN OP DI	IIG P	ACK		0566	OR TRIBE NAME
APPLICATION	N FOR PERMIT	TO DRILL,	DEEF	LIN, OR PL	.UG B	ACK			\
DR.	ILL 🖸	DEEPEN		PLU	G BAC	K □	ŧ	AGREEMENT NA	
. TYPE OF WELL				INGLE [7	MULTIPE			Wash Unit	
WELL W	AS OTHER	<u> </u>		ONE	ZONE	<u> </u>	b. FARM	OR TEAMS NOW	I.
	U. S.A. Inc.	•			nil it		9. WELL	NO.	<u> </u>
ADDRESS OF OPERATUR	•	·		(6)	Δ	1/2	232 (	12-26B)	,
P. O. B	ox 599 De	enver, Colo	rado		TEN.	1	10. FIELD	AND POOL, OF	
LOCATION OF WELL (R	eport location clearly and	d in accordance wi	th any	Staroodulyemen	10 X/	En -		Wash-Gree	
603'	FWL & 2105' FN	L (SW拉W拉)		- Sagar	N 1		AND	T. E. M. OR S	L¥. BA
At proposed prod. son	U. S.A. Inc.  ox 599  Peoprt location clearly and  FWL & 2105 * FN  se				MININO	7 1	e 26	T7S, R23	F SIRM
. DISTANCE IN MILES	AND DIRECTION FROM NEA	REST TOWN OR POS	T OFFIC	· (3)	No.	X		TT OR PARISH	
	h and east from			(V)	7776	(6)	Viņ	tah	Utah
6. DISTANCE FROM PROPA LOCATION TO NEARES	SED*		i	O. OF ACRES LE	EATY.		F ACRES AS		
PROPERTY OR LEASE I	.INE, FT. g. unit line, if any)	603'	1	ac. spaci	Ing			40	
B. DISTANCE FROM PROP	NSED LOCATION® RILLING, COMPLETED,	±1320	19. PI	5700 5			Rotary	E TOOLS	
OE APPLIED FOR, ON TH	is LEASE, FT. ether DF, RT, GR, etc.)		1					POT DATE BOO	A WILL START
GL 5533	emer Dr. RI, GA, etc.)					\$ £	i i	10, 197	
l	· · · · · · · · · · · · · · · · · · ·	PROPOSED CASI	NG ANI	CPWENTING	PPOCPA		1 333	,	·
•		<del>,</del>					-		•
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER P	00T	BETTING DE	PTH			LITT OF CEMEN	<u> </u>
12-1/4" 7-7/8"	8-5/8" 5-1/2"	24# 15.5#		300 TD		±400	urface		
1-1/6	J-1/2	,					3/3		
•				l .	į	3 3	-		• • • · · · · · · · · · · · · · · · · ·
propose to di	rill this devel	opment well	to	an estimat	ed TD	of 57	00 <b>'</b> to	test the	e Green
ver Formation	•	F., 1		,		• •			
	lt - Doorandoon						7 1		JSGS-SLC
	ling Procedure ified Plat			•		•			State
• • • • •	ron Class III B	OP Requirem	ien ts					_	JSGS-Vernal
	I-Point Surface	•						<del>-</del>	Partners
	•							1	
								1 - 4	
								1 - 1	
								_	Sec. 723 File
				•					
		•					3	<b></b>	<i>.</i>
ABOVE SPACE DESCRIBE	PROPOSED PROGRAM : If	proposal is to deep	ев ог р	ing back, give di	ata ou pro	esent prodi	uctive sone	and proposed	new productive
ne. If proposal is to deventer program, if any	drill or deepen directions	dly, give pertinent	data o	e subsurface foci	ations and	d measured	and true	vertical depth	i. Give blowout
		$\Omega$	R	. T. KRYSU	TK		• .	• •	
T. 3	Knyzu	h		ivision Dr		upt. "	= = =	8-2-	77
BIGNED									
(This space for Feder	rai or State office use)	77. 183a.		• • • •		٠.	<b>\$</b> 13.		;
PERMIT NO.				APPROVAL DATE _					
(ORIG	. SGD.) E. W. GU	YNN	A Him	ISTRICT EN	GINEE	R -		MAG	4 1977
CONDITIONS OF APPROVA	·····	711	15				<b>P</b> A	# _ <u></u>	- 1911
			;			,	, <u></u>	, ,	* ***
app	round mo	use,	j Je	ner. Og	gi	re 0	6 4 M		
	•		_						

\*See Instructions On Reverse Side

EIA NO. <u>663</u>

LEASE 4-0566 DATE 8-16-77
WELL NO. 232 (12-26B)
LOCATION: SW 4 NW 4, SEC. 26 T. 75 R. 23 E
FIELD led Wash - frem Rom COUNTY (lintal STATE Utah
ENVIRONMENTAL IMPACT ANALYSIS - ATTACHMENT 2-B
I. PROPOSED ACTION
Chevron U.S.A. one PROPOSES TO DRILL AN OIL AND
GAS TEST WELL WITH ROTARY TOOLS TO ABOUT 5 200 FT. TD. 2) TO CONSTRUCT A
DRILL PAD FT. X 375 FT. AND A RESERVE PIT 100 FT. X 200 FT.
3) TO CONSTRUCT 20 FT. WIDE X 4 MILES ACCESS ROAD AND UPGRADE
FT. WIDE X MILES ACCESS ROAD FROM AN EXISTING AND IMPROVED ROAD. TO CONSTRUCT
GAS OIL PRODUCTION FACILITIES ON THE DISTURBED AREA FOR THE DRILL PAD
AND TRUCK TRANSPORT THE PRODUCTION THROUGH A PIPELINE TO A TIE-IN IN
SECTION 27, T. 75, R. 23 E.
2. LOCATION AND NATURAL SETTING (EXISTING ENVIRONMENTAL SITUATION).
(I) TOPOGRAPHY: PROLLING HILLS DISSECTED TOPOGRAPHY DESSERT
OR PLAINS STEEP CANYON SIDES NARROW CANYON FLOORS DEEP DRAINAGE
IN AREA SURFACE WATER
IN AREA
(2) VEGETATION: SAGEBRUSH PINION-JUNIPER PINE/FIR FARMLAND
(CULTIVATED) NATIVE GRASSES OTHER
en e

(3) WILDLIFE: DEER CANTELOPE ELK BEAR SMALL
MAMMA L BIRDS ENDANGERED SPECIES OTHER
•
(4) LAND USE: PRECREATION PRESIDENTIAL OIL & GAS OPERATIONS
REF: BLM UMBRELLA EAR Oil and fac Leasing Programs  USFS EAR Vernal, District 7.6.1976  OTHER ENVIRONMENTAL ANALYSIS UT-080-6-28  3. Effects on Environment by Proposed Action (potential impact)
1) EXHAUST EMISSIONS FROM THE DRILLING RIG POWER UNITS AND SUPPORT TRAFFIC ENGINES WOULD ADD MINOR POLLUTION TO THE ATMOSPHERE IN THE LOCAL VICINITY.
ENGINES WOULD ADD MINOR POLEUTION TO THE ATMOSPHERE IN THE LOCAL VICTOTTI
2) MINOR INDUCED AND ACCELERATED EROSION POTENTIAL DUE TO SURFACE
DISTURBANCE AND SUPPORT TRAFFIC USE.
3) MINOR VISUAL IMPACTS FOR A SHORT TERM DUE TO OPERATIONAL EQUIPMENT AND SURFACE DISTURBANCE.
4) TEMPORARY DISTURBANCE OF WILDLIFE AND LIVESTOCK.
5) MINOR DISTRACTION FROM AESTHETICS FOR SHORT TERM.
6)

A Alternatives to the Proposed Action
4. Alternatives to the Proposed Action
1) Not approving the proposed permit The OIL AND GAS LEASE GRANTS THE
LESSEE EXCLUSIVE RIGHT TO DRILL FOR, MINE, EXTRACT, REMOVE AND DISPOSE OF ALL
OIL AND GAS DEPOSITS.
2) Deny the proposed permit and suggest an alternate location to minimize
ENVIRONMENTAL IMPACTS. NO ALTERNATE LOCATION ON THIS LEASE WOULD JUSTIFY THIS
ACTION
3) LOCATION WAS MOVED TO AVOID  LARGE SIDEHILL CUTS NATURAL DRAINAGE OTHER
5. Adverse Environmental Effects Which Cannot Be Avoided
1) MINOR AIR POLLUTION DUE TO EXHAUST EMISSIONS FROM RIG ENGINES AND SUPPORT
TRAFFIC ENGINES.
2) MINOR INDUCED AND ACCELERATED FROSION POTENTIAL DUE TO SURFACE DISTURBANCE
AND SUPPORT TRAFFIC USE.
3) MINOR AND TEMPORARY DISTURBANCE OF WILDLIFE.
4) TEMPORARY DISTURBANCE OF LIVESTOCK.
5) MINOR AND SHORT-TERM VISUAL IMPACTS.
6)
6. DETERMINATION:
(THIS REQUESTED ACTION (DOES NOT) CONSTITUTE A MAJOR
FEDERAL ACTION SIGNIFICANTLY AFFECTING THE ENVIRONMENT IN THE SENSE OF NEPA, SECTION 102(2) (C).
DATE INSPECTED 8-10-72
INSPECTOR L. L. CONSERVATION DIVISION - OIL & GAS OPERATIONS SALT LAKE CITY DISTRICT
SALI LAKE CITI DIGINIO

U. S. GEOLOGICAL SURVEY

CON District Notifi Mailed to D.E.

SEF	RVAT	ION	DIVIS	SION

To. District Engineer,\_

NH	<b>1</b>		

NID							,		
Operator			Well Location Uintal Ural						
Chevron			232/12	75 A.23E					
Leose No.	Grou	nd elev.	Objective	Estimated T. D.					
40566	53	33	07/ in 6	Green K	· ·	8 % to 300'	5700'		
Formation	<del></del>	Possible resource	Estimated depth						
Uintal Dich	Esnl	water	Surface			possible usca.	ble tous ood		
Green River			2700						
		oilsh	4700	1994					
	<del></del>				 		,t		
		01/	.5205	•					
Wasarch		oîl	54 M	·					
				•			× .		
				·	_	•			
			•						
					$\vdash$				
		·							
1		l	<u> </u>	l	ــــــــــــــــــــــــــــــــــــــ				

Competency	of	beds at proposed	casing :	setting	points:	<u>OK</u>	<u> </u>	
<i>•</i>								

Additional logs or samples needed:

\* Where applicable note:

THE PERSON OF TH

- 1. Potential oil and gas productive zones
- 2. Zones bearing fresh water
- 3. Possible lost circulation zones.
- 4. Zones with abnormal pressure
- 5. Zones with abnormal temperature
- 6. Other minerals such as coal, oil shale, potash, etc.

of the office OGM

Signed:

Geologist

		UM	MA	RY	OF.	EN	IV!	RO	NM	EN'	TAI		MF	AC	T	EVA	LU	ATIO	DN EI ΤΔΤ	A.NO F #	663 -10-2
DI Li	PERATOR Cherron EASE # U-0566 ELL NO.232-(12-245)	C	onsi	ruc	tion	P	oll	uti	on		Dri Pro			on 1		Trai Oper			Accid		Others
WI	ELL NO. <u>232-(12-24</u> 5		H	Т	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Γ	Г	-					1	+	ŤŢ				1	
L(	OC. MUSEC. 26				Others (pump stations, compressor stations, etc.)				atc.		83)		5		•						
	T. 25 R. 23E								8		Fluid removal (Prod. wells, facilities)		scenic views	Mineral processing (ext. facilities)							
C(	DUNTY Genta TATE W	1.	2		ions	sal			Others (toxic gases, noxious gas		aci		υic	ii.						ļ	
F	IELD Kid Wash Sunk	بيل	Fines	1	- to	Burning, noise, junk disposal	Liquid effluent discharge		ö		18,1		9C8	-							
US	sgs cok	Roads, bridges, airports	Transmission lines, pipe	Doms & impoundments	90	Ġ	200	_	e,		Wel	_	of	ex							*
	M _ 21//is	è	33,	me.	10t 330	S C D	dis	Subsurface disposal	936	1	od.	Secondary Recovery	Noise or obstruction of	bu					9	Operational failure	
RI	P: Bullock	9,6	Ē	5	p s pro	e,	=	disp	60		(Pr	6C0	ruc	53	-				and leaks	fo.	
ľ	ENHANCES	966	ē	8	E 6	io	Ine	90	Š	Well drilling	ova	۲ R	bs†	90					P	na	
Ē	NO IMPACT	مَا	niss	트.		9,	9.1	10	5	E	emo	dar	or o			8	Pipelines		6	ë	
Ē	/ MINOR IMPACT	93,	25	SE	91.	اق	E G	pan	Je .	=	idr	Cou	188	Der	Others	Trucks	<u>8</u>	Others	Spills	910	
Ē	X MAJOR IMPACT	Ro	5	ã	5	B	ت	Su	ō	<b>1</b> %	重	So	ဦ	Σ	ō	F	آة	ō	Sp	o	
Ī	Forestry NA						Ī													:	
١.	Grazing $ u$	1		1		1	1			1			4	4	_	4				/	
ŀ	Wilderness NA	<u> </u>	$\sqcup$	_		_	_		_				_	-	+						!
٠.	Agriculture NA	_		-		_	_			-			_		+	_			· · · · · · · · · · · · · · · · · · ·		1
	Residential-Commercial	F.					_	_		-			-		+						
1	Mineral Extraction AFF Recreation	0	-	<del>,</del>		/		_		1				十	+	7			/	/	
	Scenic Views	1		7		1	7			Ź			2		1	2			/	/	
1	Parks Reserves																1				
	Monuments NF Historical Sites						6	1.5	w	7	,		$\dashv$	+	+	_					
	Unique Physical Features	P													Ī						
Ţ	Birds -	1		1		1	1						/			4			1	/	
	Land Animals $ u$	1		7		1	/			1			1	1		1			/	1	
۶L	Fish NA						,					·		_ -			_				
Ľ	Endangered Species			ط	<b>-</b>	-4	9	Q	•		•		$\dashv$								
÷	Trees, Grass, Etc.	1		4		_	Z	_		1				+	- -	4					
-	Surface Water Underground Water  Also Overland	-		<del>-</del>  -						$\vdash$			+	+	+						
	Air Ouglity			_		1	_						_	$\dashv$	┿	<del>-  -</del>				<u> </u>	
	Air Quality  Erosion  Other			7		/	/						+	十	+	1					
	Other			$\leftarrow$						$\Box$			1	-							
T	Effect On Local Economy			7																	
	·	0		0						0						0					
†	Safety&Health												ᅥ	+			1				
	V			1		/				1						1			/	/	
	Others														T						
ŀ	Blue Vereno.																				
	Com. Mgn. CR Com Com'an C 7 vile	8	لما		اب																
	V Come Come la C		~1		_									1		ı		1			

### UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Rev. Feb 76 Form 8-329 OMB 42-R0356

> **MONTHLY REPORT** OF **OPERATIONS**

/1-0566	<u></u>	
Agreement No.		
Red Wash Unit		
a		TT41.
Uintah Chevron U.S.A.	State _ Inc.	Utan
	Agreement No	Agreement No Red Wash

☐ Amended Report

The following is a correct report of operations and production (including status of all unplugged wells) for the month of <a href="December">December</a>, 19 77

(See Reverse of Form for Instructions)

This report is required by law (30 U.S.C. 189, 30 U.S.C. 359, 25 U.S.C. 396 d), regulation (30 CFR 221.60), and the terms of the lease. Failure to report can result in the assessment of liquidated damages (30 CFR 221.54 (j)), and the terms of the lease and for recommendation to cancel the lease and forfeit the bond (30 CFR 221.53).

Well No.	Sec. &	TWP	RNG	. Status	Days Prod.	*Barrets of Oil	*MCF of Gas	*Barrels of Water	Remarks
232	26, SW <sup>1</sup> ZNW <sup>1</sup> Z	78	23E	DRG	0	0	0	0	TD 5,900' Waiting on Completion ri on 12/31/77.
14				- -					RECEIVED  JAN 27 1978  ON OF OIL, OAS, & MINING

\*If none, so state. Disposition of production (Lease, Participating Area, or Communitized Area basis)

	Cil & Condensate (BBLS)	Gas (MCF)	Water (BBLS)
son hand, Start of Month	0	3000000000000000000	<b>3000000000000000000000000000000000000</b>
*Produced		0	XXXXXXXXXXXXXXXX
<b>*</b> Sold <b>*Spilled or Lost</b>	0	*XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXX
AFlared or Vented	SOCKESCOCKOCKOCKECKEK	0	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
*Used on Lease	0	0	0 SCHOOLECK XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
*Injected	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	SOCKXXXXXXXXXXXXXXXXXXXXX	0
*Surface Pits *Other (Identify)	0	0	0
#On hand, End of Honth #API Gravity/BTU Content	0	0 XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	SOCKKIKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKK
Authorised Signature:	Iff hum	Address: P. O. Box	599, Denver, CO 802

Title:	Engineering Assistant

Page	_ 1	of	1
------	-----	----	---

SUBMIT IN DUPLI (See \_\_crin-structions on reverse side) Form approved. Budget Bureau No. 42-

5. LEASE DESIGNATION AND SERIAL NO.

11_	0566	
U-	ひつひひ	

										_1				
WELL CO	MPLETION	1 OR	RECON	APLET	ION F	REPORT A	ANI	D LO	3 *	6. IF	INDIAN	, ALLO	TTEE OR TRI	BE NAMI
1a. TYPE OF WEL	L: 01	LL X	GAS WELL	] ,	ORY [	Other		1112		7. UN	IT ACR	EEMEN'	r NAME	$\wedge$
b. TYPE OF COM	PLETION:					/6	$\langle \rangle$	1111	4/3	$\star$	Red	Was!	h Unit	-1
WELL X		EP-	PLUG BACK	DIF	F. SVR.	Other			<u>&amp;</u>		RM OB	LEASE	NAME	
2. NAME OF OPERAT	nor						of	AR OF S	O.0	P.	LL NO.	<u> </u>		
Chevr	on U.S.A.	inc.			<del> </del>		40	600	THE STATE	-			260)	
P. O.	Box 599,	Denv	er, Col	orado	8020		4	11,210,8	'n.	10, F			-26B) L, or wilder	T
4. LOCATION OF WE	LL (Report locat	ion clear	ly and in a	ccordanc	e with any	state requir	ement	8) PL.	1	<b>6</b> 7			h-Green	
2. NAME OF OPERAT  Chevr  3. ADDRESS OF OPE  P. O.  4. LOCATION OF WE  At surface  At top prod. int  At total depth	03' FWL &	2105	' FNL (	SW½ N	W坛)			TOTT		11. S	EC., T., R AREA	R., M.,	OR BLOCK AND	SURVE
At top prod. int	terval reported l	elow						0.1			~ ~		- D00T	OT D
At total depth													S, R23E	
				14. PI	ERMIT NO.	ກ311 ເ	DATE	ISSUED		P.	UNTY	OR	13. S121	
15. DATE SPUDDED	16. DATE T.D.	REACHED	17. DATE	COMPL.	(Ready to	<del></del>	ELEV	ATIONS (D	F. RKB.	Uint		19.	ELEV. CASING	
11-16-77	12-17-7	7	2-1	5-78				3 5547	-,,	,	,		5534	
20. TOTAL DEPTH, MD			T.D., MD & 2		2. IF MULT	TIPLE COMPL.,		23. INT	RVALS	ROTA	RY TOO	LS	CABLE T	OOLS
5900		5852			HOW M.	ANI.			→ I		YES	,		
24. PRODUCING INTER	RVAL(S), OF THI	S COMPLE	TION—TOP,	BOTTOM,	NAME (M	D AND TVD)*				-	1 1	25	5. WAS DIRECT SURVEY M.	
4938-5506	Green Rive	r Fm								•			МО	
26. TYPE ELECTRIC	AND OTHER LOGS	RUN						· · · · · · · · · · · · · · · · · · ·	<del>۱</del>	,		27. W	AS WELL CO	RED
GR-CNL-FDC-	-CAL SP-D	IL C	BL						· ·				NO	
28.						ort all strings	set in							<u>:</u>
CASING SIZE	WEIGHT, LE	./FT.	DEPTH SET		_	LE SIZE				RECORD	<u> </u>		AMOUNT P	ULLED
8-5/8"	24#		310			-1/4" -7/8"		200 sx					<del></del>	
5-1/2"	15.5#		5,900	<u> </u>	-	-//0		575 sx	S 30/	70 F	JZ			
29.			RECORD					30.		TUBING				- (ND)
SIZE	TOP (MD)	BOTTO	M (MD)	SACKS C	EMENT*	SCREEN (MD	<u>"</u>	SIZE		DEPTH		D)	PACKER SE	r (mb)
								2-7/	8"	5839	-			
31. PERFORATION RE	COED (Interval,	size and	number)	***		32.	AC	ID, SHOT	FRACT	TURE, C	EMEN'	r squ	EEZE, ETC.	
	**.					DEPTH INT	ERVAL	(MD)					MATERIAL US	
See Attacl	hment					5776-4	4938	8	140	,000	gals	K-1	Super	Emul-
													100 mes	
									and	210,	000#	20/	40 sand	•
33.*	· · · · · · · · · · · · · · · · · · ·				PRGI	OUCTION							·	
DATE FIRST PRODUCT	rion   PRO	DUCTION	METHOD (F	lowing, g		ımping—size o	and ty	ype of pun	ıp)				s (Producing	or or
3-3-78		Pumpi	ng BJ I	H-27	60 HP	270 Stag	e Sı	ubmers	ible			<i>t-in)</i> rodu	cing	
DATE OF TEST	HOURS TESTE	CE	IOKE SIZE	PROD'	N. FOR PERIOD	OIL—BBL.	7	GAS-M			R—BBI	. I	GAS-OIL BAT	10
3-8-78	24				<del></del>	( 35		22		_!	399			
FLOW. TUBING PRESS.	CASING PRESS		LCULATED	OIL-	-BBL.	GAS3	MCF.	1	WATER-	-BBL.		OIL G	RAVITY-API (	CORR.
34. DISPOSITION OF	GAS (Sold, used f	or fuel, v	ented, etc.)	<u> </u>				1		TEST	WITNE	SSED B		
Sold										J.	С. В	ulla	ırd	
35. LIST OF ATTACH	MENTS		t tour tour survey											
Perforation	n & acidiz	ing d	letail.	form: 41	n la 65=-	1040 0-3	n <del>é</del> =:	Ant	. A . # :	011	11057-	000=3-	* -\$	
36. I hereby certify	COLO TORES	ung and	attached in	101matio	_					an ava	Haole I			1070
SIGNED	John m	m		<b>T</b> I	TLE	Engineer	ıng	Assis	tant		DATE	Ma	rch 21,	19/6
	11 !/													

### Red Wash Unit 232 (12-26B)

### Perforation Detail

5768-5776 5697-5712 5610-5616	<pre>3 shots/ft. 3 shots/ft. 3 shots/ft.</pre>
5503-06	3 shots/ft.
5477-84	3 shots/ft.
5402-52 5360-88	3 shots/ft. 3 shots/ft.
5340-50	3 shots/ft.
5332-37	3 shots/ft.
5313-21	3 shots/ft.
5273-79	3 shots/ft.
5282-86	3 shots/ft.
5291-97	3 shots/ft.
5237-60	3 shots/ft.
4938-47	3 shots/ft.

### Acid Detail

5768-76 5697-5712	400 gal 15% HCl 800 gal 15% HCl	
5610-5616	400 gal 15% HCl	•
5503-06 ) 5477-84 )	700 gal 15% HCl	
5402-52	1600 gal 15% HC1	
5360-88	1500 gal 15% HC1	
5313-40	1600 gal 15% HC1	300# acid flakes-napthalene mix
5273-97	1000 gal 15% HC1	
5237-60	100 gal 15% HCl	
4938-47	600 gal 15% HC1	

REPAIR WELL

(Other)

# D STATES

SUBMIT IN TRIP

Form approved. Budget Bureau No. 42-R1424.

		NT OF THE INTERIO OLOGICAL SURVEY	OR verse side)	U - O		AND SERIAL NO.
	SUNDRY NOTICE (Do not use this form for proposals Use "APPLICATIO	ES AND REPORTS C to drill or to deepen or plug be ON FOR PERMIT—" for such pro		6. IF INDIAL	N, ALLOTTEE	OR TRIBE NAME
1.	OIL TO GAS			7. UNIT AGE		
	WE'LL OTHER			Red Wa	sh Uni	
2.	NAME OF OPERATOR		_	8. FARM OR	LEASE NAM	E
	Chevron U.S.A. Inc.	•				
3.	ADDRESS OF OPERATOR			9. WELL NO	•	
	P. O. Box 599 De	enver, Colorado 802	201	232 (1	2-26B)	
4.	LOCATION OF WELL (Report location clear. See also space 17 below.)	ly and in accordance with any f	State requirements.*	10. FIELD A	ND POOL, OR	WILDCAT
	At surface			Red Wa	sh - G	reen River
	603' FWL & 2105' FN	IL (SW½NW½)			EY OR AREA	
14	PERMIT NO.	15. ELEVATIONS (Show whether DF.	PT (IP etc.)	12, COUNTY		, R23E SLBM
		KB 5547	nz, un, coo.)	Uintah		Utah
 16.	Check Appro	***************************************	ature of Notice, Report, or O	·		ocan
	NOTICE OF INTENTION			ENT REPORT	or:	
	FRACTURE TREAT MUL	L OR ALTER CASING LTIPLE COMPLETE NDON*	WATER SHUT-OFF FRACTURE TREATMENT SHOOTING OR ACIDIZING		EPAIRING W LITERING CA BANDONMEN	віис

One June 5, 1978, a CIBP was set at 5,550'.

CHANGE PLANS

3 - USGS

(Other) Setting of Bridge Plug

- 2 State
- 3 Partners
- 1 JCB
- 1 ALF
- 1 File

18. I hereby certify that the foregoing is true and correct	TITLE _	R. S. Brashier Drilling Representative	DATE 8-29-78
(This space for Federal or State office use)			
APPROVED BY	TITLE _		DATE

<sup>(</sup>NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

# UNITED STATES DEPARTMENT OF THE INTERIOR

	Form Approved.  Budget Bureau No. 42-R14
	5. LEASE
	U-0566
	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
S	7. UNIT AGREEMENT NAME
erent	Red Wash Unit
	8. FARM OR LEASE NAME
	9. WELL NO.
	232 (12-26B)
	10. FIELD OR WILDCAT NAME
	Red Wash-Green River
	11. SEC., T., R., M., OR BLK. AND SURVEY
17	I AREA
: 1/	1
: 1/	Sec. 26, T7S, R23E, SLB&M
: 17	12. COUNTY OR PARISH 13. STATE
: 17	
	12. COUNTY OR PARISH 13. STATE Uintah Utah 14. API NO.
ICE,	12. COUNTY OR PARISH 13. STATE Uintah Utah
	12. COUNTY OR PARISH 13. STATE Uintah Utah 14. API NO.

GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	7. UNIT AGREEMENT NAME Red Wash Unit 8. FARM OR LEASE NAME
1. oil gas other	9. WELL NO.
2. NAME OF OPERATOR	232 (12-26B)
Chevron U.S.A. Inc.	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR	Red Wash-Green River
P. O. Box 599 Denver, CO 80201	11. SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)	AREA Sec. 26, T7S, R23E, SLB&M
AT SURFACE: 603' FWL & 2105' FNL (SWINWI) AT TOP PROD. INTERVAL:	12. COUNTY OR PARISH 13. STATE
AT TOTAL DEPTH:	Uintah Utah
6. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	14. API NO. 43-047-30311
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)
	KB 5547
EST WATER SHUT-OFF	(NOTE: Report results of multiple completion or zone change on Form 9–330.)
7. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is dimeasured and true vertical depths for all markers and zones pertinen	irectionally drilled, give subsurface locations and
It is proposed that this well be acidized as procedure.  APPROVED BY THE DIVISION OF OIL, GAS, AND MINING	per the attached Acid Stimulation
3 - USGS DATE: 5-28-80	
2 - State 3 - Partners BY: M.J. Minder 1 - JCB	DECEMME
1 - Sec. 723  1 - File  To additional surfactivity.	3A ***
	DIVISION OF Set @IL, GAS & MINING
Subsurface Safety Valve: Manu. and Type	Set @/IL, GAS & MILFIL.
8. I hereby certify that the foregoing is true and correct	
GIGNED LA THURST TITLE Engineering A	ss't. <sub>DATE</sub> 5/20/80
11771	

\_\_\_\_\_ DATE \_\_\_\_\_

\_\_\_\_\_ TITLE \_\_\_\_

WELL NAME:	RWU 232 (12-26B)	
FIELD:	Red Wash	

### PROPOSED TREATMENT PROCEDURE

- 1. Objective: Acid stimulation at 8 intervals to clean up scale-paraffin deposits that have accumulated.
- 2. Size and type of treatment: 8300 gal of 15% HCl
- ' 3. Intervals to be treated: 5477-5506, 5402-52, 5360-88, 5313-50, 5273-97, 5237-60, 5002-06, 4938-47
  - 4. Treatment down casing or tubing: Tubing
  - 5. Method of localizing its effects: RBP & packer, tubing, ball sealers to be used as diverting agents.
  - 6. Disposal of treating fluid: Spent acid will be swabbed back to flat tank.
  - 7. Name of company to do work: Western, Dowell, Halliburton
  - 8. Anticipated additional surface disturbances: None
  - 9. Estimated work date: 6/2/80
- 10. Present status, current production and producing interval:

Date	BOPD	MCFD	BWPD
5/9/80	150	14	91

### RWU #232 (12-26B)

### ACID STIMULATION PROCEDURE:

- MIR & RU. Hot oil annulus. Hot oil the & POOH w/rods & pump. ND tree.
   NU BOPE. POOH w/the & anchor catcher.
- 2. RIH w/bit, csg scraper, and workstring to clean out to PBTD of ± 5550'. Circulate hole clean w/2% KCl water. POOH.
- 3. RIH w/RBP, packer & workstring. Straddle the following intervals to acidize w/15% HCl. Use these additives:

### Dowell Products

Paraffin Dispersent: 50 gal/M PARASPERSE.

Non-Emulsifier: 3 gal/M W-27.

Anti-Sludge: -

Iron Sequestering: 25 1b/1000 gal L-41.

Corrosion Inhibitor: 3 gal/M A-200.

Scale Inhibitor: 5 gal/M CHAMPION T-55.

Penetrating Agent: 1 gal/M F-78.

Use 2% KCl water containing 5 gal/1000 scale inhibitor, 1 gal/M F-78, and 3 gal/M W-27 to spot acid on perfs and to flush with. Swab back load immediately before moving to next interval. If zones communicate, move tools and acidize together.

Interval	Acid Volume	Diverting Agent
5477-5506	500 gallons	30 ball sealers
5402-52	2,500	150
5360-88	1,400	80
5313-50	1,200	70
5273-97	800	50
5237-60	1,200	70
5002-06	200	10
4938-47	500	25
	8,300 gallons	485 ball sealers

4. RIH w/tbg, anchor catcher, rods & pump.
Place well on production and test. Send results to Scott Partridge.

Form Approved. Budget Bureau No. 42-R1424

# UNITED STATES DEPARTMENT OF THE INTERIOR

UNITED STATES	5. LEASE
DEPARTMENT OF THE INTERIOR	U-0566
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME Red Wash Unit
Do not use this form for proposals to drill or to deepen or plug back to a different eservoir. Use Form 9–331–C for such proposals.)	8. FARM OR LEASE NAME
1. oil XX gas other	9. WELL NO. 232 (12-26B)
2. NAME OF OPERATOR Chevron U.S.A. Inc.	10. FIELD OR WILDCAT NAME Red Wash-Green River
3. ADDRESS OF OPERATOR P. 0. Box 599, Denver, CO 80201	11. SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA Sec. 26, T7S, R23E, SLB&M
below.) AT SURFACE: 603' FWL & 2105' FNL (SW\(\frac{1}{2}\)NW\(\frac{1}{2}\))	12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL: AT TOTAL DEPTH:	Uintah   Utah
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	43-047-30311
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD) KB 5547
REQUEST FOR APPROVAL TO:  SUBSEQUENT REPORT OF:  TEST WATER SHUT-OFF  FRACTURE TREAT  SHOOT OR ACIDIZE  REPAIR WELL  PULL OR ALTER CASING  MULTIPLE COMPLETE  CHANGE ZONES  ABANDON*  (other)	(NOTE: Report results of multiple completion or zone change on Form 9–330.)
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly statincluding estimated date of starting any proposed work. If well is a measured and true vertical depths for all markers and zones pertined	firectionally drilled, give subsurface locations and
This well was acidized as follows:	
1. MI & RU WD Tree NU BOPE. POOH w/tbg & an	
<ol> <li>RIH w/bit &amp; csg scraper CO to PBTD +5550'</li> <li>Acidized as per attached.</li> </ol>	•
4. RIH w/tbg, anchor catcher, rods & pump.	
3-USGS	
2-State	
3-Partners	analisma Tarres 199
1-JCB	No additional sure no
1-Sec 723	disturbances requested for this activity.
1-File	Tor this scores
Subsurface Safety Valve: Manu. and Type	Set @ Ft.
18. I hereby certify that the foregoing is true and correct	
SIGNED But Canad TITLE Engineering	Ass't-DATE 7/16/80
(This space for Federal or State of	ffice use)
	DATE
CONDITIONS OF APPROVAL, IF ANY:	

WELL	NAME_	RWU	#232	(12	<b>–</b> 26	B)	4.	

Red Wash

FIELD NAME

### COMPLETED TREATMENT PROCEDURE

- 1. Size and type of treatment: 8300 gal of 15% HCL
- 2. Intervals treated: 5477-5506, 5402-52, 5360-88, 5313-50, 5273-97, 5237-60, 5002-06, 4938-42
- 3. Treatment down casing or tubing: Tubing
- 4. Methods used to localize effects: RBP & pkr, tubing, ballsealers were used as a diverting agent.
- 5. Disposal of treating fluid: Spent acid was swabbed back to a flat tank.
- 6. Depth to which well was cleaned out: +5506'
- 7. Date of work: 6/13-6/27/80
- 8. Company who performed work: Halliburton
- 9. Production interval: 5506'-4947'
- 10. Status and production before treatment:

Date	BOPL	MCFD	BWPD
5/9/80	150	14	91

11. Status and production after treatment:

Date	BOPD	MCFD	BWPD
6/29/80	188	114	24

### **UNITED STATES** DEPARTMENT OF THE INTE BUREAU OF LAND MANAGENT

FORM APPROVED

Budget Bureau No. 1004-0135 Expires: March 31, 1993

U-0566

Lease Designation and Serial No.

6. If Indian, Allottee or Tribe Name

### SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir Lice "APPLICATION FOR PERMIT -- " for such proposals

OSC AT DICKT	101v1 Olv 1 Elivin 1 - 101 suon proposais	
SUBMI	IT IN TRIPLICATE	7. If Unit or CA, Agreement Designation
1. Type of Well		RED WASH UNIT
Oil Gas		
X Well Well Other		8. Well Name and No.
		RWU #232 (12-26B)
2. Name of Operator CHEVRON U.S.A. PRODUCTION COMPANY		9. API Well No.
Address and Telephone No.		43-047-30311
11002 EAST 17500 SOUTH, VERNAL, UT 84078-	8526 (801) 781-4302	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)		RED WASH-GRN. RIVER
		11. County or Parish, State
535' FSL, 603' FWL, SEC. 26, T7S/R23E		UINTAH, UTAH
CHECK APPROPRIATE B	OX(s) TO INDICATE NATURE OF NOTICE	E, REPORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE O	F ACTION
X Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	X Other Well Status	Dispose Water
		(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

TA approval is requested for this well, which is believed to have gas recompletion potential. Gas potential will be tested sometime during the next five years.

14. I hereby certify that the foregoing is true and ome?	Title Operation	ons Assistant Da	ate 08/30/94
(This space for Federal or State office use)			
Approved by:	Title	D:	ate
Conditions of approval, if any			
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.			

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

# DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT -

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993

Lease Designation and Serial No.

U-0566

his form for propo	SUNDKY NO	FICES ANI	) REPORD	IS ON WELL	Same
his form for prope	حم النجاء مع مامم	4a daamam a.	i	merche di	

Do not use this form for proposals to drill or to deepen or reentry to an infection.

Use "APPLICAT	ION FOR PERMIT" for such proposals	6. If Indian, Allottee or Tribe Name
SUBM.  I. Type of Well Oil Gas	7. If Unit or CA, Agreement Designation  RED WASH UNIT	
X Well Well Other  2. Name of Operator		8. Well Name and No.  RWU #232 (12-26B)
CHEVRON U.S.A. PRODUCTION COMPANY  3. Address and Telephone No. 11002 EAST 17500 SOUTH, VERNAL, UT 84078-	8526 (801) 781-4302	9. API Well No.  43-047-30311  10. Field and Pool, or Exploratory Area
<ol> <li>Location of Well (Footage, Sec., T., R., M., or Survey Description)</li> <li>535' FSL, 603' FWL, SEC. 26, T7S/R23E</li> </ol>		RED WASH-GRN. RIVER  11. County or Parish, State  UINTAH, UTAH
	OX(s) TO INDICATE NATURE OF NOT	ICE, REPORT, OR OTHER DATA
TYPE OF SUBMISSION	TYP	E OF ACTION
X Notice of Intent	Abandonment	Change of Plans
Subsequent Report	Recompletion Plugging Back	New Construction  Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	X Other Well Status	Dispose Water
		(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

TA approval is requested for this well, which is believed to have gas recompletion potential. Gas potential will be tested sometime during the next five years.

4. I hereby cerup, that the foregoing is true appropried.	Title	Operations Assistant	Date	08/30/94
This space for Federal or State office use)			· · · · · · · · · · · · · · · · · · ·	
Approved by:	Title	•	Date	
Conditions of approval, if any				

<sup>13.</sup> Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1004-0135

Expires: March 31, 1993

esignation and Serial No.

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

U-0566

Ν.	o not use this form for proposals to drill or	to deepen or reentry to a different reservoir					
טט	not use this form for proposals to drift of t	ON FOR PERMIT-" for such proposals	6. If Indian, Allottee or Tribe Name				
	USE APPLICATI	ION FOR PERMIT" for such proposals, GAS & MIN	NG N/A				
=		T IN TRIPLICATE	7. If Unit or CA, Agreement Designation				
1.	Type of Well		RED WASH UNIT				
	Oil Gas						
	X Well Well Other		8. Well Name and No.				
			RED WASH UNIT 232 (12-26B)				
2.	Name of Operator CHEVRON U.S.A. PRODUCTION COMPANY		9. API Well No.				
3.	Address and Telephone No.	Steve McPherson in Red Wash (801) 781-4310	43-047-30311				
	11002 E. 17500 S. VERNAL, UT 84078-8526	or Gary Scott in Rangely, CO. (970) 675-3791	10. Field and Pool, or Exploratory Area				
4.	Location of Well (Footage, Sec., T., R., M., or Survey Description)		RED WASH - GREEN RIVER				
			11. County or Parish, State				
	2105' FNL & 603' FWL (SW NW) SECTION 26, T	7S, R23E,SLBM	UINTAH, UTAH				
			<u> </u>				
12.	CHECK APPROPRIATE B	OX(s) TO INDICATE NATURE OF NOTICE, REPORT,	OR OTHER DATA				
	TYPE OF SUBMISSION	TYPE OF ACTION					
	X Notice of Intent	Abandonment	Change of Plans				
		Recompletion	New Construction				
	Subsequent Report	Plugging Back	Non-Routine Fracturing				
		Casing Repair	Water Shut-Off				
	Final Abandonment Notice	Altering Casing	Conversion to Injection				
	<del></del>	Other	Dispose Water				

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

WE ARE REQUESTING AN EXTENSION OF THE TEMPORARILY ABANDONED STATUS OF THIS WELL.

Accepted by the Utah Division of Cil, Gas and Mining FOR RECORD ONLY

14. I hereby certify that the foregoing is true and correct. Signed G.D. SCOTT	Title	DRILLING TECHNICIAN	Date	September 26, 1995		
(This space for Federal or State office use) Approved by:			Date			
Conditions of approval, if any						
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and v representations as to any matter within its jurisdiction.	willfully to make	e to any department or agency of the United States any fa	lse, fictitious or frauduler	at statements or		

> Type of Well Oil

> > Well

Name of Operator

Address and Telephone No.

CHEVRON U.S.A. PRODUCTION COMPANY

11002 E. 17500 S. VERNAL, UT 84078-8526

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED	
FORM AT ROVED	•
Budget Bureau No. 1004-	

Budget Bureau No. 1004-0135 Expires: March 31, 1993

Expires: March 31, 199

5. Lease Designation and Serial No.

U-0566

### SUNDRY NOTICES AND REPORTS ON WELLS

SUBMIT IN TRIPLICATE

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir Use "APPLICATION FOR PERMIT--" for such proposals

try to a different reservoir

IT--" for such proposals

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
RED WASH UNIT

8. Well Name and No.
Red Wash Unit 232 (12-26B)

9. API Well No.

Steve McPherson in Red Wash (801) 781-4310
or Gary Scott in Rangely, CO. (970) 675-3791


M

CATE NATURE OF NOTICE, REPORT, OR OTHER DATA

Location of Well (Footage, Sec., T., R., M., or Survey Description)		
2105' FNL & 603' FWL (SW NW) SECTION	26, T7S, R23E, SLBM	11. County or Parish, State UINTAH, UTAH
CHECK APPROPRIATE	BOX(s) TO INDICATE NATURE OF NOTICE, RI	EPORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF AC	
X Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	X Other TA STATUS OF WELL	Dispose Water
		(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
		and If well is directionally drilled

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

CHEVRON IS REQUESTING TA APPROVAL ON THE ABOVE WELL. TESTS FOR HEBHIND PIPE HYDROCARBON POTENTIAL HAVE BEEN PROPOSED FOR THIS WELL.



14. I hereby certify that the foregoing is true and correct. Signed G.D. SCOTT	Title DRILLING TECH	NICIAN Date	November 5, 1996
(This space for Federal or State office use)			
Approved by:	Title	Date	
Conditions of approval, if any			

Conditions of approval, if any

### **UNITED STATES** RTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED Budget Bureau No. 1004-0135

Expires: March 31, 1993 5. Lease Designation and Serial No.

U-0566

SU	П	ΝD	RY	$^{\prime}$	NO	TC	1	CE	S	A	N	D	RE	P	Οŀ	₹Ţ	ΓS	•	)]	N	N	/]	${ m SL}$	,L	S
----	---	----	----	-------------	----	----	---	----	---	---	---	---	----	---	----	----	----	---	----	---	---	----	-----------	----	---

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir

Use "APPLICAT	6. If Indian, Allottee or Tribe Name	
	N/A	
	IT IN TRIPLICATE	7. If Unit or CA, Agreement Designation
1. Type of Well		RED WASH UNIT
Oil Gas  Well Well Other		8. Well Name and No.
X Well Well Other		RED WASH UNIT 232 12-26B
2. Name of Operator		
CHEVRON U.S.A. PRODUCTION COMPANY		9. API Well No.
<ol> <li>Address and Telephone No</li> <li>11002 E. 17500 S. VERNAL, UT 84078-8526</li> </ol>	(801) 781-4300	43-047-30311  10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)		RED WASH - GREEN RIVER
		11. County or Parish, State
2105' FNL & 603' FWL (SW NW) SECTION 26, 17	S, R23E, SLBM	UINTAH, UTAH
12. CHECK APPROPRIATE	BOX(s) TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTIO	N
X Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
	Recompletion	
Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
- I man / Soundomment / Totale		<u></u>
	X Other ADD PERFORATIONS	Dispose Water
		(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
13. Describe Proposed or Completed Operations (Clearly state all pertinent	details, and give pertinent dates, including estimated date of starting any proposed work	c. If well is directionally drilled,
give subsurface locations and measured and true vertical depths for all	markers and zones pertinent to this work)	
1. MIRU. PULL ALL EQUIPMENT.		
2. CLEAN OUT TO PBTD.		
3. SET CIBP AT 5390' AND CAP WITH 2 SX	C. CEMENT.	
	The state of the s	IGDE
4. TIH AND SET PACKER AT ~4350'. PERFO	RATE THE FOLLOWING ZONES THROUGH TUBING USING 4 BLE CHARGE (DEPTHS ARE FROM SCHLUMBERGER NEUTRO	JSPF, DN-DENSITY LOG DATED 12/17/77):
4896-4902' Ic, 4875-78' Ib, 4693-97' Hc, 46		AV DENOTT ESS DITTE TEXT
1000 1002 10, 1000 10, 1000 10, 100	,	
5. TOH WITH PACKER AND RUN ROD PUT	MPING EQUIPMENT SIZED FOR ~150 BFPD.	
6. RDMO.		
14. I hereby certify that the foregoing is true and correct.	Title COMPUTER SYSTEMS OPERATOR	Date 1/23/97
Signed DC Janner	<del></del>	Aradi
(This space for Federal or State office use)	Accepted by the	
Approved by:	Utah Division of	Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully representations as to any matter within its jurisdiction.

\*See instruction on Reverse Side

FORM APPROVED

Budget Bureau No. 1004-0135 Expires: March 31, 1993

### Lease Designation and Serial No.

6. If Indian, Allottee or Tribe Name

Non-Routine Fracturing

Conversion to Injection

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

Water Shut-Off

Dispose Water

U-0566

### SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir Use "APPLICATION FOR PERMIT--" for such proposals

			N/A
_	SUBM	IT IN TRIPLICATE	7. If Unit or CA, Agreement Designation
1.	Type of Well		RED WASH UNIT
	Oil Gas		
	X Well Well Other		8. Well Name and No.
			RED WASH UNIT 232 12-26B
2.	Name of Operator CHEVRON U.S.A. PRODUCTION COMPANY		9. API Well No.
3.	Address and Telephone No		
٥.	11002 E. 17500 S. VERNAL, UT 84078-8526	(801) 781-4300	43-047-30311 10. Field and Pool, or Exploratory Area
4.	Location of Well (Footage, Sec., T., R., M., or Survey Description)	(001) 701-4300	RED WASH - GREEN RIVER
٠.	Location of Well (Locate, Sec., 1., 14., 14., or Sairtey Description)		11. County or Parish, State
	2405' CNI 9 COS! EVAN (CNI ANAD CECTION SC T7	2 D00E 01 D18	UINTAH, UTAH
	2105' FNL & 603' FWL (SW NW) SECTION 26, T7	o, rese, sedim	UNIAH, UTAH
12.	CHECK APPROPRIATE	BOX(s) TO INDICATE NATURE OF NOTICE, REPORT	OR OTHER DATA
	TYPE OF SUBMISSION		
	Notice of Intent	Abandonment	Change of Plans
		Recompletion	New Construction

Plugging Back

Casing Repair Altering Casing

ADD PERFORATIONS

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

Work was performed 1/8/97 through 1/12/97.

- MIRU. 1.
- Kill well and POOH w/production equip. 2.
- 3. ~ Set 5 1/2 CIBP @ 5393' w/no cmt.


Subsequent Report

Final Abandonment Notice

- RIH Hydrotesting w/pke and tbg to 4344'. Testing tbg to 6000 psi jt #99 burst while testing.
- Test csg and BOPS to 700 psi ok.
- RU cutters and perf 4 JSPF 4896-4902', 4875-78', 4693-97', 4628-32', 4615-10', 4447-50' no pressure increase.
- 7. POOH w/ pkr.
- 8. RIH w/prod equip to pump

representations as to any matter within its jurisdiction.

RDMO. 9.



14. I hereby certify that the foregoing is true and correct. Signed ————————————————————————————————————	Title	COMPUTER SYSTEMS OPERATOR	Date	1/2 <b>9</b> /97				
(This space for Federal or State office use)								
Approved by:			Date					
Conditions of approval, if any	***							
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or								

wo fax cradit 9/91

### SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir

FORM APPROVED
Budget Bureau No. 1004-0135

Expires: March 31, 1993

5. Lease Designation and Serial No.

	U-0566	
f Indian	Allottee or Tribe Name	

Use "APPLICAT	ION FOR PERMIT" for such proposals	N/A
SUBMIT IN TRIPLICATE		7. If Unit or CA, Agreement Designation
1. Type of Well	I IN IMPLICATE	RED WASH UNIT
Oil Gas		
X Well Well Other	,	8. Well Name and No.
	The state of the s	RED WASH UNIT 232 12-26B
2. Name of Operator CHEVRON U.S.A. PRODUCTION COMPANY		9. API Well No.
3. Address and Telephone No		43-047-30311
11002 E. 17500 S. VERNAL, UT 84078-8526	(801) 781-4300	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)		RED WASH - GREEN RIVER  11. County or Parish, State
2105' FNL & 603' FWL (SW NW) SECTION 26,	17S, R23E, SLB <b>M</b>	UINTAH, UTAH
12. CHECK APPROPRIATE I	BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, C	R OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
	Abandonment	Change of Plans
X Notice of Intent	느	New Construction
	Recompletion	Trew Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
The state of the s	Altering Casing	Conversion to Injection
Final Abandonment Notice	Altering Casing	<u></u>
	X Other TA STATUS OF WELL	Dispose Water
	(No Con	te) Report results of multiple completion on Well npletion or Recompletion Report and Log form.)
	details, and give pertinent dates, including estimated date of starting any proposed work. If well	
<ol> <li>Describe Proposed or Completed Operations (Clearly state all pertinent give subsurface locations and measured and true vertical depths for all r</li> </ol>	uctains, and give pertinent dates, instability estimated date of statung any proposed work. It won narkers and zones pertinent to this work)	
CHEVRON IS REQUESTING A TA STATUS ON TI	HE ABOVE WELL. THIS WELL HAS POTENTIAL FUTURE USE IN	RECONFIGURED PATTERN
WATERFLOOD.		
		IVEM
	1101	
		9 1997
	DEC 1	110/
	DIV. OF OUL O	1000
	DIV. OF OIL, GA	10 & MINING
14. I hereby certify that the foregoing is true and correct.	Tid. COMMITTED OVOTERAC OPERATION	Date 12/10/97
Signed Danner	Title COMPUTER SYSTEMS OPERATOR	141 XVI 7 1
(This space for Federal or State office use)		
Approved by:	Title	Date
Conditions of approval, if any		
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and	willfully to make to any department or agency of the United States any false, fictitious or frauda	ulent statements or
representations as to any matter within its jurisdiction.		
	D St.	

Type of Well Oil

Gas

Final Abandonment Notice

I hereby certify that the foregoing is true and correct

Signed D. C. BEAMAN

(This space for Federal or State office use)

Conditions of approval, if any

Approved by:

### FORM APPROVED

Budget Bureau No. 1004-0135 Expires: March 31, 1993

Lease Designation and Serial No.

If Indian, Allottee or Tribe Name

U-0566

### SUNDRY NOTICES AND REPORTS ON WELLS

SUBMIT IN TRIPLICATE

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir Use "APPLICATION FOR PERMIT--" for such proposals

N/A
7. If Unit or CA, Agreement Designation
RED WASH UNIT
8. Well Name and No.
RED WASH UNIT 232 12-26B
9. API Well No.
43-047-30311

Well Well Other Name of Operator CHEVRON U.S.A. PRODUCTION COMPANY Address and Telephone No 10. Field and Pool, or Exploratory Area 11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300 Location of Well (Footage, Sec., T., R., M., or Survey Description) **RED WASH - GREEN RIVER** 11. County or Parish, State UINTAH, UTAH 2105' FNL & 603' FWL (SW NW) SECTION 26, T7S, R23E, SLBM 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Change of Plans Notice of Intent Abandonment Recompletion New Construction Non-Routine Fracturing Subsequent Report Plugging Back

Casing Repair

Altering Casing

TA STATUS FOR WELL

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

WE REQUEST A TA STATUS APPROVAL FOR THIS WELL.

WE BELIEVE A RETURN TO PRODUCTION COULD BE JUSTIFIED IN THE FUTURE.

COMPUTER SYSTEMS OPERAOTR Date 3/18/1999

Water Shut-Off

Dispose Water

Conversion to Injection

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

Title

Title

FORM APPROVED

Budget Bureau No. 1004-0135 Expires: March 31, 1993

5. Lease Designation and Serial No.

#### SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to	deepen or reentry to a different reservoir	
Use "APPLICA"	TION FOR PERMIT" for such proposals	6. If Indian, Allottee or Tribe Name
		N/A
	IT IN TRIPLICATE	7. If Unit or CA, Agreement Designation
Type of Well Oil Gas Well Well V Other MULTIPLE  Other MULTIP	E WELLS SEE ATTACHED LIST	RED WASH UNIT I-SEC NO 761  8. Well Name and No
CHEVRON U.S.A. INC.		9. API Well No.
3. Address and Telephone No 11002 E. 17500 S. VERNAL, UT 84078-8526	(801) 781-4300	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)		RED WASH - GREEN RIVE
		11. County or Parish, State UINTAH, UTAH
12. CHECK APPROPRIATE	BOX(s) TO INDICATE NATURE OF NOTICE, REP	ORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTI	ION
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
X Subsequent Report	Pługging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	X Other CHANGE OF OPERATOR	Dispose Water
		(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
13. Describe Proposed or Completed Operations (Clearly state all pertinent give subsurface locations and measured and true vertical depths for all	details, and give pertinent dates, including estimated date of starting any proposed wo markers and zones pertinent to this work)	ork. If well is directionally drilled,

As of January 1, 2000 Chevron U.S.A. INC. resigns as Operator of the Red Wash Unit. The Unit Number is I-SEC NO 761 effective October 31, 1950.

The successor operator under the Unit Agreement will be Shenandoah Energy Inc. 475 17th Street, Suite 1000 Denver, CO 80202

Agreed and accepted to this 29th day of December, 1999

representations as to any matter within its jurisdiction.

DIVISION OF OIL, GAS & MINING

RECEIVED

DEC 3 0 1999

14. I hereby certify that the foregoing is true and correct.  Signed A. E. Wacker Q . & . U (	ecky Title Assistant Secretary	Date	12/29/99
This space for Federal or State office use)  Approved by:  Conditions of approval, if any	Title	Date	
itle 18 U.S.C. Section 1001, makes it a crime for any person knowingly	and willfully to make to any department or agency of the United St.	ates any false, fictitious or fraudulent statements or	



### United States Department of the Interior

#### BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

## RECEIVED

FEB 0.7 2000

IN REPLY REFER TO UT-931

DIVISION OF OIL GAS AND MINING

February 4, 2000

Shenandoah Energy Inc. Attn: Rae Cusimano 475 17th Street, Suite 1000

Denver, Colorado 80202

Red Wash Unit Re:

Uintah County, Utah

#### Gentlemen:

On December 30, 1999, we received an indenture whereby Chevron U.S.A. Inc. resigned as Unit Operator and Shenandoah Energy Inc. was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 4, 2000. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Red Wash Unit Agreement.

Your statewide (Utah) oil and gas bond No. 0969 will be used to cover all operations within the Red Wash Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks Chief, Branch of Fluid Minerals

#### Enclosure

Chevron U.S.A. Inc. CC:

Field Manager - Vernal (w/enclosure) bcc:

Christon of Oil Gas & Mining

Minerals Adjudication Group U-932 File - Red Wash Unit (w/enclosure) MMS - Data Management Division

Agr. Sec. Chron Fluid Chron

UT931:TAThompson:tt:2/4/00



Page No. 3 02/04/00

#### Well Status Report Utah State Office Bureau of Land Management

Lease Api Number Well Name

QTR Section Township Range Well Status Operator

- UTU081	4304715293 191 (12-27B) RED WAS NENW	14 T 73	<del></del>	CHEVRON U S A INCORPORATED
UTU0570	4304715294 192 (41-33A) RED WAS NENE	33 T 7S	R22E POW	CHEVRON U S A INCORPORATED
UTU082	4304715295 193 (43-24B) RED WAS NESE	24 T 7S	R23E PGW	CHEVRON U S A INCORPORATED
UTU081	4304715296 194 (12-14B) RED WAS SWNW	14 T 7S	R23E POW	CHEVRON U S A INCORPORATED
UTU02148	4304715297 195 (43-18C) RED WAS NESE	14 1 75	RESE ABD	CHEVRON U.S. A. INCORPORATED
UTU02148	4304715298 196 (23-17C) RED WAS NESW	17 T 7S	R24E PGW	CHEVRON U S A INCORPORATED
UTU080	4304715299 197 (43-210) RED WAS NESE	21 T 73	R24E PGW	
UTU02060	4304715300 198 (21-338) RED WAS NENW	33 T 78	R23E ABD	CHEVRON U.S. A. INCORPORATED
UTU0559	4304715301 199 (43-22A) RED WAS NESE			CHEVRON U.S. A. INCORPORATED
UTU082		22 T 7\$	R22E WIW	CHEVRON U.S. A. INCORPORATED
UTU02025	4304716472 2 (14-24B) RED WASH SWSW	24 T 7S	R23E WIW	CHEVRON U S A INCORPORATED
UTSL071965	4304715149 20 (41-298) RED WASH NENE	<del>29 † 7\$</del>	R23E P+A	CHEVRON U S A INCORPORATED
	4304715302 201 (32-28C) RED WAS SWNE	28 T 7S	R24E PGW	CHEVRON U S A INCORPORATED
UTU0558	4304715303 202 (21-34A) RED WAS NENW	34 T 7S	R22E WIWSI	CHEVRON U S A INCORPORATED
UTU093	4304715304 203 (32-26C) RED WAS SWIE	<del></del>	R24E P+A	CHEVRON U.S.A. INCORPORATED
UTU0561	4304715305 204 (23-25A) RED WAS NESW	25 T 7S	R22E POW	CHEVRON U S A INCORPORATED
UTU080	4304715306 205 (23-21C) RED WAS NESW	21 T 7S	R24E PGW	CHEVRON U S A INCORPORATED
<del>UTU093</del>	4304715307 206 (32-230) RED WAS SWNE	<del>- 23 † 73 -</del>	RZ4E P+A	CHEVRON U S A INCORPORATED
- UTSL066791	- 4304715308 208 (32-22C) RED WAS SWNE	<del>22 T 73</del>	R24E ABD	CHEVRON U S A INCORPORATED
UTSL071963	4304715309 209 (32-34C) RED WAS SWNE	<del>34 T 73 -</del>	R24E P+A	CHEVRON U S A INCORPORATED
UTU081	4304715150 21 (32-14B) RED WASH SWNE	14 T 7S	R23E POW	CHEVRON U S A INCORPORATED
UTU0826	4304720014 212 (41-8F) RED WASH NENE	8 T 8S	R24E PGW	CHEVRON U S A INCORPORATED
UTU02060	4304720060 213 (41-33B) RED WAS NENE	33 T 7S	R23E WIWSI	CHEVRON U S A INCORPORATED
: UTSL071965	4304720136-214 (14-27C) RED WAS SWSW	<del>27 1 73 -</del>	R24E ABD	CHEVRON U S A INCORPORATED
UTU0558	4304730058 215 (43-28A) RED WAS NESE	28 T 7\$	R22E WIW	CHEVRON U S A INCORPORATED
UTU0558	4304730103 216 (21-27A) RED WAS NENW	27 T 7S	R22E WIW	CHEVRON U S A INCORPORATED
-U1U0558	4304730106 218 (12-34A) RED WAS SWNW	<del>- 34 † 78 -</del>	RZZE ABD	CHEVRON U S A INCORPORATED
UTU080	4304730149 219 (44-21C) RED WAS SESE	21 T 7S	R24E PGW	CHEVRON U S A INCORPORATED
<del> UTU02148</del>	4304716483 22 (41-18C) RED WASH NENE	<del>- 18 † 73 -</del>	R24E P+A	CHEVRON U S A INCORPORATED
UTU082	4304730192 220 (22-23B) RED WAS SENW	23 T 7s	R23E TA	CHEVRON U S A INCORPORATED
UTU0933	4304730199 221 (13-27B) RED WAS NWSW	27 T 7S	R23E TA	CHEVRON U S A INCORPORATED
UTU0566	4304730200 222 (31-27B) RED WAS NWNE	27 T <b>7</b> S	R23E TA	CHEVRON U S A INCORPORATED
UTU0559	4304730201 223 (44 21A) RED WAS SESE	<del>21 T 73</del>	R22E P+A	CHEVRON U.S. A. INCORPORATED
UTU081	4304730202 224 (44-22B) RED WAS SESE	22 T 7\$	R23E TA	CHEVRON U S A INCORPORATED
UTU082	4304730212 225 (13-23B) RED WAS NWSW	23 T 7S	R23E TA	CHEVRON U S A INCORPORATED
UTU082	4304730249 226 (24-33B) RED WAS SESW	23 T 7s	R23E POW	CHEVRON U S A INCORPORATED
UTU0566	4304730257 227 (14-26B) RED WAS SWSW	26 T 7S	R23E TA	CHEVRON U S A INCORPORATED
UTU02025	4304730258 228 (21-34B) RED WAS NENW	34 T 78	R23E POW	CHEVRON U S A INCORPORATED
UTU0566	4304730259 229 (43-26B) RED WAS NESE	26 T 7S	R23E <sup>™</sup> TA	CHEVRON U S'A INCORPORATED
UTU082	4304715151 23 (21-23B) RED WASH NENW	23 T 7S	R23E WIW	CHEVRON U S A INCORPORATED
UTU02148	4304730309 230 (14-18C) RED WAS SWSW	18 T 7\$	R24E TA	CHEVRON U S A INCORPORATED
UTU0566	4304730310 231 (21-35B) RED WAS NENW	35 T 7s	R23E TA	CHEVRON U S A INCORPORATED
UTU0566	4304730311 232 (12-26B) RED WAS SWNW	26 T 7S	R23E TA	CHEVRON U S A INCORPORATED
UTU0823	4304730312 233 (12-25B) RED WAS SWNW	25 T 7S	R23E TA	CHEVRON U S A INCORPORATED
UTU082	4304730313 234 (32-24B) RED WAS SWNE	24 T 7S	R23E POW	CHEVRON U S A INCORPORATED
UTU02148	4304730314 235 (34-18C) RED WAS SWSE	18 T 7S	R24E POW	CHEVRON U S A INCORPORATED
UTU02149	4304730340 236 (21-19C) RED WAS NENW	19 T 7S	R24E PGW	CHEVRON U S A INCORPORATED
UTU0823	4304730341 237 (14-25B) RED WAS SWSW	25 T 7\$	R23E POW	CHEVRON U S A INCORPORATED
UTU0566	4304730342 238 (32-35B) RED WAS SWIE	35 T 78	R23E POW	CHEVRON U S A INCORPORATED
UTU0566	4304730343 239 (41-35B) RED WAS NENE	35 T 78	R23E TA	CHEVRON U S A INCORPORATED

Page No. 3 02/04/00



#### Well Status Report Utah State Office Bureau of Land Management

Lease Api Number Well Name

QTR Section Township Range Well Status Operator

UTU081	4304715293 191 (12-27B) RED WAS NENW	14-T-7 <del>3</del>	R23E P+A	CHEVRON U S A INCORPORATED
UTU0570	4304715294 192 (41-33A) RED WAS NENE	33 T 7s	R22E POW	CHEVRON U S A INCORPORATED
UTU082	4304715295 193 (43-24B) RED WAS NESE	24 T 7S	R23E PGW	CHEVRON U S A INCORPORATED
UTU081	4304715296 194 (12-14B) RED WAS SWNW	14 T 7S	R23E POW	CHEVRON U S A INCORPORATED
UTU02148	4304715297 195 (43-18C) RED WAS NESE	<del>18 т 7s</del>	R24E ABD	CHEVRON U.S. A. INCORPORATED
UTU02148	4304715298 196 (23-17C) RED WAS NESW	17 T 7S	R24E PGW	CHEVRON U S A INCORPORATED
-UTU080	4304715299 197 (43-21C) RED WAS NESE	21 <del>T 73</del>	R24E ABD	CHEVRON U.S. A. INCORPORATED
UTU02060	4304715300 198 (21-33B) RED WAS NENW	33 T 78	R23E ABD	CHEVRON U S A INCORPORATED
UTU0559	4304715301 199 (43-22A) RED WAS NESE	22 T 7\$	R22E WIW	CHEVRON U S A INCORPORATED
UTU082	4304716472 2 (14-24B) RED WASH SWSW	24 T 7S	R23E WIW	CHEVRON U S A INCORPORATED
<del>UTU02025</del>	4304715149 20 (41-298) RED WASH NENE	<del>29 1 73 -</del>	R23E P+A	CHEVRON U.S. A. INCORPORATED
UTSL071965	4304715302 201 (32-28C) RED WAS SWNE	28 T 7s	R24E PGW	CHEVRON U S A INCORPORATED
UTU0558	4304715303 202 (21-34A) RED WAS NENW	34 T 7S	R22E WIWSI	CHEVRON U S A INCORPORATED
-UTU093	4304715304-203 (32-260) RED WAS SWIE	26 T 75	R24E PIA	
UTU0561	4304715305 204 (23-25A) RED WAS NESW	25 T 7S	R22E POW	CHEVRON U.S. A. INCORPORATED
UTU080	4304715306 205 (23-21C) RED WAS NESW	21 T 7S	R24E PGW	CHEVRON U.S. A. INCORPORATED
<del>U1U093</del>	4304715307-206 (32-23c) RED WAS SWNE	23 T 73	R24E P+A	CHEVRON U S A INCORPORATED
UTSL066791	4304715308-208 (32-22C) RED WAS SWIE	22 1 73	R24E ABD	CHEVRON U.S. A. INCORPORATED
UTSL071963	4304715309-209 (32-340) RED WAS SWNE	34 T 73	R24E P+A	CHEVRON U.S. A. INCORPORATED
UTU081	4304715150 21 (32-14B) RED WASH SWNE	14 T 7S	R23E POW	CHEVRON U.S. A. INCORPORATED
UTU0826	4304720014 212 (41-8F) RED WASH NENE	8 T 8S	R24E PGW	CHEVRON U.S. A. INCORPORATED
UTU02060	4304720060 213 (41-33B) RED WAS NENE	33 T 7S	R23E WIWSI	CHEVRON U.S. A. INCORPORATED
UTSL071965	4304720136 214 (14-27C) RED WAS SWSW	27 1 73	R24E ABD	CHEVRON U S A INCORPORATED
UTU0558	4304730058 215 (43-28A) RED WAS NESE	28 T 7\$	R22E WIW	CHEVRON U.S. A. INCORPORATED
UTU0558	4304730103 216 (21-27A) RED WAS NENW	27 T 7S	R22E WIW	CHEVRON U S A INCORPORATED  CHEVRON U S A INCORPORATED
<del>-U1U0558</del>	4304730106 218 (12-34A) RED WAS SWNW	34 T 78	R22E ABD	CHEVRON U S A INCORPORATED
UTU080	4304730149 219 (44-21C) RED WAS SESE	21 T 7S	R24E PGW	CHEVRON U S A INCORPORATED
<del>UTU02148</del>	4304716483 22 (41-18C) RED WASH NENE	18 T 73	R24E P+A	CHEVRON U S A INCORPORATED
UTU082	4304730192 220 (22-23B) RED WAS SENW	23 T 7s	R23E TA	CHEVRON U S A INCORPORATED
UTU0933	4304730199 221 (13-27B) RED WAS NWSW	27 T 7S	R23E TA	CHEVRON U S A INCORPORATED
UTU0566	4304730200 222 (31-27B) RED WAS NWNE	27 T 7S	R23E TA	CHEVRON U S A INCORPORATED
UTU0559		21 T 79	- R22E - P+A	CHEVRON U.S.A. INCORPORATED
UTU081	4304730202 224 (44-22B) RED WAS SESE	22 T 7S	R23E TA	CHEVRON U S A INCORPORATED
UTU082	4304730212 225 (13-23B) RED WAS NWSW	23 T 7\$	R23E TA	CHEVRON U S A INCORPORATED
UT <b>U</b> 082	4304730249 226 (24-33B) RED WAS SESW	23 T 7s	R23E POW	CHEVRON U S A INCORPORATED
UTU0566	4304730257 227 (14-26B) RED WAS SWSW	26 T 7S	R23E TA	CHEVRON U S A INCORPORATED
UTU02025	4304730258 228 (21-34B) RED WAS NENW	34 T 7S	R23E POW	CHEVRON U S A INCORPORATED
UTU0566	4304730259 229 (43-26B) RED WAS NESE	26 T 7\$	R23E TA	CHEVRON U S A INCORPORATED
UTU082	4304715151 23 (21-23B) RED WASH NENW	23 T 7S	R23E WIW	CHEVRON U S A INCORPORATED
UTU02148	4304730309 230 (14-18C) RED WAS SWSW	18 T 7S	R24E TA	CHEVRON U S A INCORPORATED
UTU0566	4304730310 231 (21-35B) RED WAS NEW	35 T 7S	R23E TA	CHEVRON U S A INCORPORATED
UTU0566	4304730311 232 (12-26B) RED WAS SWNW	26 T 7S	R23E TA	CHEVRON U S A INCORPORATED
UTU0823	4304730312 233 (12-25B) RED WAS SWNW	25 T 7S	R23E TA	CHEVRON U S A INCORPORATED
UTU082	4304730313 234 (32-24B) RED WAS SWIE	24 T 7S	R23E POW	CHEVRON U S A INCORPORATED
UTU02148	4304730314 235 (34-18C) RED WAS SWSE	18 T 7S	R24E POW	CHEVRON U S A INCORPORATED
UTU02149	4304730340 236 (21-19C) RED WAS NEW	19 T 7S	R24E PGW	CHEVRON U S A INCORPORATED
UTU0823	4304730341 237 (14-25B) RED WAS SWSW	25 T 7\$	R23E POW	CHEVRON U S A INCORPORATED
UTU0566	4304730342 238 (32-35B) RED WAS SWIE	35 T 7\$	R23E POW	CHEVRON U S A INCORPORATED
UTU0566	4304730343 239 (41-35B) RED WAS NENE	35 T 78	R23E TA	CHEVRON U S A INCORPORATED
	The second secon		17	AUPLIAN O S V THANK AVVIEN

,	UNITED STATES RTMENT OF THE INTERIOR AU OF LAND MANAGEMENT	FORM APPROVED  Budget Bureau No. 1004-0135  Expires: March 31, 1993  5. Lease Designation and Serial No.
Do not use this form for proposals to drill or to		U-0566
Use "APPLICAT	TION FOR PERMIT" for such proposals	If Indian, Allottee or Tribe Name     N/A
SURM	IT IN TRIPLICATE	7. If Unit or CA, Agreement Designation
Type of Well     Oil Gas	T. I. T.	RED WASH UNIT
X Well Well Other		8. Well Name and No. <b>RED WASH UNIT 232 12-26B</b>
2. Name of Operator SHENANDOAH ENERGY, INC		9. API Well No.
3. Address and Telephone No		43-047-30311
11002 E. 17500 S. VERNAL, UT 84078-8526	(801) 781-4300	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)		RED WASH - GREEN RIVER
		11. County or Parish, State
2105' FNL & 603' FWL (SW NW) SECTION	l 26, T75, R23E, SLBM	UINTAH, UTAH
12. CHECK ADDRODDIATE		
CHECK APPROPRIATE	BOX(s) TO INDICATE NATURE OF NOTICE, REPORT	Γ, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
X Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	X Other TA STATUS FOR WELL	Dispose Water
		(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
Describe Proposed or Completed Operations (Clearly state all pertinent give subsurface locations and measured and true vertical depths for all managements.)	tetails, and give pertinent dates, including estimated date of starting any proposed work. If varieties and zones pertinent to this work.)	well is directionally drilled,
WE REQUEST A TA STATUS APPROVA	·	
WE BELIEVE A RETURN TO PRODUC	TION COULD BE JUSTIFIED IN THE FUTURE.	
	REC	EIVED
	APR	17 2000
	OFF SENT TO OPERATOR OIL, GAS	SION OF AND MINING
	Shols: CHO	will All AC
14. I hereby certify that the foregoing is true and correct.  Signed D. C. BEAMAN	Title OFFICE MANAGER	Date
D. C. DEAMAN LOW LOW	OFFICE MANAGER	Date 04/13/00

(This space for Federal or State office use) Approved by: Title Date Conditions of approval, if any The Establian for Shut-land are issuedwing 18 to Many charl 1990; department 1890 for the 1800 fith 18 to March 2000 ditious Accepted by the representations as to any matter within its jurisdiction. In accordance with R649-3-36.3, provide the Division of Oil, Gas & Mining a Showing **Utah Division of** Oil, Gas & Mining

of Good Cause as to why this well should not be plugged en instruction on Riverse Side

#### Division of Oil, Gas and Mining

#### **OPERATOR CHANGE WORKSHEET**

Enter date after each listed item is completed

#### X Change of Operator (Well Sold)

Operator Name Change (Only)

Designation of Agent

Merger

**RED WASH** 

Unit:

The operator of the well(s) listed below has changed, effective:  FROM: (Old Operator): CHEVRON USA INC Address: 11002 E. 17500 S. VERNAL, UT 84078-8526  Phone: 1-(435)-781-4300 Account No. N0210	01-01-2000					
FROM: (Old Operator):	TO: ( New Operator):					
CHEVRON USA INC	SHENANDOAH ENERGY INC					
Address: 11002 E. 17500 S.	Address: 11002 E. 17500 S.					
VERNAL, UT 84078-8526	VERNAL, UT 84078					
Phone: 1-(435)-781-4300	Phone: 1-(435)-781-4300					
Account No. N0210	Account N4235					

CA No.

WELL(S)						
<b>,</b> ,	API	<b>ENTITY</b>	SEC. TWN	LEASE	WELL	WELL
NAME	NO.	NO.	RNG	TYPE	TYPE	STATUS
RWU 242 (42-13B)	43-047-30346	5670	13-07S-23E	FEDERAL	OW	P
RWU 24 (34-14B)	43-047-15152	5670	14-07S-23E	FEDERAL	OW	P
RWU 241 (22-14B)	43-047-30345	5670	14-07S-23E	FEDERAL	GW	P
RWU 229 (43-26B)	43-047-30259	5670	26-07S-23E	FEDERAL	OW	TA
RWU 231 (21-35B)	43-047-30310	5670	35-07S-23E	FEDERAL	OW	TA
RWU 234 (32-24B)	43-047-30313	5670	24-07S-23E	FEDERAL	OW	P
RWU 233 (12-25B)	43-047-30312	5670	25-07S-23E	FEDERAL	OW	TA
RWU 237 (14-25B)	43-047-30341	5670	25-07S-23E	FEDERAL	OW	P
RWU 232 (12-26B)	43-047-30311	5670	26-07S-23E	FEDERAL	OW	TA
RWU 238 (32-35B)	43-047-30342	5670	35-07S-23E	FEDERAL	OW	P
RWU 239 (41-35B)	43-047-30343	5670	35-07S-23E	FEDERAL	OW	TA
RWU 240 (12-36B)	43-047-30344	5670	36-07S-23E	FEDERAL	OW	P
RWU 247 (22-17C)	43-047-30388	5670	17-07S-24E	FEDERAL	GW	P
RWU 230 (14-18C)	43-047-30309	5670	18-07S-24E	FEDERAL	OW	TA
RWU 235 (34-18C)	43-047-30314	5670	18-07S-24E	FEDERAL	OW	P
RWU 243 (42-18C)	43-047-30347	5670	18-07S-24E	FEDERAL	OW	TA
RWU 246 (22-18C)	43-047-30387	5670	18-07S-24E	FEDERAL	ow	P
RWU 236 (21-19C)	43-047-30340	5670	19-07S-24E	FEDERAL		P
RWU 244 (23-19C)	43-047-30348	5670	19-07S-24E	FEDERAL		P
RWU 248 (43-20C)	43-047-30389	5670	20-07S-24E	FEDERAL		PA
RWU 250 (41-29C)	43-047-30391	5670	29-07S-24E	FEDERAL	GW	PA
RWU 245 (14-30C)	43-047-30349	5670	30-07S-24E	FEDERAL	GW	PA

#### **OPERATOR CHANGES DOCUMENTATION**

1.	(R649-8-10) Sundry or legal documentation was received from the FORMER operator on:	12-30-1999

2. (R649-8-10) Sundry or legal documentation was received from the NEW operator on:

08-09-2000

3.	The new company has been checked through the Departmen	t of Commerc	ee, Division of Corpora	ations Database on: 08-23-2000
4.	Is the new operator registered in the State of Utah:	YES	Business Number:	224885
5.	If NO, the operator was contacted contacted on:		-	
6.	Federal and Indian Lease Wells: The BLM and or or operator change for all wells listed on Federal or Ind			
7.	•	proved the s	successor of unit op	erator
8.	for wells listed on:  Federal and Indian Communization Agreemen change for all wells listed involved in a CA on:		The BLM or the BI	A has approved the operator
9.	. Underground Injection Control ("UIC") Pro: T for the enhanced/secondary recovery unit/project for the wat			5, Transfer of Authority to Inject,
$\overline{\mathbf{D}}_{\lambda}$	ATA ENTRY:		· · · · · · · · · · · · · · · · · · ·	
1.	Changes entered in the Oil and Gas Database on:	09/19/2000	-	
2.	Changes have been entered on the Monthly Operator Chan	ige Spread Sh	eet on: 09/19/20	00_
3.	Bond information entered in RBDMS on:	N/A	_	
4.	Fee wells attached to bond in RBDMS on:	N/A	-	
$\overline{S}$	TATE BOND VERIFICATION:			
1.	State well(s) covered by Bond No.:	N/A	_	
F	TEE WELLS - BOND VERIFICATION/LEASE I	NTEREST	OWNER NOTIFI	CATION:
	. (R649-3-1) The <b>NEW</b> operator of any fee well(s) listed has			
2.	The <b>FORMER</b> operator has requested a release of liability from The Division sent response by letter on:	om their bond N/A	on: N/A	
3.	. (R649-2-10) The <b>FORMER</b> operator of the Fee wells has been of their responsibility to notify all interest owners of this characteristics.		nd informed by a letter	from the Division
	FILMING:  All attachments to this form have been MICROFILMED or	: 3121	01	
	FILING: ORIGINALS/COPIES of all attachments pertaining to each	individual wel	l have been filled in ea	ch well file on:
C	OMMENTS:			
_				
_				
_				
_				

. •



estar Exploration and Production Company

ependence Plaza

1050 17th Street, Suite 500 Denver, CO 80265 Tel 303 672 6900 • Fax 303 294 9632

Denver Division

May 28, 2003

Division of Oil, Gas, & Mining 1594 West North Temple, Suite 1210 P. O. Box 145801 Salt Lake City, Utah 84114-5801

Attention: John Baza/Jim Thompson

#### Gentlemen:

This will serve as notice that through the internal corporate changes described below, activities formerly conducted in the name of either Shenandoah Operating Company, LLC (SOC) and/or Shenandoah Energy, Inc. (SEI) will hereafter be conducted in the name of QEP Uinta Basin, Inc.: i) the Shenandoah entities were purchased in July, 2001 by Questar Market Resources, Inc., which is a mid-level holding company for the non-utility businesses of Questar Corporation, ii) Shenandoah Operating Company, LLC has now been merged into Shenandoah Energy, Inc. (SEI), iii) Shenandoah Energy, Inc. has now been re-named QEP Uinta Basin, Inc. pursuant to a State of Delaware Amended and Restated Certificate of Incorporation, iv) the same employees will continue to be responsible for operations of the former SOC and SEI properties, both in the field and in the office. Accordingly, the change involves only an internal corporate name change and no third party change of operator is involved. Please alter your records to reflect the entity name change. Attached is a spreadsheet listing all wells affected by this change.

Should you have any questions, please call me at 303 - 308-3056.

Yours truly,

Frank Nielsen

Division Landman

hard Thelen

Enclosure

RECEIVED

JUN 0 2 2003

SEI (N4235) to QEP (N2460) RED WASH UNIT

well name	Sec	T	R	api	Entity	Lease Type	type	stat	
RED WASH 22-21B	21	070S	230E	4304733522	5670	Federal	OW	TA	
RED WASH 24-20B	20	070S	230E	4304733523	5670	Federal	OW	P	
RED WASH 305 (41-4F)	04	080S	240E	4304732538		Federal	GW	TA	
RED WASH 306	23	070S	240E	4304732629		Federal	GW	P	
RED WASH 44-19B	19	070S	230E	4304733524	<del></del>	Federal	OW	P	
RED WASH 44-20B	20	070S	230E	4304733525		Federal	OW	P	-
RWU 1 (41-26B)	26	070S	230E	4304715135		Federal	OW	TA	
RWU 10 (12-23B)	23	070S	230E	4304715141		Federal	OW	TA	
RWU 101 (34-21B)	21	070S	230E	4304715220		Federal	OW OW	P P	
RWU 103 (34-15B)	15	0708	230E	4304715222		Federal	ow	P	
RWU 108 (32-21B)	21	070S	230E	4304715226		Federal Federal	OW	P	<del> </del>
RWU 109 (21-28B)	28	0705	230E	4304715227		Federal	ow	P	
RWU 110 (23-23A)	23	0708	220E 220E	4304715228		Federal	OW	TA	
RWU 111 (32-24A)	24	070S 070S	220E	4304715239		Federal	ow	P	_
RWU 112 (32-28A)	28 19	070S	230E	4304715233		Federal	ow	P	
RWU 115 (21-19B)	29	070S	220E	4304715236		Federal	ow	P	
RWU 119 (43-29A)	28	070S	230E	4304715237		Federal	ow	TA	1
RWU 120 (23-28B)	13	070S	230E	4304715237		Federal	GW	P	
RWU 121 (13-13B) RWU 122 (24-14B)	14	070S	230E	4304715239		Federal	OW	P	
RWU 125 (34-19B)	19	070S	230E	4304715242		Federal	ow	TA	
RWU 125 (34-19B) RWU 126 (41-29A)	29	070S	220E	4304715242		Federal	ow	P	
RWU 127 (12-19B)	19	070S	230E	4304715244		Federal	ow	TA	
RWU 127 (12-19B)	15	070S	230E	4304715246		Federal	OW	P	
RWU 13 (14-22B)	22	070S	230E	4304715143		Federal	ow	TA	
RWU 133 (41-34B)	34	070S	230E	4304715250		Federal	ow	P	
RWU 136 (43-19B)	19	070S	230E	4304715252		Federal	ow	TA	
RWU 137 (34-28B)	28	070S	230E	4304715253	5670	Federal	GW	TA	
RWU 138 (41-30B)	30	070S	230E	4304715254	5670	Federal	OW	P	
RWU 140 (24-22B)	22	070S	230E	4304715255	5670	Federal	ow	P	
RWU 141 (11-27B)	27	070S	230E	4304715256	5670	Federal	OW	TA	
RWU 143 (33-14B)	14	070S	230E	4304715257	5670	Federal	OW	P	<u> </u>
RWU 144 (21-18B)	18	070S	230E	4304715258	5670	Federal	OW	TA	ot
RWU 145 (24-13B)	13	070S	230E	4304715259		Federal	ow	TA	igspace
RWU 147 (22-22B)	22	070S	230E	4304715260		Federal	ow	TA	<u> </u>
RWU 15 (32-17C)	17	070S	240E	4304715145		Federal	OW	P	<u> </u>
RWU 151 (42-14B)	14	070S	230E	4304715264		Federal	OW	P	<u> </u>
RWU 153 (14-29B)	29	0708	230E	4304715265		Federal	OW	P	↓
RWU 158 (32-30B)	30	070S	230E			Federal	OW	P	—
RWU 160 (32-15B)	15	070S		4304715270		Federal	OW	P	↓_
RWU 162 (12-20B)	20	070S		4304715272		Federal	OW	TA	┼
RWU 164 (12-28B)	28	070S		4304715274		Federal	OW	P	+—
RWU 165 (32-26B)	26	0708		4304715275		Federal	GW OW	TA S	+
RWU 167 (23-21B)	2]	070S		4304715277		Federal Federal	OW	TA	+
RWU 168 (23-24B)	24	070S		4304715278		Federal	ow	TA	+-
RWU 172 (21-30B)	30	0708		4304715280		Federal	OW	TA	+
RWU 176 (31-28B)	28	070S 070S		4304715283  4304715284		Federal	ow	TA	+-
RWU 177 (42-28B)	13	070S	230E	4304715284		Federal	ow	TA	+-
RWU 178 (22-13B)	23	070S		4304715287		Federal	ow	TA	$\top$
RWU 180 (31-23B)	30	0708		4304715288		Federal	ow	P	+
RWU 181 (34-30B)	26	0708		4304715288		Federal	ow	TA	+
RWU 184 (23-26B) RWU 188 (23-20B)	20	070S		4304715291		Federal	ow	TA	1
RWU 188 (23-20B) RWU 19 (34-26B)	26	070S		4304715148		Federal	GW	TA	1
RWU 19 (34-26B)	33	070S		4304715294		Federal	ow	P	1
RWU 192 (41-33A) RWU 193 (43-24B)	24	070S				Federal	GW	S	
RWU 194 (12-14B)	14	070S				Federal	ow	S	I
RWU 196 (23-17C)	17	070S				Federal	GW	S	
RWU 201 (32-28C)	28	070S		4304715302		0 Federal	GW	P	
RWU 204 (23-25A)	25	070S				0 Federal	ow	P	
RWU 205 (23-21C)	21	070S			567	0 Federal	GW	TA	
RWU 207	17	070S				0 Federal	OW	P	
RWU 21 (32-14B)	14	070S			567	0 Federal	OW	P	
RWU 212 (41-8F)	08	080S			567	0 Federal	GW	P	
[KWU 212 (41-0F)	100	10000		11301720011		0 Federal	ow	Р	

SEI (N4235) to QEP (N2460) RED WASH UNIT

	10	Ť	D	ani -	Entitu	Lanca Tree	type	ctat	$\neg$
well_name			R	api		Lease Type	type OW	stat P	$\dashv$
RWU 21-25A	25			4304733576	1	Federal Federal	GW	P	
RWU 219 (44-21C)	21	070S	<del></del>	4304730149		Federal	ow	TA	$\dashv$
RWU 220 (22-23B) RWU 221 (13-27B)		070S		4304730192	<u> </u>	Federal	ow	TA	
RWU 22-13A	13	070S	220E	4304733765		Federal	ow	S	
RWU 22-19B	19	070S	230E	4304733559	<del></del>	Federal	OW	P	
RWU 222 (31-27B)	27	070S	230E	4304730200	+	Federal	GW	TA	
RWU 22-20B	20	070S	230E	4304733491	5670	Federal	ow	P	
RWU 22-25A	25	070S	220E	4304733786	5670	Federal	ow	P	
RWU 22-29B	29	070S	230E	4304733766		Federal	ow	S	
RWU 224 (44-22B)	22	070S	230E	4304730202	5670	Federal	GW	TA	
RWU 225 (13-23B)	23	070S	230E	4304730212	5670	Federal	GW	TA	
RWU 226 (24-23B)	23	070S	230E	4304730249	5670	Federal	GW	S	
RWU 227 (14-26B)	26	070S	230E	4304730257	5670	Federal	ow	TA	
RWU 228 (21-34B)	34	070S	230E	4304730258	5670	Federal	ow	P	
RWU 229 (43-26B)	26	070S	230E	4304730259	5670	Federal	OW	TA	
RWU 230 (14-18C)	18	070S	240E	4304730309	5670	Federal	OW	TA	
RWU 231 (21-35B)	35	070S	230E	4304730310		Federal	ow	TA	
RWU 232 (12-26B)	26	070S	230E	4304730311		Federal	OW	TA	
RWU 23-24A	24	070S	220E	4304733567		Federal	OW	P	
RWU 233 (12-25B)	25	070S	230E	4304730312		Federal	OW	TA	
RWU 234 (32-24B)	24	070S	230E	4304730313		Federal	OW	P	
RWU 235 (34-18C)	18	070S	240E	4304730314		Federal	OW	P	
RWU 236 (21-19C)	19	070S	240E	4304730340		Federal	GW	P	
RWU 237 (14-25B)	25	070S	230E	4304730341		Federal	OW	P	
RWU 238 (32-35B)	35	070S	230E	4304730342		Federal	OW	TA TA	
RWU 239 (41-35B)	35	070S	230E	4304730343		Federal	OW OW	P	
RWU 24 (34-14B)	14	0708	230E	4304715152		Federal	ow	P	
RWU 240 (12-36B)	36	0708	230E	4304730344		Federal Federal	ow	P	
RWU 241 (22-14B)	14	0708	230E 230E	4304730345		Federal	ow	P	
RWU 24-18B	18	070S 070S	230E	4304733554		Federal	low	P	
RWU 24-19B	13	070S	230E	4304730346		Federal	ow	P	
RWU 242 (42-13B)	18	070S	240E	4304730347		Federal	ow	TA	_
RWU 243 (42-18C) RWU 244 (23-19C)	19	070S	240E	4304730348		Federal	GW	P	
The state of the s	18	070S	240E	4304730387		Federal	ow	P	
RWU 246 (22-18C) RWU 247 (22-17C)	17	070S	240E	4304730388		Federal	GW	P	
RWU 26 (23-22B)	22	070S	230E	4304715153		Federal	ow	TA	
RWU 262 (22-26B)	26	070S	230E	4304730517		Federal	GW	TA	
RWU 265 (44-26B)	26	070S	230E	4304730520	5670	Federal	GW	P	
RWU 267 (32-17B)	17	070S	230E	4304732981		Federal	ow	P	
RWU 27 (43-14B)	14	070S	230E	4304715154	5670	Federal	ow	TA	
RWU 270 (22-35B)	35	070S	230E	4304731082	5670	Federal	ow	P	
RWU 272 (44-23B)	23	070S	230E	4304731054	5670	Federal	GW	P	
RWU 273 (42-27B)	27	070S	230E	4304731051		Federal	OW	TA	
RWU 276 (44-27B)	27	070S	230E	4304731053		Federal	ow	TA	
RWU 278 (11-26)	26	070S	230E	4304731076		Federal	GW	TA	
RWU 28 (43-22B)	22	070S	230E	4304715155		Federal	OW	P	
RWU 280 (11-35B)	35	070S	230E	4304731079		Federal	OW	P	
RWU 282 (42-26B)	26	070S	230E	4304731080		Federal	GW	TA	
RWU 284 (33-23B)	23	070S	230E	4304731476		Federal	GW	TA	
RWU 285 (11-24B)	24	070S	230E	4304731477		Federal	ow	P P	
RWU 286 (42-21B)	21	070S	230E	4304731478		Federal	ow	TA	_
RWU 287 (44-13B)	13	070S	230E	4304731512		Federal	ow	TA	
RWU 288 (24-27)	27	0708	230E	4304731513		Federal	ow	P	
RWU 289 (13-24B)	24	0708	230E	4304731517		Federal Federal	ow	P	
RWU 29 (32-23B)	23	0708	230E	4304715156		Federal	GW	TA	
RWU 292 (42-23B)	23	0708	230E	4304731576		Federal	ow	TA	
RWU 293 (22-22A)	22	0705	220E	4304731581		Federal	GW	P	
RWU 294 (24-18C)	18	0708	240E	4304731582		Federal	GW	TA	
RWU 295 (11-22B)	22	070S 070S	230E 230E	4304731577 4304731578		Federal	ow	P	
RWU 296 (12-35B)	35 15	070S	230E	4304731578		Federal	ow	P	
RWU 297 (24-15B)	27	070S	230E	4304731679		Federal	ow	TA	
RWU 298 (22-27B)	18	070S	230E	4304733018		Federal	ow	P	
RWU 299 (32-18B)	119	10/03	LAJUE	100CLEOCE	307	Ji caciai	10 **		

well name	Sec	T	R	api	Entity	Lease Type	type	stat	
RWU 3 (34-23B)	23	070S	230E	4304715136	5670	Federal	ow	P	T
RWU 30 (23-13B)	13	070S	230E	4304715157	5670	Federal	GW	TA	I
RWU 301 (43-15B)	15	070S	230E	4304731682	5670	Federal	GW	S	
RWU 302 (22-24B)	24	070S	230E	4304731683		Federal	GW	TA	$\perp$
RWU 303 (34-17B)	17_	070S	230E	4304731819		Federal	ow	P	1
RWU 31 (34-22B)	22	070S	230E	4304715158		Federal	OW	P	$\downarrow$
RWU 33 (14-14B)	14	070S	230E	4304715160		Federal	GW	TA	4
RWU 35 (43-13B)	13	070S	230E	4304715162		Federal	ow	TA	4
RWU 36 (32-13B)	13_	070S	230E	4304715163		Federal	GW	P	$\downarrow$
RWU 38 (14-23B)	23	070S	230E	4304715165	<u> </u>	Federal	ow	P	$\perp$
RWU 39 (14-24A)	24	070S	220E	4304715166		Federal	OW	TA	4
RWU 4 (41-22B)	22	070S	230E	4304715137		Federal	ow	TA	4
RWU 40 (21-24B)	24	070S	230E	4304715167		Federal	ow	TA	1
RWU 41 (34-13B)	13	070S	230E	4304715168		Federal	ow	P	$\downarrow$
RWU 41-24A	24	070S	220E	4304733769		Federal	OW	P	+
RWU 41-25A	25	070S	220E	4304733579		Federal	OW	P	+
RWU 42 (21-29C)	29	070S	240E	4304715169		Federal	GW	P	+
RWU 42-19B	19	070S	230E	4304733556		Federal	OW	P	+
RWU 42-20B	20	070S	230E	4304733490		Federal	OW	P	+
RWU 42-24A	24	070S	220E	4304733569		Federal	OW	P	+
RWU 42-25A	25	070S	220E	4304733580		Federal	OW	S P	+
RWU 42-30B	30	070S	230E	4304733771		Federal	OW	P	+
RWU 43 (12-17B)	17	070S	230E	4304715170		Federal	OW	P	+
RWU 44 (32-33C)	33	070S	240E	4304715171		Federal Federal	GW OW	P	+
RWU 44-18B	18	0708	230E	4304733594		Federal	ow	P	+
RWU 44-30B	30	0708	230E	4304733772		Federal	ow	TA	$\dashv$
RWU 45 (23-30B)	30	070S 070S	230E 240E	4304715172		Federal	GW	TA	$\dashv$
RWU 46 (41-21C)	21	070S	230E	4304715175		Federal	ow	TA	$\dashv$
RWU 49 (12-29B)	29	070S	230E	4304715138		Federal	ow	P	$\dashv$
RWU 5 (41-23B)		070S	220E	4304715176		Federal	ow	P	$\dashv$
RWU 50 (14-23A)	23	070S	230E	4304715178		Federal	ow	TA	$\dashv$
RWU 52 (14-18B)	18	070S	220E	4304715178		Federal	ow	TA	$\dashv$
RWU 53 (41-25A)	18	070S	240E	4304715183		Federal	ow	P	┪
RWU 57 (12-18C)	22	070S	230E	4304715186		Federal	GW	TA	$\dashv$
RWU 63 (21-22B)	27	070S	230E	4304715187		Federal	ow	TA	$\dashv$
RWU 64 (32-27B)	18	070S	230E	4304715189		Federal	ow	P	_
RWU 66 (34-18B)	22			4304715190		Federal	ow	TA	-
RWU 67 (42-22B) RWU 69 (21-27B)	27	070S		4304715191		Federal	ow	TA	
RWU 70 (23-22A)	22	0708		4304715192		Federal	ow	P	┪
RWU 71 (21-18C)	18	0708		4304715193		Federal	ow	P	
RWU 72 (23-27B)	27	0708		4304715194		Federal	ow	TA	
RWU 74 (12-13B)	13	070S		4304715196		Federal	GW	P	Т
RWU 75 (21-26B)	26	070S		4304715197		Federal	ow	TA	
RWU 76 (32-18C)	18	070S		4304715198		Federal	GW	S	
RWU 77 (21-13B)	13	070S		4304715199	5670	Federal	OW	P	
RWU 78 (32-28B)	28	070S		4304715200	5670	Federal	OW	P	
RWU 79 (12-27B)	27	070S	230E	4304715201	5670	Federal	ow	TA	
RWU 8 (32-22B)	22	070S	230E	4304715139	5670	Federal	ow	P	
RWU 80 (14-27B)	27	070S	230E	4304715202	5670	Federal	ow	P	
RWU 81 (41-31B)	31	070S	230E	4304715203	5670	Federal	ow	P	
RWU 83 (41-27A)	27	070S	220E	4304715205		Federal	ow	P	
RWU 84 (44-14B)	14	070S		4304715206		Federal	GW	P	
RWU 9 (43-23B)	23	070S		4304715140	5670	Federal	ow	P	
RWU 90 (43-21B)	21	070S	230E	4304715211		Federal	ow	P	
RWU 92 (11-23B)	23	070S		4304715212		Federal	ow	TA	
RWU 94 (12-22A)	22	070S	220E	4304715213		Federal	OW	P	
RWU 99 (12-22B)	22	070S	230E	4304715218		Federal	ow	P	
RED WASH UNIT 259	16	0708	230E			State	ow	P	
RED WASH UNIT 260	16	070S	230E	4304732786		State	ow	P	
RWU 51 (12-16B)	16	070S	_			State	ow	P	
RWU ST 189 (41-16B)	16	070S	230E	4304715292	5670	State	ow	P	
		$\perp$							
RED WASH UNIT 261	17	070S	230E	4304732739	567	Federal	WI	A	
RWU 100-A (43-21A)	21	0708			567	Federal	WI	Α	-

	SEI (N423				 	-T.	1	<del></del>
well_name	Sec	T	R	api	 Lease Type	type	stat	4
RWU 102 (41-24A)	24	070S	220E	4304715221	 Federal	WI	A	1
RWU 11	27	070S	230E	4304715142	 Federal	WI	A	+
RWU 11-19B	19	070S	230E	4304733552	 Federal	WI	A	-
RWU 11-20B	20	070S	230E	4304733553	 Federal	WI	A	+
RWU 11-25A	25	0708	220E	4304733574	 Federal	WI	A	-
RWU 11-29B	29	070S	230E	4304733590	 Federal	WI	A	+
RWU 11-30B	30	070S	230E	4304733785	 Federal		A	+
RWU 12-24A	24	070S	220E	4304733591	 Federal	WI WI	A	+
RWU 13-19B	19	070S	230E	4304733497	 Federal	WI	A	+
RWU 13-20B	20	0708	230E	4304733498	Federal Federal	WI	A	+
RWU 13-25A	25	0708	220E	4304733575	 Federal	WI	A	+
RWU 14 (14-13B)	13	070S	230E	4304715144	 Federal	WI	A	+
RWU 148 (13-22B)	22	0708	230E	4304715261	 Federal	WI	1	+-
RWU 150 (31-22B)	22	0708	230E	4304715263	 Federal	WI	A	<del> </del>
RWU 156 (23-15B)	15	0708	230E	4304715267	 Federal	WI	1	+
RWU 16 (43-28B)	28	0708	230E	4304716475	 	WI	1	+
RWU 161 (14-20B)	20	0708	230E	4304715271	 Federal Federal	WI	A	+
RWU 17 (41-20B)	20	0708	230E	4304715146	Federal	WI	I	+
RWU 170 (41-15B)	15	0708	230E	4304716495	 Federal	WI	A	+
RWU 173 (21-21B)	21	0708	230E	4304716496	 Federal	WI	A	+
RWU 174 (21-20B)	20	0708	230E	4304715281	 Federal	WI	A	+
RWU 182 (14-21B)	21	0708	230E	<del></del>	Federal	WI	A	+
RWU 183 (33-13B)	13	0708	230E	4304715289	 Federal	WI	A	+
RWU 185 (41-1B)	14	0708	230E	4304716498	 Federal	WI	A	+
RWU 199 (43-22A)	22	0708	220E	4304715301	Federal	WI	A	+-
RWU 2 (14-24B)	24	0708	230E	4304716472	 Federal	WI	$+$ $\frac{\alpha}{1}$	+
RWU 202 (21-34A)	34	0708	220E	4304715303	 Federal	WD	A	+
RWU 213 (41-33B)	33	0708	230E	4304720060	Federal	WI	A	+
RWU 215 (43-28A)	28_	0708	220E	4304730058	 Federal	WI	A	+
RWU 216 (21-27A)	27	0708	220E	4304730103	Federal	WI	A	+
RWU 23 (21-23B)	23	0708	230E	4304715151	 Federal	WI	I I	+
RWU 23-18C (97)	18	070S	240E	4304715216	 Federal	WI	A	+-
RWU 25 (23-23B)	23	0708	230E	4304716476	 Federal	WI	A	+-
RWU 258 (34-22A)	22	070S	220E	4304730458	 Federal	WI	I	+
RWU 263 (24-26B)	26	0705	230E	4304730518	 Federal	WI	A	+
RWU 264 (31-35B)	35 26	0708	230E 230E	4304730519 4304730521	 Federal	WI	I I	+
RWU 266 (33-26B)		070S	230E		Federal	WI	A	<del></del>
RWU 268 (43-17B)	17	070S	230E		 Federal	WI	I	_
RWU 269 (13-26B)	26	070S	230E	4304730322	 Federal	WI	Ti Ti	+
RWU 271 (42-35B)	35	070S	230E	4304731081	 Federal	WI	A	
RWU 275 (31-26B)	26	070S	230E	4304731077	Federal	WI	A	_
RWU 279 (11-36B)	36		230E		Federal	WI	A	+
RWU 283 (43-18B)	18	070S	230E		Federal	WI	A	_
RWU 31-19B	25	070S	220E	4304733577	 Federal	WI	A	+
RWU 31-25A	30	070S	230E	430473377	Federal	WI	A	+-
RWU 31-30B	19	070S	230E	4304733788	Federal	WI	A	_
RWU 33-19B	20	0708	230E	4304733500	 Federal	WI	A	+
RWU 33-20B	25	070S	220E	4304733578	 Federal	WI	A	
RWU 33-25A	30	070S	230E		 Federal	WI	A	
RWU 33-30B	14	070S	230E		 Federal	WI	A	_
RWU 34 (23-14B)	13	070S	220E	4304733593	) Federal	WI	A	+
RWU 34-13A	24	070S	220E		 Federal	WI	A	+
RWU 34-24A	19	070S	230E		 Federal	WI	I	_
RWU 48 (32-19B)	28	070S	230E		 Federal	WI	A	_
RWU 56 (41-28B)	24	070S	230E		Federal	WI	A	-
RWU 59 (12-24B)	21	070S	230E		 Federal	WI	A	$\top$
RWU 6 (41-21B)	27	070S			 Federal	WI	I	
RWU 61 (12-27A)	13	070S		<del></del>	 0 Federal	WI	I	1
RWU 68 (41-13B)	27	0708			 0 Federal	WI	-  <u>:</u>	+
RWU 7 (41-27B)	18	070S			0 Federal	WI	A	+
RWU 88 (23-18B)	22	070S			0 Federal	WI	A	+-
RWU 91 (33-22B) RWU 93 (43-27B)	27	070S			 0 Federal	WI	Ti.	_
IKWU 93 (43-27B)	121	10/03	LAJUE	1750T/1040U	0 State	WI	1-	



### United States Department of the Interior

#### **BUREAU OF LAND MANAGEMENT**

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

IN REPLY REFER TO UT-922

June 9, 2003

QEP Uinta Basin, Inc. 1050 17<sup>th</sup> Street, Suite 500 Denver, Colorado 80265

Re:

Red Wash Unit Uintah County, Utah

#### Gentlemen:

On May 30, 2003, we received an indenture dated February 1, 2003, whereby Shenandoah Energy, Inc. changed it name and QEP Uinta Basin, Inc. was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective June 9, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Red Wash Unit Agreement.

Your nationwide (Eastern States) oil and gas bond No. B000024 will be used to cover all operations within the Red Wash Unit.

It is requested that you notify all interested parties of the name change of unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks Chief, Branch of Fluid Minerals

#### **Enclosure**

bcc:

Field Manager - Vernal (w/enclosure)

SITLA

Division of Oil, Gas & Mining Minerals Adjudication Group

File - Red Wash Unit (w/enclosure)

Agr. Sec. Chron Fluid Chron

UT922:TAThompson:tt:6/9/03

#### JUL 0 7 2003

3104 (932.34)WF Nationwide Bond ESB000024

#### NOTICE

QEP Uinta Basin, Inc. 1050 17<sup>th</sup> Street Suite 500 Denver, Colorado 80265 Oil and Gas lease

#### Name Change Recognized

Acceptable evidence has been filed in this office concerning the name change of Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated. QEP Uinta Basin, Incorporated is the surviving entity. This name change is recognized effective April 17, 2003.

Eastern States will notify the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this notice.

If you have any questions, please contact Bill Forbes at 703-440-1536.

Wilbert B. Forbes

Land Law Examiner

Branch of Use Authorization

Division of Resources Planning,

S/ wilbert B Forbes

Use and Protection

bc: JFO,MMS, ES RF, 930 RF, 932.34 RF, E-932: wbf:07 /07/03:440-1536/ QEP Unita Basin MFO

#### **OPERATOR CHANGE WORKSHEET**

ROUTING

1. GLH

2. CDW

3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

#### X Operator Name Change

Merger

The operator of the well(s) listed	below has changed, e	effective	e:		2/:	1/2003				
FROM: (Old Operator):				<b>TO:</b> ( New C	perator):					
N4235-Shenandoah Energy Inc 11002 E 17500 S Vernal, UT 84078-8526					Jinta Basin E 17500 S I, UT 84078					
Phone: (435) 781-4341				Phone:	(435) 781-	35) 781-4341				
	CA No.			Unit:		RED V	WASH			
WELL(S)	WELL(S)									
NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	Conf	
RWU 23-24A	24	070S	220E	4304733567	5670	Federal	OW	P		
RWU 242 (42-13B)	13	070S	230E	4304730346	5670	Federal	ow	P		
RWU 24 (34-14B)	14	070S	230E	4304715152	5670	Federal	OW	P		
RWU 241 (22-14B)	14	070S	230E	4304730345	5670	Federal	ow	P		
RWU 24-18B	18	070S	230E	4304733554	5670	Federal	ow	P		
RWU 24-19B	19	070S	230E	4304733492	5670	Federal	OW	P		
RWU 234 (32-24B)	24	070S	230E	4304730313	5670	Federal	OW	P	<u> </u>	
RWU 233 (12-25B)	25			4304730312		Federal	OW	TA	_	
RWU 237 (14-25B)	25	070S	230E	4304730341		Federal	OW	P	1	
RWU 229 (43-26B)	26	070S	230E	4304730259	5670	Federal	OW	TA		
RWU 232 (12-26B)	26	070S	230E	4304730311	5670	Federal	OW	TA	<u> </u>	
RWU 231 (21-35B)	35	070S	230E	4304730310		Federal	OW	TA	$oxed{igspace}$	
RWU 238 (32-35B)	35	070S	4	4304730342		Federal	ow	TA	_	
RWU 239 (41-35B)	35	070S		4304730343		Federal	ow	TA	<u> </u>	
RWU 240 (12-36B)	36	070S		4304730344	1	Federal	ow	P	$oxed{igspace}$	
RWU 230 (14-18C)	18	070S	X	4304730309		Federal	OW	TA	_	

240E 4304730314

240E 4304730347

240E 4304730340

240E 4304730348

#### **OPERATOR CHANGES DOCUMENTATION**

Enter	data	after	each	listed	item	ic	comr	slete	'n
rnier	ciare	anter	ежен	IISICU	исш	1.5	COILL	HELE	·u

RWU 235 (34-18C)

RWU 243 (42-18C)

RWU 236 (21-19C)

RWU 244 (23-19C)

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on:

6/2/2003

5670 Federal

5670 Federal

5670 Federal

5670 Federal

OW

OW

GW

GW

P

P

Р

TA

2. (R649-8-10) Sundry or legal documentation was received from the NEW operator on: 6/2/2003

3. The new company was checked on the Department of Commerce, Division of Corporations Database on:

18

18

19

19

070S

070S

070S

070S

6/19/2003

4. Is the new operator registered in the State of Utah:

YES Business Number: 5292864-0151

5. If NO, the operator was contacted contacted on:

QEP UB 17 FORM B.xls

6.	(R649-9-2)Waste Management Plan has been received on:	IN PLACE	_	
7.	Federal and Indian Lease Wells: The BLM and or the B or operator change for all wells listed on Federal or Indian leases or		d the merge	r, name change,
8.	Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for	wells listed on:	7/21/2003	4
9.	Federal and Indian Communization Agreements ("Communication Agreements ("Co	,	n/a	
10	to the enhanced/secondary recovery unit/project for the water disp	= =		Transfer of Authority to Inject
D.	ATA ENTRY:			·
1.	Changes entered in the Oil and Gas Database on:	8/28/2003	-	
2.	Changes have been entered on the Monthly Operator Change Spr	read Sheet on:	8/28/2003	
3.	Bond information entered in RBDMS on:	n/a	<del></del>	
4.	Fee wells attached to bond in RBDMS on:	n/a	<del>-</del>	
	State well(s) covered by Bond Number:	965-003-032	_	
	EDERAL WELL(S) BOND VERIFICATION: Federal well(s) covered by Bond Number:	ESB000024	-	
	DIAN WELL(S) BOND VERIFICATION: Indian well(s) covered by Bond Number:	799446	_	
	EE WELL(S) BOND VERIFICATION: (R649-3-1) The NEW operator of any fee well(s) listed covered by	Bond Number	965-003-033	-
	The FORMER operator has requested a release of liability from their The Division sent response by letter on:	ir bond on: n/a	<u>n/a</u>	
	EASE INTEREST OWNER NOTIFICATION: (R649-2-10) The FORMER operator of the fee wells has been conta of their responsibility to notify all interest owners of this change on:		by a letter fro	m the Division
CC	DMMENTS:			

## Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET

ROUTING
1. DJJ
2. CDW

X - Operator Name Change/Merger Change of Operator (Well Sold) The operator of the well(s) listed below has changed, effective: 1/1/2007 **TO:** ( New Operator): **FROM:** (Old Operator): N2460-QEP Uinta Basin, Inc. N5085-Questar E&P Company 1050 17th St, Suite 500 1050 17th St. Suite 500 Denver, CO 80265 Denver, CO 80265 Phone: 1 (303) 672-6900 Phone: 1 (303) 672-6900 **RED WASH UNIT** CA No. Unit: WELL NAME SEC TWN RNG API NO ENTITY | LEASE TYPE | WELL WELL NO TYPE **STATUS** SEE ATTACHED LISTS OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received from the FORMER operator on: 4/19/2007 2. (R649-8-10) Sundry or legal documentation was received from the NEW operator on: 4/16/2007 3. The new company was checked on the Department of Commerce, Division of Corporations Database on: 1/31/2005 **Business Number:** 764611-0143 4a. Is the new operator registered in the State of Utah: IN PLACE 5a. (R649-9-2)Waste Management Plan has been received on: 5b. Inspections of LA PA state/fee well sites complete on: n/a 5c. Reports current for Production/Disposition & Sundries on: n/a 6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 4/23/2007 BIA 7. Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for wells listed on: 4/23/2007 8. Federal and Indian Communization Agreements ("CA"): The BLM or BIA has approved the operator for all wells listed within a CA on: The Division has approved UIC Form 5, Transfer of Authority to 9. Underground Injection Control ("UIC") Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: **DATA ENTRY:** 1. Changes entered in the Oil and Gas Database on: 4/30/2007 and 5/15/2007 2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 4/30/2007 and 5/15/2007 3. Bond information entered in RBDMS on: 4/30/2007 and 5/15/2007 Fee/State wells attached to bond in RBDMS on: 4/30/2007 and 5/15/2007 Injection Projects to new operator in RBDMS on: 4/30/2007 and 5/15/2007 6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a **BOND VERIFICATION:** 1. Federal well(s) covered by Bond Number: ESB000024 799446 Indian well(s) covered by Bond Number: 3a. (R649-3-1) The NEW operator of any state/fee well(s) listed covered by Bond Number 965003033 3b. The **FORMER** operator has requested a release of liability from their bond on: n/a LEASE INTEREST OWNER NOTIFICATION: 4. (R649-2-10) The NEW operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a COMMENTS: THIS IS A COMPANY NAME CHANGE.

SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 1 (41-26B)	RW 41-26B	NENE	26	070S	230E	4304715135	5670	Federal	OW	TA
RWU 3 (34-23B)	RW 34-23B	SWSE	23	070S	230E	4304715136	5670	Federal	OW	P
RWU 4 (41-22B)	RW 41-22B	NENE	22	070S	230E	4304715137	5670	Federal	OW	TA
RWU 5 (41-23B)	RW 41-23B	NENE	23	070S	230E	4304715138	5670	Federal	OW	P
RWU 8 (32-22B)	RW 32-22B	SWNE	22	070S	230E	4304715139	5670	Federal	OW	P
RWU 9 (43-23B)	RW 43-23B	NESE	23	070S	230E	4304715140	5670	Federal	OW	P
RWU 10 (12-23B)	RW 12-23B	SWNW	23	070S	230E	4304715141	5670	Federal	OW	TA
RWU 11	RW 34-27B	SWSE	27	070S	230E	4304715142	99996	Federal	WI	A
RWU 13 (14-22B)	RW 14-22B	SWSW	22	070S	230E	4304715143	5670	Federal	OW	TA
RW 14-13B	RW 14-13B	SWSW	13	070S	230E	4304715144	99996	Federal	WI	A
RWU 15 (32-17C)	RW 32-17C	SWNE	17	070S	240E	4304715145	5670	Federal	OW	P
RWU 17 (41-20B)	RW 41-20B	NENE	20	070S	230E	4304715146	5670	Federal	WI	A
RWU 19 (34-26B)	RW 34-26B	SWSE	26	070S	230E	4304715148	5670	Federal	GW	S
RWU 21 (32-14B)	RW 32-14B	SWNE	14	070S	230E	4304715150	5670	Federal	OW	P
RWU 23 (21-23B)	RW 21-23B	SENW	23	070S	230E	4304715151	99996	Federal	WI	A
RWU 24 (34-14B)	RW 34-14B	SWSE	14	070S	230E	4304715152	5670	Federal	OW	S
RWU 26 (23-22B)	RW 23-22B	NESW	22	070S	230E	4304715153	5670	Federal	OW	TA
RWU 27 (43-14B)	RW 43-14B	NESE	14	070S	230E	4304715154	5670	Federal	OW	TA
RWU 28 (43-22B)	RW 43-22B	NESE	22	070S	230E	4304715155	5670	Federal	OW	P
RWU 29 (32-23B)	RW 32-23B	SWNE	23	070S	230E	4304715156	5670	Federal	OW	P
RW 23-13B	RW 23-13B	NESW	13	070S	230E	4304715157	5670	Federal	GW	TA
RWU 31 (34-22B)	RW 34-22B	SWSE	22	070S	230E	4304715158	5670	Federal	OW	P
RWU 33 (14-14B)	RW 14-14B	SWSW	14	070S	230E	4304715160	5670	Federal	GW	TA
RWU 34 (23-14B)	RW 23-14B	NESW	14	070S	230E	4304715161		Federal	WI	A
RW 43-13B	RW 43-13B	NESE	13	070S	230E	4304715162	5670	Federal	OW	TA
RWU 36 (32-13B)	RW 32-13B	SWNE	13	070S	230E	4304715163	5670	Federal	GW	P
RWU 38 (14-23B)	RW 14-23B	SWSW	23	070S	230E	4304715165	5670	Federal	OW	P
RWU 39 (14-24A)	RW 14-24A	SWSW	24	070S	220E	4304715166	5670	Federal	OW	TA
RWU 40 (21-24B)	RW 21-24B	NENW	24	070S	230E	4304715167	5670	Federal	OW	TA
RWU 41 (34-13B)	RW 34-13B	SWSE	13	070S	230E	4304715168	5670	Federal	OW	P
RWU 42 (21-29C)	RW 21-29C	NENW	29	070S	240E	4304715169	5670	Federal	GW	P
RWU 43 (12-17B)	RW 12-17B	SWNW	17	070S	230E	4304715170	5670	Federal	OW	P
RWU 44 (32-33C)	RW 32-33C	SWNE	33	070S	240E	4304715171	5670	Federal	GW	P
RWU 45 (23-30B)	RW 23-30B	NESW	30	070S	230E	4304715172		Federal	OW	TA
RWU 46 (41-21C)	RW 41-21C	NENE	21	070S	240E	4304715173		Federal	GW	TA
RWU 48 (32-19B)	RW 32-19B	SWNE	19	070S	230E	4304715174		Federal	WI	I
RWU 49 (12-29B)	RW 12-29B	SWNW	29	070S	230E	4304715175		Federal	OW	TA
RWU 50 (14-23A)	RW 14-23A	SWSW	23	070S	220E	4304715176	5670	Federal	OW	P
RWU 52 (14-18B)	RW 14-18B	SWSW	18	070S	230E	4304715178		Federal	OW	TA
RWU 53 (41-25A)	RW 41-25A	NENE	25	070S	220E	4304715179		Federal	OW	TA
RWU 56 (41-28B)	RW 41-28B	NENE	28	070S	230E	4304715182		Federal	WI	A

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 57 (12-18C)	RW 12-18C	SWNW	18	070S	240E	4304715183	5670	Federal	OW	P
RWU 63 (21-22B)	RW 21-22B	NENW	22	070S	230E	4304715186	5670	Federal	GW	TA
RWU 64 (32-27B)	RW 32-27B	SWNE	27	070S	230E	4304715187	5670	Federal	OW	TA
RWU 66 (34-18B)	RW 34-18B	SWSE	18	070S	230E	4304715189	5670	Federal	OW	P
RWU 67 (42-22B)	RW 42-22B	SENE	22	070S	230E	4304715190	5670	Federal	OW	TA
RWU 69 (21-27B)	RW 21-27B	NENW	27	070S	230E	4304715191	5670	Federal	OW	TA.
RWU 70 (23-22A)	RW 23-22A	NESW	22	070S	220E	4304715192	5670	Federal	OW	P
RWU 71 (21-18C)	RW 21-18C	NENW	18	070S	240E	4304715193	5670	Federal	OW	P
RWU 72 (23-27B)	RW 23-27B	NESW	27	070S	230E	4304715194	5670	Federal	OW	TA
RWU 74 (12-13B)	RW 12-13B	SWNW	13	070S	230E	4304715196	5670	Federal	GW	S
RWU 75 (21-26B)	RW 21-26B	NENW	26	070S	230E	4304715197	5670	Federal	OW	TA
RWU 76 (32-18C)	RW 32-18C	SWNE	18	070S	240E	4304715198	5670	Federal	GW	P
RWU 77 (21-13B)	RWU 77 (21-13B)	NENW	13	070S	230E	4304715199	5670	Federal	OW	P
RWU 78 (32-28B)	RW 32-28B	SWNE	28	070S	230E	4304715200	5670	Federal	OW	P
RWU 79 (12-27B)	RW 12-27B	SWNW	27	070S	230E	4304715201	5670	Federal	OW	TA
RWU 80 (14-27B)	RW 14-27B	SWSW	27	070S	230E	4304715202	5670	Federal	OW	S
RWU 81 (41-31B)	RW 41-31B	NENE	31	070S	230E	4304715203	5670	Federal	OW	P
RWU 83 (41-27A)	RW 41-27A	NENE	27	070S	220E	4304715205	5670	Federal	OW	P
RWU 84 (44-14B)	RW 44-14B	SESE	14	070S	230E	4304715206	5670	Federal	GW	P
RWU 88 (23-18B)	RW 23-18B	NESW	18	070S	230E	4304715210	5670	Federal	WI	A
RWU 90 (43-21B)	RW 43-21B	NESE	21	070S	230E	4304715211	5670	Federal	OW	P
RWU 92 (11-23B)	RW 11-23B	NWNW	23	070S	230E	4304715212	5670	Federal	OW	TA
RWU 94 (12-22A)	RW 12-22A	SWNW	22	070S	220E	4304715213	5670	Federal	OW	P
RWU 23-18C (97)	RW 23-18C	NESW	18	070S	240E	4304715216		Federal	WI	I
RWU 99 (12-22B)	RW 12-22B	SWNW	22	070S	230E	4304715218	5670	Federal	OW	P
RWU 100-A (43-21A)	RW 43-21A	NESE	21	070S	220E	4304715219	5670	Federal	WI	A
RWU 101 (34-21B)	RW 34-21B	SWSE	21	070S	230E	4304715220	5670	Federal	OW	P
RWU 102 (41-24A)	RW 41-24A	SENE	24	070S	220E	4304715221	5670	Federal	WI	A
RWU 103 (34-15B)	RW 34-15B	SWSE	15	070S	230E	4304715222	5670	Federal	OW	P
RWU 108 (32-21B)	RW 32-21B	SWNE	21	070S	230E	4304715226	5670	Federal	OW	P
RWU 109 (21-28B)	RW 21-28B	NENW	28	070S	230E	4304715227	5670	Federal	OW	P
RWU 110 (23-23A)	RW 23-23A	NESW	23	070S	220E	4304715228	5670	Federal	ow	P
RWU 111 (32-24A)	RW 32-24A	SWNE	24	070S	220E	4304715229	5670	Federal	OW	S
RWU 112 (32-28A)	RW 32-28A	SWNE	28	070S	220E	4304715230	-	Federal	OW	S
RWU 115 (21-19B)	RW 21-19B	NENW	19	070S	230E	4304715233	-	Federal	OW	P
RWU 119 (43-29A)	RW 43-29A	NESE	29	070S	220E	4304715236	5670	Federal	OW	P
RWU 120 (23-28B)	RW 23-28B	NESW	28	070S	230E	4304715237	5670	Federal	OW	TA
RW 13-13B	RW 13-13B	NWSW	13	070S	230E	4304715238	5670	Federal	GW	P
RWU 122 (24-14B)	RW 24-14B	SESW	14	070S	230E	4304715239		Federal	OW	P
RWU 125 (34-19B)	RW 34-19B	SWSE	19	070S	230E	4304715242	5670	Federal	OW	TA
RWU 126 (41-29A)	RW 41-29A	NENE	29	070S	220E	4304715243		Federal	OW	P

#### QEP Uinta Basin (N2460) to QUESTAR E and P (N5085) RED WASH UNIT

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 127 (12-19B)	RW 12-19B	SWNW	19	070S	230E	4304715244	5670	Federal	OW	S
RWU 129 (14-15B)	RW 14-15B	SWSW	15	070S	230E	4304715246	5670	Federal	OW	P
RWU 133 (41-34B)	RW 41-34B	NENE	34	070S	230E	4304715250	5670	Federal	OW	P
RWU 136 (43-19B)	RW 43-19B	NESE	19	070S	230E	4304715252	5670	Federal	OW	TA
RWU 137 (34-28B)	RW 34-28B	SWSE	28	070S	230E	4304715253	5670	Federal	GW	TA
RWU 138 (41-30B)	RW 41-30B	NENE	30	070S	230E	4304715254	5670	Federal	OW	P
RWU 140 (24-22B)	RW 24-22B	SESW	22	070S	230E	4304715255	5670	Federal	OW	P
RWU 141 (11-27B)	RW 11-27B	NWNW	27	070S	230E	4304715256	5670	Federal	OW	TA
RWU 143 (33-14B)	RW 33-14B	NWSE	14	070S	230E	4304715257	5670	Federal	OW	P
RWU 144 (21-18B)	RW 21-18B	NENW	18	070S	230E	4304715258	5670	Federal	OW	TA
RW 24-13B	RW 24-13B	SESW	13	070S	230E	4304715259	5670	Federal	OW	TA
RWU 147 (22-22B)	RW 22-22B	SENW	22	070S	230E	4304715260	5670	Federal	OW	TA
RWU 148 (13-22B)	RW 13-22B	NWSW	22	070S	230E	4304715261	99996	Federal	WI	A
RWU 150 (31-22B)	RW 31-22B	NWNE	22	070S	230E	4304715263	99996	Federal	WI	I
RWU 151 (42-14B)	RW 42-14B	SENE	14	070S	230E	4304715264	5670	Federal	OW	P
RWU 153 (14-29B)	RW 14-29B	SWSW	29	070S	230E	4304715265	5670	Federal	OW	P
RWU 156 (23-15B)	RW 23-15B	NESW	15	070S	230E	4304715267	99990		WI	A
RWU 158 (32-30B)	RW 32-30B	SWNE	30	070S	230E	4304715268		Federal	OW	P
RWU 160 (32-15B)	RW 32-15B	SWNE	15	070S	230E	4304715270		Federal	OW	P
RWU 161 (14-20B)	RW 14-20B	SWSW	20	070S	230E	4304715271	-	Federal	WI	I
RWU 162 (12-20B)	RW 12-20B	SWNW	20	070S	230E	4304715272		Federal	OW	P
RWU 164 (12-28B)	RW 12-28B	SWNW	28	070S	230E	4304715274	5670	Federal	OW	P
RWU 165 (32-26B)	RW 32-26B	SWNE	26	070S	230E	4304715275	5670	Federal	GW	TA
RWU 167 (23-21B)	RW 23-21B	NESW	21	070S	230E	4304715277	5670	Federal	OW	S
RWU 168 (23-24B)	RW 23-24B	NESW	24	070S	230E	4304715278	5670	Federal	OW	TA
RWU 172 (21-30B)	RW 21-30B	NENW	30	070S	230E	4304715280	5670	Federal	OW	TA
RWU 174 (21-20B)	RW 21-20B	NENW	20	070S	230E	4304715281	5670	Federal	WI	A
RWU 176 (31-28B)	RW 31-28B	NWNE	28	070S	230E	4304715283	5670	Federal	OW	TA
RWU 177 (42-28B)	RW 42-28B	SENE	28	070S	230E	4304715284	5670	Federal	OW	TA
RW 22-13B	RW 22-13B	SENW	13	070S	230E	4304715285	5670	Federal	OW	TA
RWU 180 (31-23B)	RW 31-23B	NWNE	23	070S	230E	4304715287	5670	Federal	OW	TA
RWU 181 (34-30B)	RW 34-30B	SWSE	30	070S	230E	4304715288	5670	Federal	OW	P
RW 33-13B	RW 33-13B	NWSE	13	070S	230E	4304715289	5670	Federal	WI	A
RWU 184 (23-26B)	RW 23-26B	NESW	26	070S	230E	4304715290		Federal	GW	S
RWU 188 (23-20B)	RW 23-20B	NESW	20	070S	230E	4304715291		Federal	OW	TA
RWU 192 (41-33A)	RW 41-33A	NENE	33	070S	220E	4304715294		Federal	OW	P
RWU 193 (43-24B)	RW 43-24B	NESE	24	070S	230E	4304715295		Federal	GW	TA
RWU 194 (12-14B)	RW 12-14B	SWNW	14	070S	230E	4304715296		Federal	OW	S
RWU 196 (23-17C)	RW 23-17C	NESW	17	070S	240E	4304715298		Federal	GW	TA
RWU 199 (43-22A)	RW 43-22A	NESE	22	070S	220E	4304715301		Federal	WI	A
RWU 201 (32-28C)	RW 32-28C	SWNE	28	070S	240E	4304715302		Federal	GW	P

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 202 (21-34A)	RW 21-34A	NENW	34	070S	220E	4304715303	99996	Federal	WI	I
RWU 204 (23-25A)	RW 23-25A	NESW	25	070S	220E	4304715305	5670	Federal	OW	P
RWU 205 (23-21C)	RW 23-21C	NESW	21	070S	240E	4304715306	5670	Federal	GW	TA
RWU 2 (14-24B)	RW 14-24B	swsw	24	070S	230E	4304716472		Federal	WI	A
RWU 7 (41-27B)	RW 41-27B	NENE	27	070S	230E	4304716473		Federal	WI	I
RWU 16 (43-28B)	RW 43-28B	NESE	28	070S	230E	4304716475		Federal	WI	I
RWU 25 (23-23B)	RW 23-23B	NESW	23	070S	230E	4304716476		Federal	WI	A
RWU 59 (12-24B)	RW 12-24B	SWNW	24	070S	230E	4304716477		Federal	WI	A
RWU 61 (12-27A)	RW 12-27A	SWNW	27	070S	220E	4304716478		Federal	WI	I
RWU 91 (33-22B)	RW 33-22B	NWSE	22	070S	230E	4304716479		Federal	WI	A
RWU 93 (43-27B)	RW 43-27B	NESE	27	070S	230E	4304716480		Federal	WI	I
RWU 6 (41-21B)	RW 41-21B	NENE	21	070S	230E	4304716482		Federal	WI	A
RWU 68 (41-13B)	RW 41-13B	NENE	13	070S	230E	4304716485		Federal	WI	I
RWU 170 (41-15B)	RW 41-15B	NENE	15	070S	230E	4304716495		Federal	WI	I
RWU 173 (21-21B)	RW 21-21B	NENW	21	070S	230E	4304716496		Federal	WI	A
RWU 182 (14-21B)	RW 14-21B	swsw	21	070S	230E	4304716497	99996	Federal	WI	A
RWU 185 (41-1B)	RW 41-14B	NENE	14	070S	230E	4304716498		Federal	WI	A
RWU 212 (41-8F)	RW 41-8F	NENE	08	080S	240E	4304720014	5670	Federal	GW	P
RWU 213 (41-33B)	RW 41-33B	NENE	33	070S	230E	4304720060		Federal	WD	Α
RWU 215 (43-28A)	RW 43-28A	NESE	28	070S	220E	4304730058		Federal	WD	A
RWU 216 (21-27A)	RW 21-27A	NENW	27	070S	220E	4304730103	99996	Federal	WI	Α
RWU 219 (44-21C)	RW 44-21C	SESE	21	070S	240E	4304730149	5670	Federal	GW	S
RWU 220 (22-23B)	RW 22-23B	SENW	23	070S	230E	4304730192	5670	Federal	OW	TA
RWU 221 (13-27B)	RW 13-27B	NWSW	27	070S	230E	4304730199	5670	Federal	OW	TA
RWU 222 (31-27B)	RW 31-27B	NWNE	27	070S	230E	4304730200	5670	Federal	GW	TA
RWU 224 (44-22B)	RW 44-22B	SESE	22	070S	230E	4304730202	5670	Federal	GW	TA
RWU 225 (13-23B)	RW 13-23B	NWSW	23	070S	230E	4304730212	5670	Federal	GW	TA
RWU 226 (24-23B)	RW 24-23B	SESW	23	070S	230E	4304730249	5670	Federal	GW	S
RWU 227 (14-26B)	RW 14-26B	SWSW	26	070S	230E	4304730257	5670	Federal	OW	TA
RWU 228 (21-34B)	RW 21-34B	NENW	34	070S	230E	4304730258	5670	Federal	OW	P
RWU 229 (43-26B)	RW 43-26B	NESE	26	070S	230E	4304730259	5670	Federal	OW	TA
RWU 230 (14-18C)	RW 14-18C	SWSW	18	070S	240E	4304730309	5670	Federal	OW	P
RWU 231 (21-35B)	RW 21-35B	NENW	35	070S	230E	4304730310	5670	Federal	OW	TA
RWU 232 (12-26B)	RW 12-26B	SWNW	26	070S	230E	4304730311	5670	Federal	OW	TA
RWU 233 (12-25B)	RW 12-25B	SWNW	25	070S	230E	4304730312	5670	Federal	OW	TA
RWU 234 (32-24B)	RW 32-24B	SWNE	24	070S	230E	4304730313		Federal	OW	P
RWU 235 (34-18C)	RW 34-18C	SWSE	18	070S	240E	4304730314		Federal	OW	S
RWU 236 (21-19C)	RW 21-19C	NENW	19	070S	240E	4304730340		Federal	GW	P
RWU 237 (14-25B)	RW 14-25B	SWSW	25	070S	230E	4304730341		Federal	OW	P
RWU 238 (32-35B)	RW 32-35B	SWNE	35	070S	230E	4304730342		Federal	OW	TA
RWU 239 (41-35B)	RW 41-35B	NENE	35	070S	230E	4304730343		Federal	OW	TA

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 240 (12-36B)	RW 12-36B	SWNW	36	070S	230E	4304730344	5670	Federal	OW	S
RWU 241 (22-14B)	RW 22-14B	SENW	14	070S	230E	4304730345	5670	Federal	OW	P
RW 42-13B	RW 42-13B	SENE	13	070S	230E	4304730346	5670	Federal	OW	P
RWU 243 (42-18C)	RW 42-18C	SENE	18	070S	240E	4304730347	5670	Federal	OW	TA
RWU 244 (23-19C)	RW 23-19C	NESW	19	070S	240E	4304730348	5670	Federal	GW	P
RWU 246 (22-18C)	RW 22-18C	SENW	18	070S	240E	4304730387	5670	Federal	OW	P
RWU 247 (22-17C)	RW 22-17C	SENW	17	070S	240E	4304730388	5670	Federal	GW	P
RWU 258 (34-22A)	RW 34-22A	SWSE	22	070S	220E	4304730458	5670	Federal	WI	A
RWU 262 (22-26B)	RW 22-26B	SENW	26	070S	230E	4304730517	5670	Federal	GW	TA
RWU 263 (24-26B)	RW 24-26B	SESW	26	070S	230E	4304730518		Federal	WI	I
RWU 264 (31-35B)	RW 31-35B	NWNE	35	070S	230E	4304730519		Federal	WI	A
RWU 265 (44-26B)	RW 44-26B	SESE	26	070S	230E	4304730520	5670	Federal	GW	P
RWU 266 (33-26B)	RW 33-26B	NWSE	26	070S	230E	4304730521		Federal	WI	I
RWU 269 (13-26B)	RW 13-26B	NWSW	26	070S	230E	4304730522		Federal	WI	A
RWU 273 (42-27B)	RW 42-27B	SENE	27	070S	230E	4304731051	5670	Federal	OW	TA
RWU 279 (11-36B)	RW 11-36B	NWNW	36	070S	230E	4304731052	99996	Federal	WI	Α
RWU 276 (44-27B)	RW 44-27B	SESE	27	070S	230E	4304731053	5670	Federal	OW	TA
RWU 272 (44-23B)	RW 44-23B	SESE	23	070S	230E	4304731054	5670	Federal	GW	P
RWU 278 (11-26)	RW 11-26	NWNW	26	070S	230E	4304731076	5670	Federal	GW	TA
RWU 275 (31-26B)	RW 31-26B	NWNE	26	070S	230E	4304731077		Federal	WI	A
RWU 280 (11-35B)	RW 11-35B	NWNW	35	070S	230E	4304731079	5670	Federal	OW	P
RWU 282 (42-26B)	RW 42-26B	SENE	26	070S	230E	4304731080	5670	Federal	GW	TA
RWU 271 (42-35B)	RW 42-35B	SENE	35	070S	230E	4304731081	5670	Federal	WI	I
RWU 270 (22-35B)	RW 22-35B	SENW	35	070S	230E	4304731082	5670	Federal	OW	P
RWU 284 (33-23B)	RW 33-23B	NWSE	23	070S	230E	4304731476	5670	Federal	GW	TA
RWU 285 (11-24B)	RW 11-24B	NWNW	24	070S	230E	4304731477	5670	Federal	OW	P
RWU 286 (42-21B)	RW 42-21B	SENE	21	070S	230E	4304731478	5670	Federal	OW	P
RW 44-13B	RW 44-13B	SESE	13	070S	230E	4304731512	5670	Federal	OW	TA
RWU 288 (24-27)	RW 24-27	SESW	27	070S	230E	4304731513	5670	Federal	OW	TA
RWU 289 (13-24B)	RW 13-24B	NWSW	24	070S	230E	4304731517	5670	Federal	OW	P
RWU 292 (42-23B)	RW 42-23B	SENE	23	070S	230E	4304731576	5670	Federal	GW	TA
RWU 295 (11-22B)	RW 11-22B	NWNW	22	070S	230E	4304731577	5670	Federal	GW	TA
RWU 296 (12-35B)	RW 12-35B	SWNW	35	070S	230E	4304731578	5670	Federal	OW	S
RWU 297 (24-15B)	RW 24-15B	SESW	15	070S	230E	4304731579		Federal	OW	P
RWU 293 (22-22A)	RW 22-22A	SENW	22	070S	220E	4304731581		Federal	OW	TA
RWU 294 (24-18C)	RW 24-18C	SESW	18	070S	240E	4304731582		Federal	GW	P
RWU 298 (22-27B)	RW 22-27B	SENW	27	070S	230E	4304731679		Federal	OW	TA
RWU 301 (43-15B)	RW 43-15B	NESE	15	070S	230E	4304731682		Federal	GW	TA
RWU 302 (22-24B)	RW 22-24B	SENW	24	070S	230E	4304731683		Federal	GW	TA
RWU 303 (34-17B)	RW 34-17B	SWSE	17	070S	230E	4304731819		Federal	OW	P
RED WASH 305 (41-4F)	RW 41-4F	C-NE	04	080S	240E	4304732538		Federal	GW	TA

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RED WASH 306	RW 23-23C	NESW	23	070S	240E	4304732629	5670	Federal	GW	P
RWU 207	RW 14-17B	SWSW	17	070S	230E	4304732738	5670	Federal	OW	P
RED WASH UNIT 261	RW 23-17B	NESW	17	070S	230E	4304732739	5670	Federal	WI	A
RWU 268 (43-17B)	RW 43-17B	NESE	17	070S	230E	4304732980	5670	Federal	WI	A
RWU 267 (32-17B)	RW 32-17B	SWNE	17	070S	230E	4304732981	5670	Federal	OW	P
RWU 283 (43-18B)	RW 43-18B	NESE	18	070S	230E	4304732982	5670	Federal	WI	A
RWU 299 (32-18B)	RW 32-18B	SWNE	18	070S	230E	4304733018	5670	Federal	OW	P
RWU 42-20B	RW 42-20B	SENE	20	070S	230E	4304733490	5670	Federal	OW	P
RWU 22-20B	RW 22-20B	SENW	20	070S	230E	4304733491	5670	Federal	OW	S
RWU 24-19B	RW 24-19B	SESW	19	070S	230E	4304733492	5670	Federal	OW	P
RWU 13-19B	RW 13-19B	NWSW	19	070S	230E	4304733497	5670	Federal	WI	A
RWU 13-20B	RW 13-20B	NWSW	20	070S	230E	4304733498	5670	Federal	WI	A
RWU 33-19B	RW 33-19B	NWSE	19	070S	230E	4304733499	5670	Federal	WI	A
RWU 33-20B	RW 33-20B	NWSE	20	070S	230E	4304733500	5670	Federal	WI	A
RED WASH 22-21B	RW 22-21B	SENW	21	070S	230E	4304733522	5670	Federal	OW	S
RED WASH 24-20B	RW 24-20B	SESW	20	070S	230E	4304733523	5670	Federal	OW	P
RED WASH 44-19B	RW 44-19B	SESE	19	070S	230E	4304733524	5670	Federal	OW	P
RED WASH 44-20B	RW 44-20B	SESE	20	070S	230E	4304733525	5670	Federal	OW	P
RWU 11-19B	RW 11-19B	NWNW	19	070S	230E	4304733552	5670	Federal	WI	A
RWU 11-20B	RW 11-20B	NWNW	20	070S	230E	4304733553	5670	Federal	WI	A
RWU 24-18B	RW 24-18B	SESW	18	070S	230E	4304733554	5670	Federal	OW	P
RWU 31-19B	RW 31-19B	NWNE	19	070S	230E	4304733555	5670	Federal	WI	A
RWU 42-19B	RW 42-19B	SENE	19	070S	230E	4304733556	5670	Federal	OW	P
RWU 22-19B	RW 22-19B	SENW	19	070S	230E	4304733559	5670	Federal	OW	P
RWU 23-24A	RW 23-24A	NESW	24	070S	220E	4304733567	5670	Federal	OW	P
RWU 34-24A	RW 34-24A	SWSE	24	070S	220E	4304733568	5670	Federal	WI	A
RWU 42-24A	RW 42-24A	SENE	24	070S	220E	4304733569	5670	Federal	OW	S
RWU 11-25A	RW 11-25A	NWNW	25	070S	220E	4304733574	5670	Federal	WI	A
RWU 13-25A	RW 13-25A	NWSW	25	070S	220E	4304733575	5670	Federal	WI	Α
RWU 21-25A	RW 21-25A	NENW	25	070S	220E	4304733576	5670	Federal	OW	P
RWU 31-25A	RW 31-25A	NWNE	25	070S	220E	4304733577	5670	Federal	WI	A
RWU 33-25A	RW 33-25A	NWSE	25	070S	220E	4304733578	5670	Federal	WI	A
RW 41-25AX	RW 41-25A	NENE	25	070S	220E	4304733579	5670	Federal	OW	P
RWU 42-25A	RWU 42-25A	SENE	25	070S	220E	4304733580	5670	Federal	OW	TA
RWU 11-29B	RW 11-29B	NWNW	29	070S	230E	4304733590		Federal	WI	A
RWU 12-24A	RW 12-24A	SWNW	24	070S	220E	4304733591	5670	Federal	WI	A
RWU 21-24A	RW 21-24A	NENW	24	070S	220E	4304733592	5670	Federal	OW	P
RWU 34-13A	RW 34-13A	SWSE	13	070S	220E	4304733593	5670	Federal	WI	A
RWU 44-18B	RW 44-18B	SESE	18	070S	230E	4304733594		Federal	OW	P
RW 22-13A	RW 22-13A	SENW	13	070S	220E	4304733765		Federal	OW	S
RWU 22-29B	RW 22-29B	SENW	29		230E	4304733766		Federal	OW	S

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 41-24A	RW 41-24A	NENE	24	070S	220E	4304733769	5670	Federal	OW	P
RWU 42-30B	RW 42-30B	SENE	30	070S	230E	4304733709	5670	Federal	OW	P
RWU 44-30B	RWU 44-30B	SESE	30	070S	230E	4304733771	5670	Federal	OW	P
RWU 11-30B	RW 11-30B	NWNW	30	070S	230E	4304733785	5670	Federal	WI	A
RWU 22-25A	RW 22-25A	SENW	25	070S	220E	4304733786	5670	Federal	OW	P
RWU 31-30B	RW 31-30B	NWNE	30	070S	230E	4304733788	5670	Federal	WI	A
RWU 33-30B	RW 33-30B	NWSE	30	070S	230E	4304733790	5670	Federal	WI	A
RED WASH U 34-27C	RW 34-27C	SWSE	27	070S	240E	4304735045	5670	Federal	GW	P
RWU 34-22C	RW 34-22C	SWSE	22	070S	240E	4304735098	5670	Federal	GW	P
RW 12G-20C	RW 12G-20C	SWNW	20	070S	240E	4304735239	14011	Federal	GW	S
RW 43G-08F	RW 43G-08F	NESE	08	080S	240E	4304735655		Federal	GW	APD
RW 22G-09F	RW 22G-09F	SENW	09	080S	240E	4304735656	15636	Federal	GW	OPS
RWU 34-23AG	RW 34-23AG	SWSE	23	070S	220E	4304735668	5670	Federal	OW	P
RWU 34-27AG	RWU 34-27AD	SWSE	27	070S	220E	4304735669	5670	Federal	OW	DRL
RWU 32-27AG	RWU 32-27AG	SWNE	27	070S	220E	4304735670	5670	Federal	OW	S
RW 14-34AMU	RW 14-34AMU	SWSW	34	070S	220E	4304735671	14277	Federal	GW	P
RW 12-08FG	RW 12-08FG	SWNW	08	080S	240E	4304736348		Federal	GW	APD
RW 44-08FG	RW 44-08FG	SESE	08	080S	240E	4304736349	15261	Federal	GW	P
RW 12-17FG	RW 12-17FG	SWNW	17	080S	240E	4304736350		Federal	GW	APD
RW 34-34 AMU	RW 34-34 AD	SWSE	34	070S	220E	4304736351		Federal	GW	APD
RW 44-35 AMU	RW 44-35 AMU	SESE	35	070S	220E	4304736352		Federal	GW	APD
RW 14-35 AMU	RW 14-35 AMU	SWSW	35	070S	220E	4304736354		Federal	GW	APD
RW 33-31 BMU	RW 33-31 BD	NWSE	31	070S	230E	4304736357		Federal	GW	APD
RW 13-31 BMU	RW 13-31 BD	NWSW	31	070S	230E	4304736358		Federal	GW	APD
RW 32-15FG	RW 32-15FG	SWNE	15	080S	240E	4304736443		Federal	GW	APD
RW 21-26AG	RW 21-26AD	NENW	26	070S	220E	4304736768		Federal	OW	APD
RW 43-26AG	RW 43-26AG	NESE	26	070S	220E	4304736769		Federal	OW	APD
RW 43-23AG	RW 43-23AG	NESE	23	070S	220E	4304736770		Federal	OW	APD
RW 41-26AG	RW 41-26AG	NENE	26	070S	220E	4304736818		Federal	OW	APD
RW 04-25BG	RW 04-25B	NWSW	25	070S	230E	4304736982		Federal	OW	APD
RW 01-25BG	RW 01-25BG	NWNW	25	070S	230E	4304736983		Federal	OW	APD
RW 04-26BG	RW 04-26BG	SESW	26	070S	230E	4304736984		Federal	OW	APD
RW 01-26BG	RW 01-26BG	SWNW	26	070S	230E	4304736985		Federal	OW	APD
RW 01-35BG	RW 01-35BG	SWNW	35	070S	230E	4304736986		Federal	OW	APD

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 51 (12-16B)	RW 12-16B	SWNW	16	070S	230E	4304715177	5670	State	OW	P
RWU ST 189 (41-16B)	RW 41-16B	NENE	16	070S	230E	4304715292	5670	State	OW	S
RED WASH UNIT 259	RW 14-16B	swsw	16	070S	230E	4304732785	5670	State	OW	P
RED WASH UNIT 260	RW 34-16B	SWSE	16	070S	230E	4304732786	5670	State	OW	P
RWU 324 (23-16B)	RW 23-16B	SESW	16	070S	230E	4304733084	5670	State	WI	OPS
RWU 21W-36A	RWU 21W-36A	NENW	36	070S	220E	4304733730		State	GW	LA
RWU 21G-36A	RWU 21G-36A	NENW	36	070S	220E	4304733731		State	OW	LA
RWU 41-36A	RWU 41-36A	NENE	36	070S	220E	4304733732		State	OW	LA
RWU 43-16B	RWU 43-16B	NESE	16	070S	230E	4304733733		State	OW	LA
RWU 21-16B	RWU 21-16B	NENW	16	070S	230E	4304733734		State	OW	LA
RWU 11-36A	RWU 11-36A	NWNW	36	070S	220E	4304733736		State	OW	LA
RWU 13-36A	RWU 13-36A	NWSW	36	070S	220E	4304733737		State	OW	LA
RW 32G-16C	RW 32G-16C	SWNE	16	070S	240E	4304735238	5670	State	GW	P
RW 14-36AMU	RW 14-36AMU	SWSW	36	070S	220E	4304736721		State	GW	APD
RW 01-36BG	RW 01-36BG	NWNW	36	070S	230E	4304736887	5670	State	OW	S
RW 24-16BG	RW 24-16BG	SESW	16	070S	230E	4304737746	5670	State	OW	DRL
RW 12-32BG	RW 12-32BG	SWNW	32	070S	230E	4304737946	15841	State	GW	DRL

## STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL. GAS AND MINING

		DIVISION C	OF OIL, GAS AND M	ININ	IG		•	ASE DESIGNATION AND SERIAL NUMBER:
	SUNDRY	NOTICE	S AND REPORT	SC	N WEL	LS		NDIAN, ALLÖTTEE OR TRIBE NAME: e attached
Do	not use this form for proposals to drill n drill horizontal le	ew wells, significant	tly deepen existing wells below co	arrent b	ottom-hole dep	th, reenter plugged wells, or to	7. UN SO	IT or CA AGREEMENT NAME:
	YPE OF WELL OIL WELL		WELL OTHER				8. WE	ELL NAME and NUMBER:
	AME OF OPERATOR					· · · · · ·		NUMBER:
	JESTAR EXPLORATIO	N AND PRO	DDUCTION COMPA	NY		PHONE NUMBER:		IChed ELD AND POOL, OR WILDCAT:
10	50 17th Street Suite 500 Gir	Denver	STATE CO Z	<u>.</u> 802	265	(303) 308-3068		ELD AND FOOL, ON WILDON'S
	OCATION OF WELL  OOTAGES AT SURFACE: attach	ed					COUN	тy: Uintah
Q	TR/QTR, SECTION, TOWNSHIP, RAN	GE, MERIDIAN:					STATE	: UTAH
11.	CHECK APPF	ROPRIATE	BOXES TO INDICA	TEN	IATURE	OF NOTICE, REP	ORT, C	R OTHER DATA
	TYPE OF SUBMISSION					PE OF ACTION	•	
Z	NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: 1/1/2007	1 <u></u>	EPAIR TO PREVIOUS PLANS		DEEPEN FRACTURE NEW CONS OPERATOR	TRUCTION CHANGE		REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON TUBING REPAIR
	SUBSEQUENT REPORT (Submit Original Form Only)  Date of work completion:	CHANGE V	rubing Well name Well Status Le producing formations Well Type		RECLAMATI			WATER DISPOSAL WATER SHUT-OFF OTHER: Operator Name Change
12.	DESCRIBE PROPOSED OR CO	<u> </u>		<u> </u>				
Eff AN cha on Fe Uta Fe Cu atta	rective January 1, 2007 of ID PRODUCTION COM ange of operator is involute attached list. All opderal Bond Number: 96 ah State Bond Number: e Land Bond Number: rrent operator of record, ached list.	operator of r IPANY. This Ived. The saperations will 55002976 (B 965003033 965003033 , QEP UINT	record, QEP Uinta B s name change invo ame employees will I continue to be covered by the second of	asin lives control of the control of	, Inc., will only an ir inue to be by bond i 000024) esigns as Neese, E O PRODU ne attache	hereafter be known ternal corporate no eresponsible for on numbers:  operator of the provided list  xecutive Vice President is the provided list  xecutive Vice President is the provided list	n as Q ame ch peration operties sident, ( Y, herel	as of the properties described as as described on the QEP Uinta Basin, Inc. by assumes all rights, duties
	- ノカ		Q	đest	ar Explor	ation and Production	on Com	pany
NAME	(PLEASE PRINT) Debra K. S	tanberry	· ·		TITLE	Supervisor, Reg	ulatory	Affairs
SIGN	ATURE CALL	3	Jandeny		DATE	3/16/2007		
his sp	ace for State use only)							

RECEIVED

APR 1 9 2007

#### FORM 9

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL. GAS AND MINING

	DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: See attached
SUNDRY	NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
Do not use this form for proposals to drill ne drill horizontal lat	ew wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged welterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME: See attached
1 TYPE OF WELL OIL WELL	GAS WELL OTHER	8. WELL NAME and NUMBER:
2. NAME OF OPERATOR:		see attached
QUESTAR EXPLORATION 3 ADDRESS OF OPERATOR	N AND PRODUCTION COMPANY	attached
	Denver STATE CO 210 80265 PHONE NUMBER: (303) 308-30	10. FIELD AND POOL, OR WILDCAT:
4 LOCATION OF WELL FOOTAGES AT SURFACE: attache		соимту: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANG	GE, MERIDIAN:	STATE: UTAH
11. CHECK APPR	OPRIATE BOXES TO INDICATE NATURE OF NOTICE,	REPORT OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
PER THE ATTACHED LIST	ACIDIZE DEEPEN  ALTER CASING FRACTURE TREAT  CASING REPAIR NEW CONSTRUCTION  CHANGE TO PREVIOUS PLANS OPERATOR CHANGE  CHANGE TUBING PLUG AND ABANDON  CHANGE WELL NAME PLUG BACK  CHANGE WELL STATUS PRODUCTION (START/RESUME)  COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE  CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION OF WELL SITE  WPLETED OPERATIONS. Clearly show all pertinent details including dates, depths  T OF WELLS, QUESTAR EXPLORATION AND PRODUCTS  BE UPDATED IN YOUR RECORDS.	s, volumes, etc.
<del></del>	aptőerry / Supervisor	Regulatory Affairs

RECEIVED
APR 1 9 2007



### United States Department of the Interior

## BUREAU OF LAND MANAGEMENT Utah State Office

P.O. Box 45155 Salt Lake City, UT 84145-0155



IN REPLY REFER TO 3180 UT-922

April 23, 2007

Questar Exploration and Production Company 1050 17th Street, Suite 500 Denver, Colorado 80265

Re:

Red Wash Unit Uintah County, Utah

#### Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Red Wash Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the Red Wash Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble Acting Chief, Branch of Fluid Minerals

**Enclosure** 

bcc:

Field Manager - Vernal (w/enclosure)

SITLA

Division of Oil, Gas & Mining

File - Red Wash Unit (w/enclosure)

Agr. Sec. Chron Reading File Central Files

UT922:TAThompson:tt:4/23/07

RECEIVED

APR 3 0 2007

DIV. OF OIL, GAS & MINING

Form 3160-5

## INITED STATES

FORM APPROVED
OM B No. 1004-0137
Expires: March 31, 2007

April 2004) DEPARTMENT OF THI	E INTERIOR		OM B No. 1004-0 Expires: March 3	137 1, 2007
BUREAU OF LAND MAI		5. Lease Seria		
SUNDRY NOTICES AND RE		UT 0566		
Do not use this form for proposals abandoned well. Use Form 3160 - 3		6. If Indian,	Expires: March 31, erial No.  566  ian, Allottee or Tribe  t or CA/Agreement,  Wash  Name and No.  6B  Well No.  47-30311  and Pool, or Explora  Wash  ty or Parish, State  ah County, Utah  OR OTHER DAT  Well Integri  Other Eco  work and approxima piths of all pertinent in reports shall be file real, a Form 3160-4 peen completed, and put this well on tere e done within a year of the peen completed.  COPY SENT  Date: 9.7.  Initials:	e Name
SUBMIT IN TRIPLICATE- Other ins	tructions on reverse side.	İ	-	, Name and/or No.
1. Type of Well Gas Well Other				
2. Name of Operator Questar Exploration and Production Con	прапу	12-26B 9. API We	II No.	
3a Address 11002 E. 17500 S. VERNAL, UT 84078-8526	3b. Phone No. (include area code) 435-781-4362	43-047-	30311	motowy A moo
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)		Red Wa		ratory Area
2105' FNL, 603' FWL, SWNW, SECTION 26, T7S, R23E,	SLBM			
12. CHECK APPROPRIATE BOX(ES) TO	O INDICATE NATURE OF NOTICE		*	
TYPE OF SUBMISSION	TYPE OF ACTION		COTTAC DA	
Acidize	Deepen Production (S	tart/Resume)	Water Shu	t-Off
Notice of Intent Alter Casing	Fracture Treat Reclamation			
Subsequent Report Change Plans	New Construction Plug and Abandon Recomplete Temporarily A	l handan	Other Ed	onomic Evai
Final Abandonment Notice Convert to Injection	Plug and Abandon Plug Back  Temporarily A Water Disposa			
If the proposal is to deepen directionally or recomplete horizonta Attach the Bond under which the work will be performed or profollowing completion of the involved operations. If the operation testing has been completed. Final Abandonment Notices shall be determined that the site is ready for final inspection.)  Questar Exploration and Production Company reques	ally, give subsurface locations and measured and to vide the Bond No. on file with BLM/BIA. Require n results in a multiple completion or recompletion of filed only after all requirements, including reclarations of the status for this well for a year. Operate	rue vertical depth ired subsequent ra i in a new interval mation, have been tor plans to put	is of all pertinent eports shall be fi 1, a Form 3160- in completed, and t this well on to	markers and zones. led within 30 days I shall be filed once I the operator has
evaluate the economics of producing this well. Due to t this report.	he availability of equipment and labor this	work will be d	one within a y	ear of recieving
	€:			
			COPY SENT	TO OPERATOR
			Date: <b>9</b> .	23.2008
			Initials:	ks_
14. I hereby certify that the foregoing is true and correct				
Name (Printed/Typed) Rick Canterbury	Title Regulatory Affairs			
Signature Rick Canta Recu	Date	07/23/2008		
1 0 000 00 0	FEDERAL OR STATE OFFICE	E USE		
Approved by	Accepted b	on of	Date	noroval Of This

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Oil Gas and Mining

Action Is Necessary ake to any department or agency of the United

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any passer kno States any false, fictitious or fraudulent statements or representations as to any matter within its (Instructions on page 2)

AUG 1 3 2008

From:

"Rick Canterbury" < Rick. Canterbury@guestar.com>

To:

"Dustin Doucet" <dustindoucet@utah.gov>

Date: Subject:

9/18/2008 12:23 PM RE: SI/TA Federal Wells

CC:

"Lucius McGillivray" <Lucius.McGillivray@questar.com>, "Jan Nelson" <jan...

Dustin, regarding the the Sundry notices requesting extended TA status, it is our intent to review a certain number of these wells each month with our geologist. We hope to determine the wells warranting additional geologic review (evaluation of other production zones) or production testing and/or requiring plugging. The timeframe for doing the work on each well will be proposed after we have an idea of equipment and labor needs so the economics can be determined. We will then submit a sundry notice with our proposal for the well. This is the approach we discussed with Ryan Angus of the BLM and hopefully this provides enough information to give you an idea of what we are planning.

Give me a call if you need more information.

Thanks,

Rick Canterbury Questar Exploration and Production 435-781-4362 435-828-0448

----Original Message----

From: Dustin Doucet [mailto:dustindoucet@utah.gov]

Sent: Tuesday, September 16, 2008 2:38 PM

To: Rick Canterbury

Subject: SI/TA Federal Wells

Rick,

I have several sundry notices here for extended SI/TA on federal wells (35+). I talked with Ryan Angus of the BLM and he said you sent in a plan of action for these wells. Could you send that to me, so I can attach it to these sundries. I understand he was o.k. with the request after he saw your plan of action. I can not sign off until I at least get this info. I will let you know if I need anything more. Thanks.

Dustin

Dustin K. Doucet
Petroleum Engineer
Utah Division of Oil, Gas and Mining
Oil and Gas Program
1594 West North Temple, Suite 1210
Salt Lake City, UT 84116

Phone: (801) 538-5281 fax: (801) 359-3940

email: dustindoucet@utah.gov

Form 3160-5 (August 2007)

#### **UNITED STATES** DEPARTMENT OF THE INTERIOR

FORM APPROVED OMB No. 1004-0137 Expires: July 31, 2010

BUR	EAU OF LAND MANAGEMEN	T	5. Lease Serial No	
SUNDRY N	IOTICES AND REPORTS ON	WELLS	6. If Indian, Allott	
	orm for proposals to drill or Use Form 3160-3 (APD) for s		see attached lis	
SUBMIT	IN TRIPLICATE - Other instructions	on page 2.	7. If Unit of CA/A	agreement, Name and/or No.
1. Type of Well			see attached list	t
Oil Well Gas W	Vell ✓ Other see attached li	st	8. Well Name and see attached list	
2. Name of Operator  Questar Exp	ploration and Production Company		9. API Well No. see attached list	143 047 30311
3a. Address	3b. Phone N	Io. (include area code)	10. Field and Pool	or Exploratory Area
11002 East 17500 South, Vernal, UT 84078-852	(435) 781	-4341	see attached list	<b>t</b>
4. Location of Well (Footage, Sec., T., F	R.,M., or Survey Description)		11. Country or Par	rish, State
See attached list	5 23 5 26		Uintah, Utah	
12. CHEC	K THE APPROPRIATE BOX(ES) TO IN	IDICATE NATURE OI	F NOTICE, REPORT OR C	OTHER DATA
TYPE OF SUBMISSION		TYPE (	OF ACTION	
✓ Notice of Intent	Acidize De	epen	Production (Start/Resume	e) Water Shut-Off
1 Notice of Mich	Alter Casing Fra	acture Treat	Reclamation	Well Integrity
Subsequent Report	Casing Repair Ne	w Construction	Recomplete	Other
Subsequent Report	Change Plans Plu	ig and Abandon	Z Temporarily Abandon	
Final Abandonment Notice	Convert to Injection Plu	ıg Back	Water Disposal	
QEP believes these wells have upho	Company (QEP) requests approval for the gas potential and plan to test these ticipated that a wellhead price of \$5.0	wells for future produ	uction. Due to the current	t natural gas prices it is uneconomic to
These wells will be placed on produc	ction or plugged and abandoned base	d on the results of the	ese tests.	
				RECEIVED
				JUL 3 0 2009
				DIV. OF OIL, GAS & MINING
14. I hereby certify that the foregoing is tru	ue and correct.			
Name (Printed/Typed) Lucius McGillivray /		Title Associate Po	etroleum Engineer	
Signature ANDUS	12/10:	Date 07/28/2009		
- A	THIS SPACE FOR FED	ERAL OR STAT	E OFFICE USE	
Approved by	ut	0 (	<i>C</i>	Date 7/7/10
Conditions of approval, if any, are attached that the applicant holds legal or equitable tit entitle the applicant to conduct operations the	Approval of this notice does not warrant of the to those rights in the subject lease which hereon.	r certify would Office O	Fede	Prair Approval Of This cition is Necessary

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false,

Wells with uphole	gas potential										
API#	Field	Well Name	Weil#	Lease #	Tribe	Status	QTR	SEC	TWN	RNG	Last Prod
4304734248	Wonsits Valley	WV	12W-12-8-21	UTU0806	Ute	TA	NWSW	12	88	21E	Mar '06
4304734469	Wonsits Valley	WV	8W-7-8-22	UTU022158	N/A	SI	SENE	7	88	22E	never
4304715258		RW	21-18B	UTU0116	N/A	TA	NENW	18	78	23E	Aug '04
4304731556	Glen Bench	GB	3-17.	UTU65276	N/A	SI	SESE	17	88	22E	Jul '04
4304730199	Redwash	RW	13-27B	UTU0933	N/A	TA	NWSW	27	78	23E	Aug '04
4304733994	Wonsits Valley	SU	13W-5-8-22	UTU76508	N/A	SI	SWSW	5	88	22E	Dec '05
4304734279	Wonsits Valley	WV	12w-14-8-21	UTU0807	Ute	SI	NWSW	14	88	21E	Dec '04
4304735099	Wonsits Valley	SG	11SG-23-8-22	UTU9645	N/A	SI	NESW	23	88	22E	May '04
4304715423	Wonsits Valley	WV	2-29-7-22	UTU76507	N/A	DSI	NESW	29	78	22E	never
4304715295	Redwash	RW	43-24B	UTU082	N/A	TA	NESE	24	7S	23E	Sep '01
4304730259	Redwash	RW	43-26B	UTU0566	N/A	TA	NESE	26	78	23E	Aug '04
4304715081	White River	WR	16-9	UTU43915	N/A	SI	SWSE	9	88	22E	Nov '98
4304730344		RW	12-36B	UTU0566	N/A	TA		36	78	23E	Dec '05
4304730311		RW	12-26B	UTU0566	N/A	TA	SWNW	26	78	23E	Apr '05
4304732755	Glen Bench	RW (GB)	4-30-8-22	UTU9617	Ute	OSI	Lot 8	30	88	22E	never '97

# Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET

(for state use only)

ROUTING	ì
CDW	

Change of Operator (Well Sold)				Х-	Operator	· Name Chan	σe	
The operator of the well(s) listed below has char	nged, e	ffecti	ve:	·		6/14/2010	<u> </u>	
FROM: (Old Operator): N5085-Questar Exploration and Production Comp. 1050 17th St, Suite 500 Denver, CO 80265	OM: (Old Operator): 5-Questar Exploration and Production Company 1050 17th St, Suite 500  TO: (New Operator): N3700-QEP Energy Company 1050 17th St, Suite 500							
Phone: 1 (303) 308-3048				Phone: 1 (303)	308-3048			
CA No.				Unit:		RED W	VASH	
WELL NAME		TWN	RNG	API NO	ENTITY	LEASE TYPE		WELL
SEE ATTACHED	 		Γ -		NO		TYPE	STATUS
OPERATOR CHANGES DOCUMENT Enter date after each listed item is completed  1. (R649-8-10) Sundry or legal documentation wa 2. (R649-8-10) Sundry or legal documentation wa 3. The new company was checked on the Depart 4a. Is the new operator registered in the State of U 5a. (R649-9-2) Waste Management Plan has been re 5b. Inspections of LA PA state/fee well sites comp 5c. Reports current for Production/Disposition & S	as received lete on	ived fived for Control  of Control  ived fived f	rom the nmerce	<b>NEW</b> operator	on: orporations	6/28/2010 6/28/2010 8 Database on: 764611-0143		6/24/2010
<ol> <li>Federal and Indian Lease Wells: The BL or operator change for all wells listed on Federal.</li> <li>Federal and Indian Units:         <ul> <li>The BLM or BIA has approved the successor</li> </ul> </li> <li>Federal and Indian Communization Ag</li> </ol>	al or In of uni	idian l t oper	leases of rator for ("CA")	n: wells listed on:	BLM	8/16/2010	BIA	not yet
The BLM or BIA has approved the operator of 9. Underground Injection Control ("UIC")	ior all v	wells .	has an	ithin a CA on:	5 T	N/A		
Inject, for the enhanced/secondary recovery un	it/proid	ect for	r the wa	proveu OIC re ter disnosal wel	or beteil Cumo			
DATA ENTRY: 1. Changes entered in the Oil and Gas Database	on:			6/30/2010		•	6/29/2010	•
<ol> <li>Changes have been entered on the Monthly Op</li> <li>Bond information entered in RBDMS on:</li> <li>Fee/State wells attached to bond in RBDMS on</li> <li>Injection Projects to new operator in RBDMS on</li> <li>Receipt of Acceptance of Drilling Procedures for</li> </ol>	: on:			6/30/2010 6/30/2010 6/30/2010		6/30/2010		
BOND VERIFICATION:	01 231 1	)/ I V V	OII.		n/a			
<ol> <li>Federal well(s) covered by Bond Number:</li> <li>Indian well(s) covered by Bond Number:</li> <li>(R649-3-1) The NEW operator of any state/fe</li> <li>The FORMER operator has requested a release</li> <li>LEASE INTEREST OWNER NOTIFIC</li> </ol>	e of lia	bility	ed cove	ESB000024 965010693 red by Bond Nu eir bond on:	ımber n/a	965010695	·	
4. (R649-2-10) The NEW operator of the fee wells			ntacted	and informed by	v a letter fra	om the Division		
of their responsibility to notify all interest owner  COMMENTS:	s of th	is cha	nge on:	and informed by	y a letter fro n/a	m me Division	· · · · · · · · · · · · · · · · · · ·	
				·				

#### STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL. GAS AND MINING

DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER See attached
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME. See attached
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME: See attached
OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: See attached
2 NAME OF OPERATOR: Questar Exploration and Production Company N5085	9. API NUMBER: Attached
3. ADDRESS OF OPERATOR: 1050 17th Street, Suite 500 Denver STATE CO Zie 80265 PHONE NUMBER: (303) 672-6900	10. FIELD AND POOL, OR WILDCAT: See attached
4. LOCATION OF WELL STATE OF ZIP 00203 (303) 072-0300	See attached
FOOTAGES AT SURFACE: See attached	COUNTY: Attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE: UTAH
CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION	
NOTICE OF INTENT (Submit in Duplicate)  Approximate date work will start:  6/14/2010  CHANGE TO PREVIOUS PLANS  DEEPEN  FRACTURE TREAT  NEW CONSTRUCTION  OPERATOR CHANGE  CHANGE TUBING  PLUG AND ABANDON	REPERFORATE CURRENT FORMATION  SIDETRACK TO REPAIR WELL  TEMPORARILY ABANDON  TUBING REPAIR  VENT OR FLARE
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK (Submit Original Form Only)	WATER DISPOSAL
Date of work completion:  CHANGE WELL STATUS  PRODUCTION (START/RESUME)  COMMINGLE PRODUCING FORMATIONS  RECLAMATION OF WELL SITE	WATER SHUT-OFF
COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE  CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	✓ отнек: <u>Operator Name</u> Change
Effective June 14, 2010 Questar Exploration and Production Company changed its name to change involves only an internal corporate name change and no third party change of operate employees will continue to be responsible for operations of the properties described on the continue to be covered by bond numbers:  Federal Bond Number: 965002976 (BLM Reference No. ESB000024)  Utah State Bond Number: 965003033  Fee Land Bond Number: 965003033  Fee Land Bond Number: 799446- 965010693  The attached document is an all inclusive list of the wells operated by Questar Exploration a June 14, 2010 QEP Energy Company assumes all rights, duties and obligations as operator the list	QEP Energy Company. This name ator is involved. The same attached list. All operations will
NAME (PLEASE PRINT) Morgan Anderson TITLE Regulatory Affair	s Analyst
SIGNATURE MOGRAL AND DATE 6/23/2010	
This space for State use only)	

(5/2000)

RECEIVED
JUN 2 8 2010

(See Instructions on Reverse Side)

APPROVED 61301 2009
Carley Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

# Questar Exploration Production Company (N5085) to QEP Energy Company (N3700) RED WASH effective June 14, 2010

well_name	sec	twp	rng	api	entity	1	type	stat	C
RW 34-23B	23	070S	22017	4304715136	5.670	lease	OTT	ļ	
RW 41-23B	23			4304715138	5670	Federal	OW	P	
RW 32-22B	$\frac{23}{22}$	070S		4304715138	5670	Federal	OW	P	-
RW 43-23B	23	070S		4304715139	5670	Federal	OW	P	
RW 32-17C	17	070S		4304715145	5670	Federal	OW	P	
RW 34-26B	26	070S		4304715148	5670	Federal	OW	P	
RW 32-14B	14			4304715148	5670	Federal	GW	TA	
RW 34-14B	14			4304715150	5670	Federal	OW	P	
RW 23-22B	22			4304715152	5670	Federal	OW	S	
RW 43-22B	22			4304715153	5670	Federal	OW	TA	
RW 32-23B	23			4304715155	5670	Federal	OW	P	
RW 23-13B	13				5670	Federal	OW	P	
RW 34-22B				4304715157	5670	Federal	GW	TA	
RW 32-13B	22			4304715158	5670	Federal	OW	P	
RW 14-23B				4304715163	5670	Federal	GW	P	-
RW 14-23B				4304715165	5670	Federal	OW	S	
RW 21-24B				4304715166	17554	Federal	OW	DRL	
THE RESERVE OF THE PROPERTY OF				4304715167	5670	Federal	OW	TA	
RW 34-13B RW 21-29C				4304715168	5670	Federal	OW	P	ļ
				4304715169	5670	Federal	GW	P	
RW 12-17B	***			4304715170	5670	Federal	OW	P	ļ
RW 32-33C				4304715171	5670	Federal	GW	P	
RW 14-23A				4304715176	5670	Federal	OW	P	
RW 12-18C				4304715183	5670	Federal	OW	P	
RW 21-22B				4304715186	5670	Federal	GW	TA	
RW 34-18B				4304715189	5670	Federal	OW	P	
RW 21-27B				4304715191	5670	Federal	OW	TA	
RW 23-22A				4304715192	5670	Federal	OW	P	
RW 21-18C				4304715193	5670	Federal	OW	P	
RW 12-13B				4304715196	5670	Federal	GW	S	
RW 32-18C				4304715198	5670	Federal	GW	P	
RWU 77 (21-13B)				4304715199	5670	Federal	OW	P	
RW 32-28B				4304715200	5670	Federal	OW	P	
RW 12-27B				4304715201	5670	Federal	OW	TA	
RW 14-27B				4304715202	5670	Federal		P	
RW 41-31B				4304715203	5670			P	
RW 41-27A				4304715205	5670		OW	S	
RW 44-14B				4304715206	5670			P	
RW 43-21B				4304715211	5670	~		P	
RW 12-22A				4304715213	5670			P	
RW 12-22B				4304715218	5670			P	
RW 34-21B				4304715220	5670			P	
RW 34-15B				4304715222	5670			P	
RW 32-21B				4304715226	5670	~~~~~	OW	P	
RW 21-28B	28	070S	230E	4304715227	5670	Federal	OW	P	

Bonds: BLM = ESB000024 BIA = 956010693 State = 965010695

# Questar Exploration Production Company (N5085) to QEP Energy Company (N3700) RED WASH effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral	type	stat	C
RW 23-23A	23	070S	220E	4304715228	5670	lease Federal	OW	P	
RW 32-24A	24	070S		4304715229	5670		OW		
RW 32-28A	28	070S		4304715230		Federal	OW	P	
RW 21-19B	19			4304715233	5670	Federal	OW	S	
RW 43-29A	29			4304715236	5670	Federal	OW	P	
RW 23-28B	28	070S		4304715237	5670	Federal	OW	S	$\frac{C}{a}$
RW 13-13B	13			4304715237	17525	Federal	OW	P	C
RW 24-14B	14			4304715238	5670	Federal	GW	P	
RW 41-29A	29			4304715239	5670	Federal	OW	P	
RW 14-15B					5670	Federal	OW	P	
RW 41-34B	15	070S		4304715246	5670	Federal	OW	P	-
RW 41-34B	34			4304715250	5670	Federal	OW	P	
RW 24-22B	30			4304715254	5670	Federal	OW	P	
RW 33-14B	22			4304715255	5670	Federal	OW	P	
	14			4304715257	5670	Federal	OW	P	
RW 21-18B	18			4304715258	5670	Federal	OW	TA	
RW 22-22B	22			4304715260	5670	Federal	OW	TA	C
RW 42-14B	14			4304715264	5670	Federal	OW	P	
RW 14-29B	29			4304715265	5670	Federal	OW	P	
RW 32-30B				4304715268	5670	Federal	OW	P	
RW 32-15B				4304715270	5670	Federal	OW	P	
RW 12-20B				4304715272	5670	Federal	OW	S	
RW 12-28B	28			4304715274	5670	Federal	OW	P	
RW 32-26B		******		4304715275	5670	Federal	GW	TA	
RW 31-28B	28	070S	230E	4304715283	5670	Federal	OW	TA	
RW 34-30B				4304715288	5670	Federal	OW	P	
RW 23-26B				4304715290	5670	Federal	GW	S	
RW 41-33A	33	070S	220E	4304715294	5670	Federal	ow	P	
RW 43-24B	24	070S	230E	4304715295	5670	Federal	GW	TA	
RW 12-14B	14	070S	230E	4304715296	5670	Federal	OW	S	
RW 32-28C	28	070S	240E	4304715302	5670	Federal	GW	P	1
RW 23-25A	25	070S	220E	4304715305	5670	Federal	OW	P	
RW 41-8F	08	080S	240E	4304720014	5670	Federal	GW	P	1
RW 44-21C	21			4304730149	5670	Federal	GW	S	<del> </del>
RW 13-27B				4304730199	5670	Federal	OW	TA	
RW 21-34B				4304730258	5670	Federal	OW	P	+
RW 43-26B				4304730259	5670	Federal	OW	TA	
RW 14-18C				4304730309	5670	Federal	OW	P	+
RW 12-26B				4304730311	5670	Federal	OW	TA	+
RW 32-24B				4304730313	5670	Federal		P	+
RW 34-18C				4304730314	5670		OW	P	
RW 21-19C				4304730340	5670			r P	-
RW 14-25B				4304730340	5670			P P	-
RW 32-35B				4304730341	5670	Federal	OW		+
RW 12-36B				4304730342	5670			TA S	-

Bonds: BLM = ESB000024 BIA = 956010693 State = 965010695

# Questar Exploration Production Company (N5085) to QEP Energy Company (N3700) RED WASH effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral	type	stat	С
						lease	type	Stat	
RW 22-14B	14	070S	230E	4304730345	5670	Federal	OW	P	
RW 42-13B	13	070S		4304730346	5670	Federal	OW	P	
RW 23-19C	19	070S		4304730348	5670	Federal	GW	P	
RW 22-18C	18	070S		4304730387	5670	Federal	OW	P	
RW 22-17C	17	070S		4304730388	5670	Federal	GW	P	
RW 44-26B	26	070S		4304730520	5670	Federal	GW	P	
RW 42-27B	27	070S		4304731051	5670	Federal	OW	TA	
RW 44-27B	27	070S		4304731053	5670	Federal	OW	TA	
RW 44-23B	23	070S		4304731054	5670	Federal	GW	P	-
RW 11-35B	35	070S		4304731079	5670	Federal	OW	P	-
RW 22-35B	35	070S		4304731082	5670	Federal	OW	P	<del> </del>
RW 33-23B	23	070S		4304731476	5670	Federal	GW	TA	-
RW 11-24B	24	070S		4304731477	5670	Federal	OW	P	
RW 42-21B	21	070S		4304731478	5670	Federal	ow	P	
RW 13-24B	24	070S		4304731517	5670	Federal	ow	P	
RW 42-23B	23	070S		4304731576	5670	Federal	GW	TA	<del> </del>
RW 12-35B	35			4304731578	5670	Federal	OW	S	
RW 24-15B	15			4304731579	5670	Federal	OW	P	-
RW 24-18C	18			4304731582	5670	Federal	GW	P	-
RW 43-15B	15			4304731682	17643	Federal	GW	DRL	C
RW 34-17B	17			4304731819	5670	Federal	OW	P	
RW 41-4F	04			4304732538	5670	Federal	GW	TA	1
RW 23-23C	23	070S		4304732629	5670	Federal	GW	P	
RW 14-17B	17	070S		4304732738	5670	Federal	OW	P	<del></del>
RW 32-17B	17	070S		4304732981	5670	Federal	OW	P	
RW 32-18B	18			4304733018	5670	Federal	OW	P	-
RW 42-20B	20			4304733490	5670	Federal	OW	P	
RW 22-20B	20			4304733491	5670	Federal	OW	P	
RW 24-19B				4304733492	5670	Federal	OW	P	
RW 22-21B				4304733522	5670	Federal	OW	S	
RW 24-20B				4304733523	5670	Federal	OW	P	-
RW 44-19B				4304733524	5670	Federal	OW	P	<del>                                     </del>
RW 44-20B				4304733525	5670	Federal	OW	P	1
RW 24-18B				4304733554	5670	Federal		P	
RW 42-19B				4304733556	5670	Federal	OW	P	
RW 22-19B	19	070S	230E	4304733559	5670	Federal	OW	P	
RW 23-24A				4304733567	5670	Federal	OW	P	
RW 42-24A				4304733569	5670	Federal		P	
RW 21-25A				4304733576	5670	Federal	ow	P	<del>                                     </del>
RW 41-25A				4304733579	5670	Federal		P	
RW 21-24A				4304733592	5670	Federal	OW	P	<del> </del>
RW 44-18B			-	4304733594	5670	Federal	OW	P	
RW 41-24A				4304733769	5670	Federal		P	t
RW 42-30B				4304733771	5670	Federal	OW	S	

Bonds: BLM = ESB000024 BIA = 956010693 State = 965010695

# Questar Exploration Production Company (N5085) to QEP Energy Company (N3700) RED WASH effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral lease	type	stat	С
RWU 44-30B	30	070S	230E	4304733772	5670	Federal	OW	P	<del></del>
RW 22-25A	25	070S			5670	Federal	OW	P	
RW 34-27C	27	070S	240E	4304735045	5670	Federal	GW	P	
RW 34-22C	22	070S		4304735098	5670	Federal	GW	P	
RW 34-23AG	23	070S		4304735668	5670	Federal	OW	P	
RWU 32-27AG	27	070S	220E	4304735670	5670	Federal	OW	P	
RW 14-34AMU	34	070S	220E	4304735671	14277	Federal	GW	P	
RW 44-08FG	08	080S	240E	4304736349	15261	Federal	GW	P	
RW 34-34 AD	34	070S	220E	4304736351	16177	Federal	GW	P	
RW 33-31 BD	31	070S	230E	4304736357		Federal	GW	APD	С
RW 13-31 BD	31	070S	230E	4304736358		Federal	GW	APD	C
RW 21-26AD	26	070S	220E	4304736768	5670	Federal	OW	OPS	C
RW 43-26AG	26	070S	220E	4304736769	16575	Federal	OW	OPS	C
RW 43-23AG	23	070S	220E	4304736770	5670	Federal	OW	OPS	C
RW 41-26AG	26	070S	220E	4304736818	5670	Federal	OW	OPS	C
RW 04-25B	25	070S	230E	4304736982	17224	Federal	OW	P	
RW 34-27ADR	27	070S	220E	4304739445	16330	Federal	GW	P	
RW 32-29CD	29	070S	240E	4304739854		Federal	GW	APD	C
RW 24-10FD	10	080S	240E	4304739963		Federal	GW	APD	C
RW 34-20CD	20	070S	240E	4304739964		Federal	GW	APD	C
RW 32-20CD	20	070S	240E	4304739965		Federal	GW	APD	
RW 24-21CD	21	070S	240E	4304739966		Federal	GW	APD	С
RW 41-28CD	28	070S	240E	4304739967		Federal	GW	APD	C
RW 41-33CD	33	070S	240E	4304739968		Federal	GW	APD	C
RW 14-35 AMU	35	070S	220E	4304740051		Federal	GW	APD	C
RW 44-35 AMU	35	070S	220E	4304740052		Federal	GW	APD	<u> </u>
RW 12-17FG	17	080S	240E	4304740602		Federal	GW	APD	C

Bonds: BLM = ESB000024 BIA = 956010693 State = 965010695



## **United States Department of the Interior**



#### BUREAU OF LAND MANAGEMENT Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155 http://www.blm.gov/ut/st/en.html

IN REPLY REFER TO: 3100 (UT-922)

JUL 2 8 2010

Memorandum

To:

Vernal Field Office, Price Field Office, Moab Field Office Roja L Bankert

From:

Chief, Branch of Minerals

Subject:

Name Change Recognized

Attached is a copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the name change from the Eastern States Office. We have updated our records to reflect the name change in the attached list of leases.

The name change from Questar Exploration and Production Company into QEP Energy Company is effective June 8, 2010.


cc:

MMS UDOGM

AUG 1 6 2010

DIV. OF OIL, Cas James, 3

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-0566
SUNDR	Y NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	sals to drill new wells, significantly deepen gged wells, or to drill horizontal laterals. U		7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Oil Well	tarian den het die det met met den den een de de Hille die gelijnen gegen beschij onder de gelijke gebeur de g	iganggapagan menghantan melantan atau at menghantapitan din datan ditah melantan melantan melantan din melanta	8. WELL NAME and NUMBER: RW 12-26B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047303110000
3. ADDRESS OF OPERATOR: 11002 East 17500 South , Ver	<b>PHOI</b> nal, Ut, 84078 303 308-3	NE NUMBER: 068 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE:		<u> Thirting the second of the s</u>	COUNTY:
2105 FNL 0603 FWL QTR/QTR, SECTION, TOWNSHI	D DANGE MEDIDIAN.		UINTAH
	Township: 07.0S Range: 23.0E Meridian:	S	STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	Casing Repair
✓ NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
11/1/2011	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	✓ DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	☐ TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
☐ DRILLING REPORT	☐ WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
Report Date:	☐ WILDCAT WELL DETERMINATION	OTHER	OTHER:
QEP Energy Compan depth of 10,631 to been modified to acco been revised to ad 2103' FNL, 603' FWL well change- Fro	by requests approval to deeper the Mesaverde Formation. In omodate the larger drill rig and dress all other changes. The and QEP Energy Company respection: Oil To: Gas. Please refer to, 8-Point Drilling Plan, Plat Page	n the above well to a total addition, the well pad has d the Surface Use Plan has mmended footages are: ctfully requests the type of the following plans: ckage, Weed Data Sheet.	5
	,	200891	Approved by the Utah Division of I, Gas and Mining
Fed Acti	eral Approval of this on is Necessary	Date:	exo-22-14
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NUMBER</b> 435 781-4369	TITLE Regulatory Affairs Analyst	N.
SIGNATURE N/A	<mark>an engangan kanakan pal</mark> angahan panpapanda, and antidi dan pama dan apamapa manakandipana merunda m	<b>DATE</b> 6/2/2011	1/7



# **QEP Energy Company RW 12-26B Drilling Prog**

API: 43-047-30311

## **Summarized Re-Entry Procedure**

- 1. Clear location of all unnecessary equipment.
- 2. Pull existing production equipment and tubing from well with well servicing rig
- 3. Completions will prep well for re-entry.
- 4. MIRU drilling rig
- 5. NU and test rig's 5M BOPE.
- 6. Drill out shoe and down to 10,631.
- 7. Log well. Triple or Quad-Combo (GR, NEU/DEN, IND, RES, SON)
- 8. RIH with 4" 11.0# P-110 UFJ casing and cement.
- 9. ND BOP's.
- 10. RDMO.

#### RE-ENTRY DRILLING PROGRAM

# ONSHORE OIL & GAS ORDER NO. 1 Approval of Operations on Onshore Federal Oil and Gas Leases

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil & Gas No. 1, and the approved plan of operations. The operator is fully responsible for the actions of its subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

#### 1. Formation Tops

The estimated top of important geologic markers are as follows:

<u>Formation</u>	Depth, TVD & MD
Green River	2,716'
Mahogany	3,486'
Original TD	5,900'
Wasatch	6,031'
Mesaverde	8,311'
Sego	10,531'
TD	10,631'

#### 2. Anticipated Depths of Oil, Gas, Water, and Other Mineral Bearing Zones

The estimated depths at which the top of the anticipated water, oil, gas, or other mineral bearing formations are expected to be encountered as follows:

<u>Substance</u>	Formation	Depth, TVD & MD
Gas	Wasatch	6,031'
Gas	Mesaverde	8,311'
Gas	Sego	10,531'

All fresh water and prospectively valuable minerals encountered during drilling will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

All water shows and water-bearing sands will be reported to the BLM in Vernal, Utah. Copies of State of Utah form OGC-8-X are acceptable. If flows are detected, samples will be submitted to the BLM along with any water analyses conducted. Fresh water will be obtained from Wonsits Valley water right A36125

#### ONSHORE OIL & GAS ORDER NO. 1

OEP ENERGY COMPANY

RW 12-26B (API#: 43-047-30311)

(which was filed on May 7, 1964) or Red Wash water right # 49-2153 (which was filed on March 25, 1960). It was determined by the Fish and Wildlife Service that any water right number filed before 1989 is not depleting to the Upper Colorado River System, to supply fresh water for drilling purposes. All water resulting from drilling operations will be disposed of at Red Wash Central Battery Disposal site; SWSE, Section 27, T7S, R23E or Wonsits Valley Disposal Site; SWNW, Section 12, T8S, R21E.

#### 3. Operator's Specification for Pressure Control Equipment

- A. 7 1/16" or 11" as available 5000 psi double ram with blind rams and pipe rams, annular preventer and drilling spool or BOP with 2 side outlets.
- B. All BOP connections subject to pressure shall be flanged, welded or clamped.
- C. Kill line (2" min), 2 choke line valves (3" min), choke line (3" min), 2 kill line valves (2" min) and a check valve, 2 chokes with one remotely controlled from rig floor and a pressure gauge on choke manifold.
- D. Upper and Lower Kelly cock valves with handles and safety valve and subs to fit all drill string connections.
- E. IBOP or float sub available.
- F. Fill up line must be installed above the uppermost preventer.
- G. Ram type preventers and associated equipment shall be tested to approved stack working pressure if isolated by test plug or to 50 percent of internal yield pressure of casing whichever is less. BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc..., for a 5M system and individual components shall be operable as designed.

#### 4. Casing Design:

Hole Size	Csg. Size	Top (MD)	Bottom (MD)	Wt.	Grade	Thread	Cond.	Expected MW(ppg)
13 3/4"	8 5/8"	sfc	310'	32#	J-55	STC	Existing	N/A
7 7/8"	5 1/2"	sfc	5,900'	15.5#	J-55	LTC	Existing	N/A
4 3/4"	4"	sfc	10,631'	11.0#	P-110	UFJ	New	8.8 – 10.5

	Casing	Strengths:		Collapse	Burst	Tensile (min)
8 5/8"	32#	J-55	STC	2,530 psi	3,930 psi	372,000 lb.
5 1/2"	15.5#	J-55	LTC	4,040 psi	4,810 psi	202,000 lb.
4"	11.0#	P-110	UFJ	11,060 psi	12,610 psi	245,500 lb.

#### **Casing Design Factors**

\*The casing prescribed above meets or exceeds the below listed design factors.

Burst: 1.2 Collapse: 1.2 Tension: 1.6

Maximum anticipated mud weight:

10.5 ppg

Maximum anticipated surface treating pressure:

7,200 psi

#### 5. Cementing Program

#### 4" Production Casing:

Lead Slurry: 3,000' (TOC) – 8,311'. 80 sks (243 ft<sup>3</sup>) Halliburton Extendacem, 3 pps Silicalite (extender), 1 pps Granulite TR ¼ (LCM), 0.125 pps Poly – E – Flake. Slurry Weight 11.0 lb/gal, 3.18 ft<sup>3</sup>/sk, 25% excess over gauge in open hole only.

Tail Slurry: 8,311' – 10,631'. 70 sks (106 ft<sup>3</sup>), Halliburton Expandacem, 0.2% Super CBL (Expander), 0.45% HR-5 (Retarder), 1 pps Granulite TR ¼, 0.125 pps Poly-E-Flake (LCM). Slurry Weight 13.5 lb/gal, 1.71 ft<sup>3</sup>/sk, 25% excess over gauge hole.

\*Final cement volumes to be calculated from caliper log and will attempt to pump cement to 3,000'.

\*Request for variance from Onshore Order No. 2, III B: Order states that, "Casing collars shall have a minimum clearance of 0.422 inches on all sides in the hole/casing annulus, with recognition that variances can be granted for justified exceptions." QEP is requesting that a 4" flush joint casing string be used in this re-entry well to increase production casing ID and facilitate adequate fracture rates. Assuming gauge open hole, the annular clearance between the open hole and 4" production casing (at the collars, which are the same OD as the casing) will be 0.375 inches. Casing centralizers will be used to maximize uniform cement sheath thickness.

#### 6. Auxiliary Equipment

- A. Kelly Cock yes
- B. Float at the bit yes
- C. Monitoring equipment on the mud system PVT/Flow Show
- D. Full opening safety valve on the rig floor yes
- E. Drilling below the 5-1/2" casing will be done with water based mud. Maximum anticipated mud weight is 10.5 ppg.
- F. No minimum quantity of weight material will be required to be kept on location.
- G. Gas detector will be used from intermediate casing depth to TD.


#### 7. <u>Testing, logging and coring program</u>


- A. Cores none.
- B. DST none anticipated
- C. Logging Mud logging Intermediate Casing to TD OH Logs: GR-SP-Induction, Neutron Density.
- D. Formation and Completion Interval:
  - Stimulation will be designed for the particular area of interest as encountered.

# 8. <u>Anticipated Abnormal Pressures and Temperatures, Other Potential</u> Hazards

No abnormal temperatures or pressures are anticipated. Maximum anticipated bottom hole pressure equals approximately 5,805 psi. Maximum anticipated bottom hole temperature is 210° F.

H2S has not been encountered in other wells drilled to similar depths in the general area.






#### 5M CHOKE MANIFOLD EQUIPMENT - CONFIGURATION OF CHOKES MAY VARY

Abbusts are required for any of the choice manifold systems, buffer tasks are nonethresh intested dissustances of the choice assistables for the purpose of manifolding the blood lines togother. When buffer tasks are employed, values that the installed upstroom to include a follower or malfancions without intercepting flow control. Though not shown on 20s, 20s, 10st, CR, 15th stawning, it would also be applicable to those absolute.

i situationa. [54 FR 39528, Sept. 27, 1989]



# QEP ENERGY COMPANY RW 12-26B 2103' FNL 603' FWL SWNW, SECTION 26, T7S, R23E UINTAH COUNTY, UTAH LEASE # UTU-0566

# ONSHORE ORDER NO. 1 MULTI – POINT SURFACE USE & OPERATIONS PLAN

An onsite inspection was conducted for the RW 12-26B on May 4, 2011. Weather conditions were sunny at the time of the onsite. In attendance at the inspection were the following individuals:

Kevin Sadlier

Aaron Roe

Holly Villa

Daniel Emmett

Bureau of Land Management
Bureau of Land Management
Bureau of Land Management
Bureau of Land Management

Jan NelsonQEP Energy CompanyStephanie TomkinsonQEP Energy CompanyRyan AngusQEP Energy CompanyValyn DavisQEP Energy CompanyEric WickershamQEP Energy Company

Andy Floyd Uintah Engineering & Land Surveying

#### 1. Existing Roads:

The proposed well site is approximately 25 miles South of Vernal, Utah.

Refer to Topo Maps A and B for location of access roads within a 2 - mile radius.

All existing roads will be maintained and kept in good repair during all phases of operation.

#### 2. Planned Access Roads:

Please refer to QEP Energy Company Greater Deadman Bench EIS UTU-080-200-0369V Record of Decision dated March 31, 2008.

Refer to Topo Map B for the location of the proposed access road.

No new access road is proposed. The access to be used is the access to the existing RW 12-26B location. Graveling or capping the roadbed will be performed as necessary to provide a well constructed safe road. Should conditions warrant, rock, gravel or culverts will be installed as needed.

#### 3. Location of Existing Wells Within a 1 – Mile Radius:

Please refer to Topo Map C.

#### 4. Location of Existing & Proposed Facilities:

Please refer to QEP Energy Company Greater Deadman Bench EIS UTU-080-200-0369V Record of Decision dated March 31, 2008.

The following guidelines will apply if the well is productive.

A containment dike will be constructed completely around those production facilities which contain fluids (i.e., production tanks, produced water tanks). These dikes will be constructed of compacted impervious subsoil; hold 110% of the capacity of the largest tank; and, be independent of the back cut. If a Spill Prevention, Control, and Countermeasure (SPCC) Plan is required by the Environmental Protection Agency, the containment dike may be expanded to meet SPCC requirements with approval by the BLM/VFO AO. The specific APD will address additional capacity if such is needed due to environmental concerns. The use of topsoil for the construction of dikes will not be allowed.

All loading lines will be placed inside the berm surrounding the tank batteries.

All permanent (on site six months or longer) above the ground structures constructed or installed, including pumping units, will be painted a color approved by the State.

It was determined on the onsite by the BLM VFO AO that the facilities will be painted Covert Green.

Refer to Topo Map D for the location of the proposed pipeline.

All existing equipment will be moved off location before any construction begins.

The proposed surface pipeline will be constructed utilizing existing disturbed areas to minimize surface disturbance. No construction activities will be allowed outside of the proposed pipeline.

Prior to construction, the Permittee will develop a plan of installation to minimize surface disturbance. Pipe will be strung along the pipeline route with either a flatbed trailer and rubber tired backhoe or a tracked typed side boom. Where surface conditions do not allow the pipe to be strung using conventional methods, the Permittee will utilize pull sections to run the fabricated pipe through the area from central staging areas along the pipeline route.

Upon completion of stringing activities the Permittee will fabricate the pipeline on wooden skids adjacent to the centerline of the pipeline route using truck mounted welding machines. All fabricated piping will be lowered off of the wooden skids and

placed along the centerline. Upon completion of all activities, the wooden skids will be removed from the pipeline route using a flatbed truck or flatbed truck and trailer.

When the surface terrain prohibits the Permittee from safely installing the pipeline along the pipeline route, grading of the route will be required. Prior to installing the pipeline in these areas a plan will be developed to safely install the pipeline while minimizing grading activities and surface disturbances. Additionally, erosion control Best Management Practices will be installed as needed prior to the start of any grading activities. Surface grading will be limited to what is needed to safely install the pipeline. Track type bulldozers and track type backhoes will be utilized for grading activities.

Upon completion of the pipeline installation, the pipeline route will be restored to the pre-disturbance surface contours.

The proposed pipeline will be a surface 10" or smaller, 39' in length, containing .026 acres.

#### **Road Crossings**

Fusion Bond or concrete coated pipe will be used for all road crossings to alleviate future corrosion.

All pipe and fittings used for road crossings will be prefabricated within the proposed pipeline route to minimize the duration of open pipe trench across the roadway. Pipe used for road crossings will be isolated on each end with a flange set and insulation kit and cathodically protected with a magnesium type anode. Adequately sized equipment will be used for minor and major road crossings. Depth of cover for minor roads will be >4' and the depth of cover for major roads will be >6'.

Prior to lowering the pipe in the trench, the Permittee will "Jeep" the pipe to locate and repair any Holidays in the pipe coating. Upon lowering the pipe in the trench, 6" of bedding and a minimum of 6" of shading will be installed to protect the pipe using either native soils <1" in diameter or imported sand. Pipe trenches that extend across gravel roads will be backfilled with native soils to within 8" of the driving surface and capped with 3/4" road base. Pipe trenches that extend across asphalt paved roads will be backfilled to 4" of the driving surface with 3/4" road base and capped asphalt material.

#### 5. Location and Type of Water Supply:

Please refer to QEP Energy Company Greater Deadman Bench EIS UTU-080-200-0369V Record of Decision dated March 31, 2008.

Water for drilling purposes would be obtained from Wonsits Valley Water Right # A 36125 (which was filed on May 7, 1964) or Red Wash Water Right # 49-2153 (which was filed on March 25, 1960). It was determined by the Fish and Wildlife

Service that any water right number filed before 1989 is not depleting to the Upper Colorado River System.

#### 6. Source of Construction Materials:

Please refer to QEP Energy Company Greater Deadman Bench EIS UTU-080-200-0369V Record of Decision dated March 31, 2008.

Surface and subsoil materials in the immediate area will be utilized.

Any gravel will be obtained from a commercial source.

The use of materials under BLM jurisdiction will conform with 43 CFR 3610.2-3.

#### 7. Methods of Handling Waste Materials:

Please refer to QEP Energy Company Greater Deadman Bench EIS UTU-080-200-0369V Record of Decision dated March 31, 2008.

Drill cuttings will be contained and buried in the reserve pit.

Drilling fluids including salts and chemicals will be contained in the reserve pit. Upon termination of drilling and completion operations, the liquid contents of the reserve pit will be used at the next drill site or will be removed and disposed of at an approved waste disposal facility within 6 months after drilling is terminated. Immediately upon well completion, any hydrocarbons in the pit shall be removed in accordance with 43 CFR 3162.7-1.

Unless specified in the site specific APD, the reserve pit will be constructed on the location and will not be located within natural drainages, where a flood hazard exists or surface runoff will or damage the pit walls. The reserve pit will be constructed so that it will not leak, break, or allow discharge of liquids.

It will be determined at the on-site inspection if a pit liner is necessary, the reserve pit will be lined with a synthetic reinforced liner, a minimum of 20 millimeters thick, with sufficient bedding used to cover any rocks. The liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place.

No trash or scrap will be disposed of in the pit.

Reserve pit leaks are considered an undesirable event and will be orally reported to the AO.

After first production, produced wastewater will be confined to the approved pit or storage tank for a period not to exceed 90 days.

After the 90 day period, the produced water will be contained in tanks on location and then hauled by truck to one of the following pre-approved disposal sites:

Red Wash disposal well located in the NESW, Section 28, T7S, R22E, Red Wash Central Battery Disposal located SWSE, Section 27, T7S, R23E, West End Disposal located in the NESE, Section 28, T7S, R22E, or approved third-party surface evaporative pits.

Produced water, oil, and other byproducts will not be applied to roads or well pads for the control of dust or weeds. The dumping of produced fluids on roads, well sites, or other areas will not be allowed.

Any spills of oil, gas, salt water, or other noxious fluids will be immediately cleaned up and removed to an approved disposal site. The spills will be reported to the AO and other authorities as appropriate.

A chemical porta-toilet will be furnished with the drilling rig. The chemical porta-toilet wastes will be hauled to Ashley Valley Sewer and Water System for disposal.

Garbage, trash, and other waste materials will be collected in a portable, self-contained, fully enclosed trash cage during operations. Trash will not be burned on location. All debris and other waste material not contained in the trash cage will be cleaned up and removed from the location immediately after removal of the drilling rig. All trash and waste material will be hauled to the Uintah County Landfill.

No chemicals subject to reporting under SARA Title III (hazardous materials) in an amount greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completing of wells. Furthermore, extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will not be used, produced, stored, transported, or disposed of in association with the drilling, testing, or completing of wells within these areas. Specific APD's shall address any modifications from this policy.

#### 8. Ancillary Facilities:

None anticipated.

#### 9. Well Site Layout: (See Location Layout Diagram)

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

Please see the attached diagram rig orientation, parking areas, and access roads, as well as the location of the following:

The reserve pit.

The stockpiled topsoil (first six inches), will not be used for facility berms. All brush removed from the well pad during construction will be stockpiled with topsoil.

The flare pit or flare box will be located downwind from the prevailing wind direction.

Any drainage that crosses the well location will be diverted around the location by using ditches, water diversion drains or berms. If deemed necessary at the on-site, erosion drains may be installed to contain sediments that could be produced from access roads and well locations.

A pit liner is required. A felt pit liner will be required if bedrock is encountered.

#### 10. Fencing Requirements:

Any open pits will be fenced during the operations. The fencing will be maintained until such time as the pits are backfilled.

All pits will be fenced according to the following minimum standards:

39 inch net wire will be used with at least one strand of barbed wire on top of the net wire. Barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence.

The net wire shall be no more than two inches above the ground. The barbed wire shall be three inches over the net wire. Total height of the fence shall be at least 42 inches.

Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.

Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any 2 fence posts shall be no greater than 16 feet.

All wire shall be stretched using a stretching device before it is attached to corner posts.

The reserve pit will be fenced on three (3) sides during drilling operations. The fourth side will be put in place when the rig moves off location. The pit will be fenced and maintained until it is backfilled. If drilling operations does not commence within 3 days, the fourth side of the fence will be installed

#### 11. Plans for Reclamation of the Surface:

Please refer to QEP Energy Company Uinta Basin Division Reclamation Plan

**Site Specific Procedures:** 

**Site Specific Reclamation Summary:** 

Reclamation will follow Questar Exploration and Production Company, Uinta Basin Division's Reclamation Plan, September 2009 (Questar's Reclamation Plan) and the BLM Green River District Reclamation Guidelines.

All trash and debris will be removed from the disturbed area.

The disturbed area will be backfilled with subsoil.

Topsoil will be spread to an even, appropriate depth and disked if needed.

Water courses and drainages will be restored.

Erosion control devices will be installed where needed.

Seeding will be done in the fall, prior to ground freeze up.

Seed mix will be submitted to a BLM AO for approval prior to seeding.

Monitoring and reporting will be conducted as stated in Questar's Reclamation Plan. A reference site has been established and is included in this application.

It was determined and agreed upon that there is 6" inches of top soil.

#### 12. Surface Ownership:

Bureau of Land Management 170 South 500 East Vernal, Utah 84078 (435) 781-4400

#### 13. Other Information:

A Class III archaeological survey was conducted by Montgomery Archaeology Consultants. A copy of this report was submitted on May 9, 2011, **Moac Report No. 11-011** by Montgomery Archaeology Consultants. Cultural resource clearance was recommended for this location.

A Class III paleontological survey was conducted by Intermountain Paleo Consulting. A copy of this report was submitted on May 27, 2011, IPC # 11-33 by Stephen D. Sandau. The inspection resulted in the location of no fossil resources. However, if vertebrate fossil(s) are found during construction a paleontologist should be immediately notified. QEP will provide Paleo monitor if needed.

Per the onsite on May 4, 2011, the following items were requested/ discussed.

The existing pipeline will be re-routed. The proposed pipeline re-route will be 768' in length, 30' in width, containing approximately .52 acres.

#### **Additional Operator Remarks**

QEP Energy Company proposes to deepen the existing well bore for the RW 12-26B and drill to a depth of 10,631' to test the Mesa Verde Formation. If productive, casing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and State of Utah requirements"

Please see Onshore Order No. 1.

Please refer to QEP Energy Company Greater Deadman Bench EIS UT-080-2003-0369V Record of Decision dated March 31, 2008.

Please be advised that QEP Energy Company agrees to be responsible under the terms and conditions of the lease for the operations conducted upon the lease lands.

Bond coverage for this well is provided by Bond No.ESB000024. The principal is QEP Energy Company via surety as consent as provided for the 43 CFR 3104.2.

# **QEP ENERGY COMPANY**

RW #12-26B (RE-ENTRY) LOCATED IN UINTAH COUNTY, UTAH

SECTION 26, T7S, R23E, S.L.B.&M.



PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: SOUTHEASTERLY



PHOTO: VIEW OF EXISTING AND PROPOSED ACCESS

CAMERA ANGLE: SOUTHEASTERLY




Uintah Engineering & Land Surveying 85 South 200 East Vernal, Utah 84078 (435) 789-1017 \* FAX (435) 789-1813


**LOCATION PHOTOS** 

MONTH DAY YEAR

РНОТО

TAKEN BY: A.F. | DRAWN BY: J.L.G. | REVISED: 00-00-00






#### **QEP ENERGY COMPANY**

TYPICAL CROSS SECTIONS FOR


RW #12-26B (RE-ENTRY) SECTION 26, T7S, R23E, S.L.B.&M.


2103' FNL 603' FWL














#### APPROXIMATE ACREAGES

EXISTING DISTURBANCE

WITHIN PROPOSED WELL SITE = ± 1.283 ACRES

REMAINING PROPOSED

WELL SITE DISTURBANCE = ± 1.201 ACRES

ACCESS ROAD DISTURBANCE = ± 0.120 ACRES

PIPELINE DISTURBANCE = ± 0.409 ACRES

TOTAL = ± 3.013 ACRES

\* NOTE: FILL QUANTITY INCLUDES 5% FOR COMPACTION

## APPROXIMATE YARDAGES

Topsoil should not be

Stripped Below Finished

Grade on Substructure Area.

NOTE:

(6") Topsoil Stripping = 820 Cu. Yds.

Remaining Location = 2,040 Cu. Yds.

TOTAL CUT = 2.860 CU.YDS.


FILL = 1.910 CU.YDS.

EXCESS MATERIAL = 950 Cu. Yds. Topsoil & Pit Backfill = 950 Cu. Yds. (1/2 Pit Vol.)

EXCESS UNBALANCE = 0 Cu. Yds.

(After Interim Rehabilitation)

UINTAH ENGINEERING & LAND SURVEYING 85 So. 200 East \* Vernal, Utah 84078 \* (435) 789-1017





# QEP ENERGY COMPANY **FIGURE** PRODUCTION FACILITY LAYOUT FOR SCALE: 1" = 60' RW #12-26B (RE-ENTRY) DATE: 04-04-11 DRAWN BY: K.O. SECTION 26, T7S, R23E, S.L.B.&M. REVISED: 05-04-11 2103' FNL 603' FWL PATE OF VICE **SEPARATOR** Access Road WELL HEAD


## QEP ENERGY COMPANY RW #12-26B (RE-ENTRY) SECTION 26, T7S, R23E, S.L.B.&M.


PROCEED IN AN EASTERLY, THEN SOUTHERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 3.9 MILES TO THE JUNCTION OF STATE HIGHWAY 45; EXIT RIGHT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 17.1 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST; TURN LEFT AND PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 2.6 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTH; TURN RIGHT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 1.3 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHEAST; TURN LEFT AND PROCEED IN A SOUTHEASTERLY DIRECTION APPROXIMATELY 0.2 MILES TO THE PROPOSED LOCATION

TOTAL DISTANCE FROM VERNAL, UTAH TO THE PROPOSED WELL LOCATION IS APPROXIMATELY 25.1 MILES.









QEP ENERGY COMPANY
REFERENCE MAP: AREA OF VEGETATION
RW #12-26B (RE-ENTRY)

LOCATED IN UINTAH COUNTY, UTAH **SECTION 26, T7S, R23E, S.L.B.&M.** 




#### NOTE:

**BEGINNING OF REFERENCE AREA UTM NORTHING: 14597969.919** UTM EASTING: 2115148.386 LATITUDE: 40.183147 LONGITUDE: -109.300331

**END OF REFERENCE AREA** UTM NORTHING: 14597825.576 UTM EASTING: 2115009.108 LATITUDE: 40.182758 LONGITUDE: -109.300839

PHOTO: VIEW FROM BEGINNING OF REFERENCE AREA





Uintah Engineering & Land Surveying 85 South 200 East Vernal, Utah 84078 (435) 789-1017 \* FAX (435) 789-1813

SCALE: 1" = 300' MONTH DAY YEAR TAKEN BY: A.F. DRAWN BY: Z.L. REVISED: 00-00-00

REF.

#### WEED DATA SHEET

PROJECT NAME: RW 12-26B SURVEYOR: Stephanie Tomkinson

5-4-11 DATE:

	Location GPS Coordinates	Site Description	Weed Species	Cover Class or Number	Pattern	Infestation Size (acres)
1						· · · · · · · · · · · · · · · · · · ·
2						
3						
4						
5						
6						
7						

SITE DRAWING (Optional): Include a sketch of the infestation within the project area. Count the number of individuals if possible.

No	MOXIOUD	Welds	On
	ation.		

*Cover Class-	stimated percent cov	er, by species,	of the infestation
0 m 17	anda Carrat		

Less than 1% (trace)

2 = One to five % (low - occasional plants)

3 = Six to twenty-five % (moderate - scattered plants)

4 = Twenty-five to 100 % (high - fairly dense)

\*Pattern - pattern of the infestation

0 = No weeds found

1 = Single plant or small area of many plants

2 = Linear

3 = Patchy

4 = Block

\*Infestation Size - number of estimated acres of the infestation

0 = No weeds found

1 = Less than one acre

2 = One to five acres

3 = five or more acres

Cheatgrass canopy cover: Russian thistle canopy cover: \_


Halogeton canopy cover: \_\_\_

Kochia canopy cover:

Same vez + people as RW 32-28A

# WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 06/02/2011	API NO. ASSIGNED: 43-047-30311
WELL NAME: RW 12-26B  OPERATOR: QEP ENERGY COMPANY ( N3700 )  CONTACT: VALYN DAVIS	PHONE NUMBER: 435-781-4369
PROPOSED LOCATION: SWNW 26 070S 230E	INSPECT LOCATN BY: / /
SURFACE: 2103 FNL 0603 FWL	Tech Review Initials Date
BOTTOM: 2103 FNL 0603 FWL COUNTY: UINTAH	Engineering
LATITUDE: 40.18205 LONGITUDE: -109.30089	Geology
UTM SURF EASTINGS: 644657 NORTHINGS: 44491 FIELD NAME: RED WASH (665	
LEASE TYPE: 1 - Federal  LEASE NUMBER: U-0566  SURFACE OWNER: 1 - Federal  RECEIVED AND/OR REVIEWED:	PROPOSED FORMATION: MVRD COALBED METHANE WELL? NO LOCATION AND SITING:
✓       Plat         ✓       Bond: Fed[1] Ind[] Sta[] Fee[]         (No. ESB000024 )       )         ✓       Potash (Y/N)         Ni       Oil Shale 190-5 (B) or 190-3 or 190-13         ✓       Water Permit (No. 49-2153 )         Ni       RDCC Review (Y/N) (Date:)         Ni       Fee Surf Agreement (Y/N)         Ni       Intent to Commingle (Y/N)	R649-2-3.  Unit: RED WASH  R649-3-2. General Siting: 460 From Qtr/Qtr & 920' Between Wells  R649-3-3. Exception  Drilling Unit Board Cause No: 187-07 Eff Date: 9-18-2001 Siting: Sistends Grant String  R649-3-11. Directional Drill
STIPULATIONS:	(Opprova)



## **United States Department of the Interior**

#### **BUREAU OF LAND MANAGEMENT**

Utah State Office P.O. Box 45155 Salt Lake City, Utah 84145-0155

IN REPLY REFER TO: 3160 (UT-922)

June 22, 2011

#### Memorandum

To: Assistant District Manager Minerals, Vernal District

From: Michael Coulthard, Petroleum Engineer

Subject: 2011 Plan of Development Red Wash Unit,

Uintah County, Utah.

Pursuant to email between Diana Whitney, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management, the following wells are planned for re-entry, deepening and completion in the Mesaverde Formation. The work is planned for calendar year 2011 within the Red Wash Unit, Uintah County, Utah.

API# WELL NAME LOCATION

(Proposed PZ Mesaverde)

43-047-15305 RW 23-25A Sec 25 T07S R22E 1853 FSL 1992 FWL 43-047-15230 RW 32-28A Sec 28 T07S R22E 1980 FNL 1987 FEL 43-047-30311 RW 12-26B Sec 26 T07S R23E 2103 FNL 0603 FWL 43-047-30309 RW 14-18C Sec 18 T07S R24E 0892 FSL 0823 FWL 43-047-15145 RW 32-17C Sec 17 T07S R24E 2054 FNL 1986 FEL 43-047-30259 RW 43-26B Sec 26 T07S R23E 1979 FSL 0661 FEL 43-047-15176 RW 14-23A Sec 23 T07S R22E 0664 FSL 0758 FWL

This office has no objection to permitting the wells at this time.

Michael L. Coulthard

Digitally signed by Michael L. Coulthard

DN: cn=Michael L. Coulthard, o=Sureau of Land Management,
ou=Branch of Minerals, email=Michael\_Coulthard@blm.gov, c=Us
Date: 2011.06.22 08:43:46-06'00'

bcc: File - Red Wash Unit
Division of Oil Gas and Mining
Central Files
Agr. Sec. Chron

Fluid Chron

MCoulthard:mc:6-22-11



## State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER

Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA

Division Director

June 22, 2011

QEP Energy Company 11002 East 17500 South Vernal, UT 84078

Subject: RW 12-26B Well, 2103' FNL, 603' FWL, SW NW, Sec. 26, T. 7 South, R. 23 East,

Uintah County, Utah

#### Ladies and Gentlemen:

Pursuant to Utah Code Ann.§40-6-1 et seq., and Utah Administrative Code R649-3-1 et seq., the Utah Division of Oil, Gas and Mining issues conditions of approval, and permit to drill the listed well. This permit is issued in accordance with the requirements of Cause: 187-07. The expected producing formation or pool is the Mesaverde Formation(s), completion into any other zones will require filing a Sundry Notice (Form 9). Completion and commingling of more than one pool will require approval in accordance with R649-3-22.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-30311.

Sincerely,

John Rogers

Associate Director

JR/js Enclosures

cc: Uintah County Assessor

Bureau of Land Management, Vernal Office



Well Name & Number	RW 12-26B	
API Number:	43-047-30311	
Lease:	UTU-0566	

Location: SW NW Sec. 26 T. 7 South R. 23 East

#### **Conditions of Approval**

#### 1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

#### 2. Notification Requirements

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:

Within 24 hours following the spudding of the well – contact Carol Daniels at 801-538-5284 (please let a voicemail message if not available)

Submit an electronic sundry notice (pre-registration required) via the Utah Oil & Gas website at http://oilgas.ogm.utah.gov

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dustin Doucet at (801) 538-5281 office (801) 733-0983 after office hours

#### 3. Reporting Requirements

All reports, forms and submittals as required by the Utah Oil and Gas Conservation General Rules will be promptly filed with the Division of Oil, Gas and Mining, including but not limited:

- Entity Action Form (Form 6) due within 5 days of spudding the well
- Monthly Status Report (Form 9) due by 5<sup>th</sup> day of the following calendar month
- Requests to Change Plans (Form 9) due prior to implementation
- Written Notice of Emergency Changes (Form 9) due within 5 days
- Notice of Operations Suspension or Resumption (Form 9) due prior to implementation
- Report of Water Encountered (Form 7) due within 30 days after completion
- Well Completion Report (Form 8) due within 30 days after completion or plugging
- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

MAY 0 9 2011

DIV. OF OIL, GAS & MINING

#### STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES	-
DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: SEE ATTACHED
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: N/A
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT OF CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: SEE ATTACHED
2. NAME OF OPERATOR:	9. API NUMBER:
QEP ENERGY COMPANY  3. ADDRESS OF OPERATOR: PHONE NUMBER:	N/A  10. FIELD AND POOL, OR WILDCAT:
11002 E 17500 S CITY VERNAL STATE UT ZIP 84078 (435) 781-4331	RED WASH
FOOTAGES AT SURFACE:	COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION	
NOTICE OF INTENT (Submit in Duplicate)  Approximate date work will start:  DESCRIBE PROPOSED OR COMPLETED OPERATIONS.  ACIDIZE  ALTER CASING  ALTER CASING  ALTER CASING  ALTER CASING  FRACTURE TREAT  NEW CONSTRUCTION  NEW CONSTRUCTION  OPERATOR CHANGE  PLUG AND ABANDON  PLUG AND ABANDON  PLUG BACK  CHANGE WELL NAME  CHANGE WELL STATUS  PRODUCTION (START/RESUME)  COMMINGLE PRODUCING FORMATIONS  RECLAMATION OF WELL SITE  CONVERT WELL TYPE  RECOMPLETE - DIFFERENT FORMATION  12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume  QEP ENERGY COMPANY REQUESTS 12 MONTHS TA STATUS FOR THE LIST OF WEIL  DESCRIBE PROPOSED OR COMPLETE OPERATION.  PLEASE SEE ATTACHED.	
NAME (PLEASE PRINT)  SIGNATURE  JAN NELSON  TITLE  PERMIT AGENT  DATE  5/3/2011	
This space for State use only)  Oil, Gas and Mining	RECEIVED
Date: 8/3/2011	V I L/

(5/2000)

Unit#	Lease#	API number	Well name	Well#	QTR	SEC	TWP	RGE	Future Plans for well bore
8910084820	UTU0807	4304731873	WV	121	NWSW	14	88	21E	Working on permits to deepen to MV in 2012
8920007610	UTU081	4304715296	RW	12-14B	SWNW	14	7\$	23E	Working on permits to deepen to MV in 2012
8920007610	UTU02030	4304715272	RW	12-20B	SWNW	20	<b>7</b> S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU0566	4304730311	RW	12-26B	SWNW	26	75	23E	Working on permits to deepen to MV in 2012
8920007610	UTU0933	4304730199	RW	13-27B	NWSW	27	75	23E	Working on permits to deepen to MV in 2012
8920007610	UTU0116	4304715258	RW	21-18B	NENW	18	7S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU081	4304715186	RW	21-22B	NENW	22	<b>7S</b>	23E	Working on permits to deepen to MV in 2012
8920007610	UTU082	4304715167	RW	21-24B	NENW	24	<b>7S</b>	23E	Working on permits to deepen to MV in 2012
8920007610	UTU0566	4304715191	RW	21-27B	NENW	27	<b>7</b> S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU0567	4304733522	RW	22-21B	SENW	21	7S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU081	4304715153	RW	23-22B	NESW	22	7S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU0566	4304715290	RW	23-26B	NESW	26	7S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU02030	4304715283	RW	31-28B	NWNE	28	<b>7</b> S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU0566	4304715275	RW	32-26B	SWNE	26	75	23E	Working on permits to deepen to MV in 2012
8920007610	UTU0558	4304715230	RW	32-28A	SWNE	28	7S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU081	4304715152	RW	34-14B	SWSE	14	<b>7</b> S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU082	4304731576	RW	42-23B	SENE	23	<b>7</b> S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU082	4304715295	RW	43-24B	NESE	24	7S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU0566	4304730259	RW	43-26B	NESE	26	7S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU02030	4304716475	RW	43-28B	NESE	28	7S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU0566	4304731053	RW	44-27B	SESE	27	75	23E	Working on permits to deepen to MV in 2012
8920007610	UTU081	4304716495	RW	41-15B	NENE	15	<b>7S</b>	23E	Working on permits to deepen to MV in 2012
8920007610	UTU02148	4304730309	RW	14-18C	swsw	18	7S	24E	Working on permits to deepen to MV in 2012

Sundry Number: 27288 API Well Number: 43047303110000

	FORM 9		
ι	5.LEASE DESIGNATION AND SERIAL NUMBER: U-0566		
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	7.UNIT or CA AGREEMENT NAME: RED WASH		
1. TYPE OF WELL Oil Well	8. WELL NAME and NUMBER: RW 12-26B		
2. NAME OF OPERATOR: QEP ENERGY COMPANY		<b>9. API NUMBER:</b> 43047303110000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 303	PHONE NUMBER: 308-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2103 FNL 0603 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNW Section:	lian: S	STATE: UTAH	
11. CHECK	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
7/3/2012	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	<b>✓</b> OTHER	OTHER: RESCIND NOI TO DEEPEN
QEP ENERGY COMP	COMPLETED OPERATIONS. Clearly show a PANY REQUESTS TO RESCIND TO DEEPEN ON THE RW 12-2	THE NOTICE OF INTENT	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY July 03, 2012
NAME (DI EASE DDINIT)	DUONE NI IMPI	ED TITLE	
Valyn Davis	<b>PHONE NUMB!</b> 435 781-4369	Regulatory Affairs Analyst	
SIGNATURE N/A		<b>DATE</b> 7/3/2012	

RECEIVED: Jul. 03, 2012

Sundry Number: 27288 API Well Number: 43047303110000

From: Valyn Davis <Valyn.Davis@qepres.com>

**To:** "dianawhitney@utah.gov" <dianawhitney@utah.gov>

**Date:** 7/3/2012 10:52 AM

Subject: RE: Sundry For API Well Number 43047303110000

Yes, revert back to the original APD.

Thank you and have a great 4th of July holiday!

Valyn

----Original Message-----

From: dianawhitney@utah.gov [mailto:dianawhitney@utah.gov]

Sent: Tuesday, July 03, 2012 10:47 AM

To: Valyn Davis

Subject: Sundry For API Well Number 43047303110000

Notice of Intent: OTHER API Number: 43047303110000 Operator: QEP ENERGY COMPANY

Same with this one.

RECEIVED: Jul. 03, 2012

Sundry Number: 71354 API Well Number: 43047303110000 FEDERAL APPROVAL OF THIS ACTION IS NECESSARY

	FORM 9			
[	5.LEASE DESIGNATION AND SERIAL NUMBER: U-0566			
SUNDR	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	epen existing wells below I laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH		
1. TYPE OF WELL Oil Well	8. WELL NAME and NUMBER: RW 12-26B			
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047303110000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South,		HONE NUMBER: 05-5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2103 FNL 0603 FWL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNW Section:	IIP, RANGE, MERIDIAN: 26 Township: 07.0S Range: 23.0E Meridia	n: S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOF	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
QEP ENERGY COMF ABANDON THE PROCEDURES TO P OF THIS SITE W	CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR WATER SHUTOFF WILDCAT WELL DETERMINATION COMPLETED OPERATIONS. Clearly show all personal completed of the complete o	CASING REPAIR  CHANGE WELL NAME  CONVERT WELL TYPE  NEW CONSTRUCTION  PLUG BACK  RECOMPLETE DIFFERENT FORMATION  TEMPORARY ABANDON  WATER DISPOSAL  APD EXTENSION  OTHER:  DEPths, volumes, etc.  Proved by the character of the disposal of t		
NAME (PLEASE PRINT) Jan Nelson	PHONE NUMBER 435 781-4331	TITLE Permit Agent		
SIGNATURE N/A	100 701 1001	DATE 4/26/2016		

Sundry Number: 71354 API Well Number: 43047303110000



#### The Utah Division of Oil, Gas, and Mining

- State of UtahDepartment of Natural Resources

**Electronic Permitting System - Sundry Notices** 

Sundry Conditions of Approval Well Number 43047303110000

A minimum 100' cement plug shall be placed on the CICR for Plug #1 as required by R649-3-24-3.2.

RECEIVED: Apr. 28, 2016

Sundry Number: 71354 API Well Number: 43047303110000

#### Plug and Abandon

Well Name: RW 12-26B AFE:

Field: Red Wash Well Code: 302820201

Location: SWNW Sec. 26 T7S R23E

County: Uintah State: Utah

**API:** 43-047-33493

**WI**: 100.00% **NRI**: 86.37%

 Well Data:
 TD:
 5,900
 PBTD:
 5,393

 GL:
 5,527
 KBE:
 5,541

**Casing & Cementing:** 

Surface: 12 3/4" Hole Size

8-5/8" 24#, K-55 set @ 310'.

Cement w/ 200 sks

**Production:** 7 7/8" Hole Size

5-1/2" 15.5# K-55, set @ 5900'

Cement w/ 675 sks TOC @ ~ 3400'

**Perforations:** 7730'-42', 7816'-19', 7910'-12', 7976'-82' Open

5243'-5559' Squeezed Csg Leaks

Operation: Plug and Abandon

**Program:** 

MIRU service unit, kill well if necessary, ND WH and NU BOP

RIH w/ 2-7/8" tubing and tag CICR @ ~4410'

Fill hole with a minimum 9 ppg fluid, if well was dead, water may be used to fill the hole

POOH with tubing

RU Wireline and shoot holes @ 2653'. RIH w/ CICR and set @ 2553'.

Establish injection rate and squeeze 50 sx below and spot 10 sx cement on top

POOH w/ 2-7/8" tubing

RU wireline, perforate the casing at 360', RD wireline

RIH with 2-7/8" tubing to 360', Attempt to circulate up annulus with fluid

Circulate cement up the surface csg - prod csg annulus

Fill production casing with cement from 360' to surface with cement

Ensure 3' of working space to cut off wellhead later

RD Floor, ND BOP

Cut off wellhead 3' below ground and weld on a dry hole marker

GPS wellhead location and note on report

Clean up location, RDMO

Sundry Number: 71354 API Well Number: 43047303110000

FIELD: Red Wash	GL: ## ' KBE: 5541 '	Start Date: Finish Date:
Well: RWU #12-26B	TD: ## ' PBTD: 5393 '	Current Well Status: TA Oil Well
Location:	43-047-30311	Reason for Pull/Workover:
Wellbore Schematic		Tubing Landing Detail:
		Description Size Footage Depth
Surface casing		
Size 8 5/8"		KB to Tbg Head         14.00         14.00           Stretch
Weight 24# Grade K-55		172 Jnts J-55 Tubing TAC
Cmtd w/ 200 sxs		PSN
Set @ 310'		<u>SMA</u>
Hole size 12 3/4"		
EXCLUDED PERFS	OPEN PERFS	EOT 14.00
		Tubing Information
		Condition:
	EMENT	Grade: J <u>-55</u>
	ICR @ 2553' Top @ 2,653'	Weight (#/ft): 6.5
		Sucker Rod Detail:
		Size         Rods         Rod Type           1 - 4', 1 - 6' x 1"         Ponys
		1" 60 Slick
		7/8" 54 Slick 3/4" 97 Slick
	TOC @ 3400 '	<del></del>
		Rod Information
		Condition:           New:USEDRERUN
		Grade: <b>D</b> Manufacturer:
		waliulactuler.
C	ICR @ 4410'	Pump Information:           API Designation         2.5" x 1.5" x 18 x 4 RHAC
		Example:
	447-50' 615-18'	Pump SN#:        R-467Original Run Date:
4,	628-32'	Wellhand Dahril
4	693-97' 875-78'	<b>Wellhead Detail:</b> 7 1/16" 2000#
4	896-4902'	7 1/16" 3000# X 7 1/16" 5000#
4	938-47'	Other:
5	002-06'	Donut: Bonnet: X_
	237-60'	<del>-</del>
5.	273-79'	Tbg Hanger Type:
5.	282-86' 291-97'	SUMMARY
5.	332-37'	Over Pive Tee DIAM's Fee and should be a copy DIA of OIOD and an Alexander
5 5	340-50' 360-88'	Green River Top - RU Wireline and shoot holes @ 2653'. RIH w/ CICR and set @ 2553'.  Establish injection rate and squeeze 50 sx below and spot 10 sx cement on top
	CIBP @ 5393'	Surface shoe and surface plug - RU Wireline and shoot holes @ 360'.
5100.40		Establish injection rate and circulation.
5402-13' <b>5</b> 419-27' <b>5</b>		Circulate cement up the surface csg - prod csg annulus  Fill production casing with cement from 360' to surface with cement
5431-34' <b>5</b> 439-44' <b>5</b>		
5447-52'		
5402-13*		
5610-16' <b>5</b> 697-5712' <b>5</b>		
<u>Production casing</u> 5 1/2", 15.5#, K-55		
Cmtd w/ 675 sxs 50-50 Poz		
Hole Size 7 7/8"	PBTD @ 5393 '	
Set @ 5900'	TD @ 5900 '	
Prepared By: K. Fleetwood Dat	te: 11/8/2011	